
# Restoration

# **Sustainable Turf Starts with Healthy Soil**

- Humic acid improves soil and makes nutrients more available to the turf
- Replenishes soil carbon with recycled organic matter





21-0-5

### **GUARANTEED ANALYSIS**

2.1% Ammoniacal Nitrogen

2.0% Water Insoluble Nitrogen\*

14.6% Urea Nitrogen

Soluble Potash (K<sub>2</sub>0)...... 5% Derived From: Urea, Methylene Ureas, Ammonium Sulfate, Biosolids,

\*3.6% Slowly available Nitrogen from Methylene Ureas.

\*0.7% Slowly available Nitrogen from Biosolids. Chlorine (CI) not more than.....

NON-PLANT FOOD INGREDIENTS 

PLANT FOOD INGREDIENTS Plant food fertilizer...

## **GUARANTEED MINIMUM ANALYSIS**

2.1% Ammoniacal Nitrogen 2.0% Water Insoluble Nitrogen\*

14.6% Urea Nitrogen 2.3% Other Water Soluble Nitrogen\*

Soluble Potash (K<sub>2</sub>0)...... 5%

Derived From: Urea, Methylene Ureas, Ammonium Sulfate, Biosolids, Muriate of Potash.

\*3.6% Slowly available Nitrogen from Methylene Ureas \*0.7% Slowly available Nitrogen from Biosolids.

NON-PLANT FOOD INGREDIENTS 

**PLANT FOOD INGREDIENTS** 

Plant food fertilizer.....

CANADA

Lebanon brand fertilizers are formulated for professional use on turf, including golf courses, sports fields, and landscapes. Specific application rates and frequencies are determined by the professional applicator based on local soils, regulations, and climate.

## **Application Rates:**

To feed at the rate of 0.9 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 4.3 lbs per 1,000 sq. ft. or 260 lbs. per acre. To feed at the rate of 0.5 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 2.4 lbs per 1,000 sq. ft. or 144 lbs. per acre.

SUGGESTED SPREADER SETTINGS 0.9# N /1,000 sq. ft. 0.5# N /1,000 sq. ft. Andersons AccuPro **Earthway Rotary** 4 II Lesco (letter/numeric) J/21 PennMulch HVO ProScape SS Spyker These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly

different settings for desired coverage.

22-53975 F/22

Information regarding the contents and levels of metals in this product is available on the Internet at:

**Hazard Statements** May be harmful if inhaled May cause respiratory irritation. Causes serious eye irritation.

**Precautionary Statements** Wash hands and exposed skin thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection. If in eyes, rinse with water and seek medical attention if symptoms persist. Take off contaminated clothing and wash before reuse. IF ON SKIN: Wash with plenty of soap and water.
IF INHALED: Call » POISON CENTER or doctor/physician if you feel unwell.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/ attention

If eye irritation persists: Get medical advice/attention. Store locked up. Store in a well-ventilated place

Keep container tightly closed.

Precautionary Statements for disposal - Dispose in accordance with all federal, state and local regulations.

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn. WARRANTY

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

landscape management plan for your local course or area. A suggested application rate is 1 to 2.8 Kg for 100 m<sup>2</sup>, applied every 4 to 8 weeks

Application Rates and Frequencies in Canada: Follow your professional

**Application Rates:** To feed at the rate of 0.41 kg Nitrogen (N)
Equivalent to 1.95 kg of product per 100 sq. meters.

To feed at the rate of 0.23 kg Nitrogen (N)

ProScape SS

Spyker

Equivalent to 1.1 kg of product per 100 sq. meters. SUGGESTED SPREADER SETTINGS 0.43 kg N/100 m<sup>2</sup> 0.24 kg# N/100 m<sup>2</sup> Andersons AccuPro **Earthway Rotary** Lesco (letter/numeric) J/21 PennMulch HVO

Vicon 26 22 These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

Manufactured by: 800-233-0628 • (717) 273-1685

This bag covers 8900 square feet

Lebanon Seaboard Corporation 1600 E. Cumberland St. • Lebanon, PA 17042 Made in the U.S.A.



