

LebanonTurf

Country Club[®]MD

Maximum Dispersion

- Utilizes a unique, highly dispersing granule technology
- Contains North Atlantic Ocean sea kelp
- Features METH-EX[®] slow release nitrogen
- SGN 80 is ideal for putting greens

FERTILIZER

14-7-14



GUARANTEED ANALYSIS

Total Nitrogen	14%
1.5% Ammoniacal Nitrogen	
3.0% Water Insoluble Nitrogen*	
4.1% Urea Nitrogen	
5.4% Other Water Soluble Nitrogen*	
Available Phosphate (P ₂ O ₅)	7%
Soluble Potash (K ₂ O)	14%
Sulfur (S)	6.6%
6.6% Combined Sulfur (S)	
Magnesium (Mg)	1.5%
1.5% Water Soluble Magnesium (Mg)	
Iron (Fe)	2.0%
Manganese (Mg)	1.0%
1.0% Water Soluble Manganese (Mg)	

Derived from: Methylene Urea, Urea, Sulfate Potassium Magnesia, Ferric Oxide, Manganese, Potassium Humate, Kelp.

*8.5% Slowly Available Nitrogen from Methylene Ureas.

ALSO CONTAINS NON PLANT FOOD INGREDIENTS

SOIL/PLANT AMENDING INGREDIENTS

Active Ingredients:

Humic Acids (derived from Leonardite)	1.0%
Inert Ingredients (as soil amending)	99.0%
99% Fertilizer Ingredients.	

U.S.A.

GUARANTEED MINIMUM ANALYSIS

Total Nitrogen	14%
1.5% Ammoniacal Nitrogen	
3.0% Water Insoluble Nitrogen*	
4.1% Urea Nitrogen	
5.4% Other Water Soluble Nitrogen*	
Available Phosphate (P ₂ O ₅)	7%
Soluble Potash (K ₂ O)	14%
Sulfur (S)	6.6%
6.6% Combined Sulfur (S)	
Magnesium (Mg)	1.5%
1.5% Water Soluble Magnesium (Mg)	
Iron (Fe) (actual)	2.0%
Manganese (Mg) (actual)	1.0%
1.0% Water Soluble Manganese (Mg)	

Derived from: Methylene Urea, Urea, Sulfate Potassium Magnesia, Ferric Oxide, Manganese, Potassium Humate, Kelp.

*8.5% Slowly Available Nitrogen from Methylene Ureas.

ALSO CONTAINS NON PLANT FOOD INGREDIENTS

SOIL/PLANT AMENDING INGREDIENTS

Active Ingredients:

Humic Acids (derived from Leonardite)	1.0%
Inert Ingredients (as soil amending)	99.0%
99% Fertilizer Ingredients.	

CANADA

Country Club[®] MD products contain humic acids, which may aid in nutrient availability

NOTICE: This product contains the micronutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly by sweeping or blowing. Do not wash off with water.

Lebanon brand fertilizers are formulated for professional use on turf, including golf courses, sports fields, and landscapes. Specific application rates and frequencies are determined by the professional applicator based on local soils, regulations, and climate.

Application Rate:

To feed at the rate of 0.9 lbs. Nitrogen (N) per 1,000 sq. ft. apply this product at 6.4 lbs. per 1,000 sq. ft. or 279 lbs. per acre.
To feed at the rate of 0.5 lbs Nitrogen (N) per 1,000 sq. ft. apply this product at 3.6 lbs. per 1,000 sq. ft. or 157 lbs. per acre.

SUGGESTED SPREADER SETTINGS

SPREADER	0.9 lbs./1,000 sq. ft.	0.5 lbs N/1,000 sq. ft.
LebanonTurf	4 1/2	2
Andersons AccuPro	K	F
Earthway Rotary	15	11
Gandy	24	21
Lely	5 II	2 1/2 II
Lesco (letter/Numeric)	L	G
ProScape SS	L	G
Spyker	4 1/2	2
Vicon	24	15

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

Apply only to actively growing turf. Do not exceed 3.2 lbs. of total nitrogen per 1,000 sq. ft. annually.

In Maryland, New Jersey, New York and Virginia: This fertilizer contains phosphorus and may not be used for lawn maintenance on turf in the states of Maryland, New Jersey, New York or Virginia except when
1) Providing nutrients to specific soils and target vegetation as determined to be necessary in accordance with a soil test that was conducted by a laboratory* performed no more than 3 years before the application
2) Establishing vegetation for the first time, such as after land disturbance, provided the application is conducted in accordance with the recommended application rates established by the State
3) Re-establishing or repairing a turf area.

*In Maryland, the soil testing laboratory must be identified under Section 8-803.7 of the Agriculture Article, Annotated Code of Maryland.

In New Hampshire: This fertilizer contains phosphate. In New Hampshire, phosphate fertilizers may only be used for turf maintenance in golf courses, parks, athletic fields, and sod farms.

In Pennsylvania: Do not exceed 0.9 lbs of total nitrogen per 1,000 sq. ft. per application.

WARNING



Hazard Statements:

May cause skin and eye irritation.
May be harmful if inhaled.

Precautionary Statements for handling:

Wash hands and exposed skin thoroughly after handling.
Wear protective gloves and protective clothing.
If eye or skin exposure occurs, rinse with water. Seek medical attention if irritation persists.
Take off contaminated clothing and wash before reuse.
Store the container locked up in a well-ventilated place out of reach of children.
Dispose of in accordance with all federal, state and local regulations.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back onto your lawn.

Do not apply to frozen ground.

WARRANTY

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

Application Rate:

To feed at the rate of 0.43 kg. Equivalent to 3.1 kg of product per 100 square meters.
To feed at the rate of 0.22 kg. Equivalent to 1.7 kg of product per 100 square meters.


SUGGESTED SPREADER SETTINGS

SPREADER	0.48 kg /100m ²	0.48 kg /100m ²
LebanonTurf	4 1/2	2
Andersons AccuPro	K	F
Earthway Rotary	15	11
Gandy	24	21
Lely	5 II	2 1/2 II
Lesco (letter/Numeric)	L	G
ProScape SS	L	G
Spyker	4 1/2	2
Vicon	24	17

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

Application rates and Frequencies in Canada:

Follow your professional landscape management plan for you local course or area. A suggested application rate is 1 to 2.8 kg for 100m² applied every 4 to 8 weeks during local growing seasons.



F699

21-29072

J/23

Information regarding the contents and levels of metals in this product is available on the Internet at:
<http://www.regulatory-info-lebsea.com>

For technical assistance or more information about our products visit www.LebanonTurf.com

Lebanon Seaboard Corporation
1600 E. Cumberland St • Lebanon, PA 17042
800-233-0628 • 717-273-1685

40 Lbs. (18.14 kg) Net Weight