
## LEBANON Country Club. M P 0 S 0 L СН 0 0 G E FERTILIZER



\*11.7% Slowly Available Nitrogen from Methylene Ureas.



Chlorine (CI) not more than...

#### **DIRECTIONS FOR USE**

Apply anytime during the turf growing season; however, when the weather is extremely hot, it is best to delay or reduce fertilizer applications.

. 2.0%

Notice: This product contains the secondary micronutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly after applications by sweeping or blowing. Do not wash off with water.

Information regarding the contents and levels of metals in this product is available on the Internet at http://www.regulatory-info-lebsea.com To feed at the rate of 0.9 lb. Nitrogen per 1,000 sq. ft., apply this product at 5.0 lbs. per 1,000 sq. ft. or 218 lbs. per acre. To feed at the rate of  $\frac{1}{2}$  lb. Nitrogen per 1,000 sq. ft., apply this product at 2.8 lbs. per 1,000 sq. ft. or 121 lbs. per acre.

SUGGESTED SPREADER SETTINGS											
	Speed		Width	Settings			Speed		Width	Settings	
Spreader	Ground	PTO	of	Regular	Half	Spreader	Ground	PTO	of	Regular	Half
	MPH	RPM	Coverage	(0.9#N)	(0.5#N)		MPH	RPM	Coverage	(0.9#N)	(0.5#N)
LebanonTurf	3		8 ft.	<b>3½</b>	1½	Lesco® (Letter/Numeric Dial)	3		8 ft.	G/16	D/14
Andersons AccuPro®	3		8 ft.	н	Е	PennMulch® HVO	3		8 ft.	J	D
Earthway <sup>®</sup> Rotary	3		8 ft.	12	10½	ProScape® SS	3		8 ft.	J	D
Gandy®	3			22	20	Spyker	3		8 ft.	3½	1½
Lely (HR, W, 1250, 1500, 2010)	5	425	39 ft.	4½II	2II	Vicon (all models)	5	540	35 ft.	22	14

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation, and evenness of terrain may require slightly different settings for desired coverage.

Country Club and the Lebanon Diamond are registered trademarks of Lebanon Seaboard Corporation.

#### CAUTION

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

WARRANTY NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.




For technical assistance or more information about our products visit www.LebanonTurf.com

## Lebanon Seaboard Corporation

1600 E. Cumberland St • Lebanon, PA 17042

Country Club®, PennMulch®, ProScape®, the Lebanon Diamond, and Composite Technology® are registered trademarks of Lebanon Seaboard Corporation. Composite Technology is U.S. Patent 6,464,746.

## 50 Lbs. (22.7 kg) Net Weight



#### DIRECTIONS FOR USE

Apply anytime during the turf growing season; however, when the weather is extremely hot, it is best to delay or reduce fertilizer applications.

Notice: This product contains the secondary micronutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly after applications by sweeping or blowing. Do not wash off with water.

Information regarding the contents and levels of metals in this product is available on the Internet at http://www.regulatory-info-lebsea.com To feed at the rate of 0.9 lb. Nitrogen per 1,000 sq. ft., apply this product at 5.0 lbs. per 1,000 sq. ft. or 218 lbs. per acre. To feed at the rate of  $\frac{1}{2}$  lb. Nitrogen per 1,000 sq. ft., apply this product at 2.8 lbs. per 1,000 sq. ft. or 121 lbs. per acre.

SUGGESTED SPREADER SETTINGS											
	Speed		Width	Settings			Speed		Width	Settings	
Spreader	Ground	PTO	of	Regular	Half	Spreader	Ground	PTO	of	Regular	Half
	MPH	RPM	Coverage	(0.9#N)	(0.5#N)	-	MPH	RPM	Coverage	(0.9#N)	(0.5#N
LebanonTurf	3		8 ft.	31/2	1½	Lesco® (Letter/Numeric Dial)	3		8 ft.	G/16	D/14
Andersons AccuPro®	3		8 ft.	н	E	PennMulch® HVO	3		8 ft.	J	D
Earthway <sup>®</sup> Rotary	3		8 ft.	12	10½	ProScape® SS	3		8 ft.	J	D
Gandy®	3			22	20	Spyker	3		8 ft.	3½	1½
Lely (HR, W, 1250, 1500, 2010)	5	425	39 ft.	4½II	2II	Vicon (all models)	5	540	35 ft.	22	14

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation, and evenness of terrain may require slightly different settings for desired coverage.

Country Club and the Lebanon Diamond are registered trademarks of Lebanon Seaboard Corporation.

#### CAUTION

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

#### WARRANTY

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

# LebanonTurf

For technical assistance or more information about our products visit www.LebanonTurf.com

## Lebanon Seaboard Corporation

#### 1600 E. Cumberland St • Lebanon, PA 17042

Country Club®, PennMulch®, ProScape®, the Lebanon Diamond, and Composite Technology® are registered trademarks of Lebanon Seaboard Corporation. Composite Technology is U.S. Patent 6,464,746.

#### 50 Lbs. (22.7 kg) Net Weight