



Country Club[®]

FERTILIZER



FAIRWAY GRADE FORMULA
HOMOGENEOUS GRANULES FOR PROFESSIONAL TURF
 COVERS 8,000 SQ. FT.

16-8-8



GUARANTEED ANALYSIS

Total Nitrogen	16%
16.0% Ammoniacal Nitrogen	
Available Phosphate (P ₂ O ₅)	8%
Soluble Potash (K ₂ O)	8%
Sulfur (S)	15.0%
15.0% Combined Sulfur (S)	
Derived From: Ammonium Phosphate, Ammonium Sulfate, Muriate of Potash.	
Chlorine (Cl) not more than	8.0%



DIRECTIONS FOR USE
 This all mineral product is excellent for working into the soil prior to making a seeding or planting. Apply at the rate of 1-2 lbs. Nitrogen per 1,000 sq. ft. (275-550 lbs. per acre).

F699 **21-35565**

For feeding established turf, use at the rate of 1 lb. Nitrogen per 1,000 sq. ft. (275 lbs. per acre) during cool seasons and 1/2 lb. Nitrogen per 1,000 sq. ft. (138 lbs. per acre) during warm seasons. Product should be watered-in thoroughly, immediately after application, particularly during warm seasons, to prevent danger of foliage burn.

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.regulatory-info-lebsea.com>

Country Club and the Lebanon Diamond are registered trademarks of Lebanon Seaboard Corporation.

SUGGESTED SPREADER SETTINGS

Spreader	Speed		Width of Coverage	Settings		Spreader	Speed		Width of Coverage	Settings	
	Ground MPH	PTO RPM		Regular (1#N)	Half (1/2#N)		Ground MPH	PTO RPM		Regular (1#N)	Half (1/2#N)
LebanonTurf	3		8 ft.	5	4	PennMulch® HVO/ProScape® SS	3		8 ft.	0	J
Cyclone®	3		8 ft.	5 1/2	4	Prizelawn BF & CBR III	3		8 ft.	0	J
Earthway® Rotary	3		8 ft.	18	15	Prizelawn CBR II	3		8 ft.	6	4
Ezee Flow (109)	5	540	30 ft.	A4	C2	Prizelawn LF-1	3		8 ft.	4 1/2	2 1/2
Gandy®	3		30 ft.	35	30	Republic® Rotary	3		6 ft.	6	3
Lely (HR, 1250, 1500, 2010)	5		39 ft.	7 II	5 II	Scotts® AccuPro®	3		8 ft.	0	H
Lely (W)	5	425	39 ft.	7 II	5 II	Scotts® (Rotary) R7X	3		8 ft.	J	F
Lesco® (Letter Dial)	3		8 ft.	K	H	Scotts® (Rotary) R8A	3		8 ft.	N	K
Lesco® (Numeric Dial)	3		8 ft.	22	16	Spyker	3		8 ft.	5	4
Ortho® Rotary	3		6 ft.	6	3	Vicon (all models)	5	540	35 ft.	30	25

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation, and evenness of terrain may require slightly different settings for desired coverage.

Fertilizer may cause irritation of eyes, nose, throat and skin.
In case of contact with skin or eyes, flush with plenty of water;
for eyes, get medical attention.

KEEP OUT OF REACH OF CHILDREN.
CAUTION



For technical assistance or more information about our products visit www.LebanonTurf.com

Manufactured by:
Lebanon Seaboard Corporation
 1600 E. Cumberland St. • Lebanon, PA 17042
 Made in the U.S.A.
www.LebanonTurf.com

50 Lbs. (22.68 kg) Net Weight

FAIRWAY GRADE FORMULA

HOMOGENEOUS GRANULES FOR PROFESSIONAL TURF

COVERS 8,000 SQ. FT.

16-8-8



GUARANTEED ANALYSIS

Total Nitrogen	16%
16.0% Ammoniacal Nitrogen	
Available Phosphate (P₂O₅)	8%
Soluble Potash (K₂O)	8%
Sulfur (S)	15.0%
15.0% Combined Sulfur (S)	
Derived From: Ammonium Phosphate, Ammonium Sulfate, Muriate of Potash.	
Chlorine (Cl) not more than	8.0%



DIRECTIONS FOR USE

This all mineral product is excellent for working into the soil prior to making a seeding or planting. Apply at the rate of 1-2 lbs. Nitrogen per 1,000 sq. ft. (275-550 lbs. per acre).

For feeding established turf, use at the rate of 1 lb. Nitrogen per 1,000 sq. ft. (275 lbs. per acre) during cool seasons and 1/2 lb. Nitrogen per 1,000 sq. ft. (138 lbs. per acre) during warm seasons. Product should be watered-in thoroughly, immediately after application, particularly during warm seasons, to prevent danger of foliage burn.

F699 **21-35565**

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.regulatory-info-lebsea.com>

Country Club and the Lebanon Diamond are registered trademarks of Lebanon Seaboard Corporation.

SUGGESTED SPREADER SETTINGS

Spreader	Speed		Width of Coverage	Settings		Spreader	Speed		Width of Coverage	Settings	
	Ground MPH	PTO RPM		Regular (1#N)	Half (½#N)		Ground MPH	PTO RPM		Regular (1#N)	Half (½#N)
	LebanonTurf	3		8 ft.	5		4	PennMulch® HVO/ProScape® SS	3		8 ft.
Cyclone®	3		8 ft.	5½	4	Prizelawn BF & CBR III	3		8 ft.	0	J
Earthway® Rotary	3		8 ft.	18	15	Prizelawn CBR II	3		8 ft.	6	4
Ezee Flow (109)	5	540	30 ft.	A4	C2	Prizelawn LF-1	3		8 ft.	4½	2½
Gandy®	3			35	30	Republic® Rotary	3		6 ft.	6	3
Lely (HR, 1250, 1500, 2010)	5		39 ft.	7 II	5 II	Scotts® AccuPro®	3		8 ft.	0	H
Lely (W)	5	425	39 ft.	7 II	5 II	Scotts® (Rotary) R7X	3		8 ft.	J	F
Lesco® (Letter Dial)	3		8 ft.	K	H	Scotts® (Rotary) R8A	3		8 ft.	N	K
Lesco® (Numeric Dial)	3		8 ft.	22	16	Spyker	3		8 ft.	5	4
Ortho® Rotary	3		6 ft.	6	3	Vicon (all models)	5	540	35 ft.	30	25

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation, and evenness of terrain may require slightly different settings for desired coverage.

Fertilizer may cause irritation of eyes, nose, throat and skin.
In case of contact with skin or eyes, flush with plenty of water;
for eyes, get medical attention.

**KEEP OUT OF REACH OF CHILDREN.
CAUTION**



For technical assistance or more information about our products visit www.LebanonTurf.com

Manufactured by:

Lebanon Seaboard Corporation

1600 E. Cumberland St. • Lebanon, PA 17042

Made in the U.S.A.

www.LebanonTurf.com

50 Lbs. (22.68 kg) Net Weight