

Country Club. FERTILIZER

GREENS GRADE FORMULA

FINE HOMOGENEOUS GRANULES FOR CLOSE CUT TURF **COVERS 9,000 SQ. FT.**



Total Nitrogen GUARANTEED ANALYSIS	. 18%
4.0% Ammoniacal Nitrogen	
3.1% Water Insoluble Nitrogen*	
3.4% Urea Nitrogen	
7.5% Other Water Soluble Nitrogen*	
Available Phosphate (P ₂ U ₅)	. 4%
Available Phosphate (P ₂ 0 ₅) Soluble Potash (K ₂ 0) Magnesium (Mg)	. 12 %
Magnesium (Mg)	2.0%
2.0% Water Soluble Magnesium (Mg)	
Sulfur (S)	9.6%
9.6% Combined Sulfur (S)	
Iron (Fe)	0.8%
0.08% Water Soluble Iron (Fe)	
Manganese (Mn)	0.4%
0.4% Water Soluble Manganese (Mn)	
Derived From: Ammonium Phosphate, Ammonium Sulfate, Methylene Ureas, Ur	ea.
Sulfate of Potash, Sulfate of Potash Magnesia, Ferric Oxide, Ferrous Sulfate, Man Sulfate.	
Chlorine (CI) not more than	2.0%

NOTICE: This product contains the secondary nutrient iron. Iron may stain concrete

surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly after application by sweeping or blowing. Do not wash

Information regarding the contents and levels of metals in this product is available on the Internet at http://www.regulatory-info-lebsea.com

DIRECTIONS FOR USE: Apply anytime during the turf growing season; however, when weather is extremely hot, it is best to delay or reduce fertilizer applications. To feed at the rate of 1 lb. Nitrogen per 1,000 sq. ft., apply this product at 5.6 lbs. per 1,000 sq. ft. or 242 lbs. per acre.

SUGGESTED SPREADER SETTINGS												
	Sp	eed	Width	th Settings			Speed		Width Sett		tings	
Spreader	Ground	PTO	of	Regular	Half	Spreader	Ground	PTO	of	Regular	Half	
	MPH	RPM	Coverage	(1#N)	(½#N)		MPH	RPM	Coverage	(1#N)	(½#N)	
Cyclone®	3		8 ft.	41/2	3½	Prizelawn BF & CBR III	3		8 ft.	L	Н	
Earthway® Rotary	3		8 ft.	14	11	Prizelawn CBR II	3		8 ft.	41/2	21/2	
Ezee Flow (109)	5	540	30 ft.	C3	C2	Prizelawn LF-1	3		8 ft.	31/2	2	
Gandy®	3			26	22	ProScape® SS	3		8 ft.	L	Н	
Lely (HR, 1250, 1500, 2010)	5		39 ft.	5II	3II	Republic® Rotary	3		6 ft.	41/2	2	
Lely (W)	5	425	39 ft.	5II	3II	Scotts® AccuPro®	3		8 ft.	K	F	
Lesco® (Letter Dial)	3		8 ft.	I	D	Scotts® (Rotary) R7X	3		8 ft.	Н	Ε	
Lesco® (Numeric Dial)	3		8 ft.	17	10	Scotts® (Rotary) R8A	3		8 ft.	L	J	
Ortho® Rotary	3		6 ft.	L	Н	Spyker	3		8 ft.	4	3	
PennMulch® HVO	3		8 ft.	L	Н	Vicon (all models)	5	540	35 ft.	24	20	

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation, and evenness of terrain may require slightly different settings for desired coverage.



LebanonTurf encourages all of our customers to use our products responsibly. Help do your part in protecting our lakes, streams, and rivers by following label directions and cleaning all walkways and driveways after applications. Do not apply to frozen ground or allow fertilizers to fall into storm drains. By working together, we can help preserve the environment. To learn more, visit www.LebanonTurf.com/turf

Fertilizer may cause irritation of eyes, nose, throat and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes, get medical attention.

KEEP OUT OF REACH OF CHILDREN. CAUTION

For technical assistance or more information about our products visit www.LebanonTurf.com

Lebanon Seaboard Corporation 1600 E. Cumberland St • Lebanon, PA 17042

50 Lbs. (22.68 kg) Net Weight

GREENS GRADE FORMULA

FINE HOMOGENEOUS GRANULES FOR CLOSE CUT TURF

COVERS 9,000 SQ. FT.

18-4-12



Total Nitrogen GUARANTEED ANALYSIS	18%
4.0% Ammoniacal Nitrogen	10 / 5
3.1% Water Insoluble Nitrogen*	
3.4% Urea Nitrogen	
7.5% Other Water Soluble Nitrogen*	
Available Phosphate (P ₂ 0 ₅)	4%
Soluble Potash (K ₂ 0)	12%
Magnesium (Mg)	2.0%
2.0% Water Soluble Magnesium (Mg)	
Sulfur (S)	9.6%
9.6% Combined Sulfur (S)	
Iron (Fe)	0.8%
0.08% Water Soluble Iron (Fe)	
Manganese (Mn)	0.4%
0.4% Water Soluble Manganese (Mn)	
Derived From: Ammonium Phosphate, Ammonium Sulfate, Methylene Ureas, Urea	
Sulfate of Potash, Sulfate of Potash Magnesia, Ferric Oxide, Ferrous Sulfate, Manga	inese
Sulfate.	
Chlorine (CI) not more than	2.0%
10.6% Slowly Available Nitrogen from Methylene Ureas.	

NOTICE: This product contains the secondary nutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly after application by sweeping or blowing. Do not wash off with water.



F699 **21-35577**

Information regarding the contents and levels of metals in this product is available on the Internet at http://www.regulatory-info-lebsea.com

DIRECTIONS FOR USE: Apply anytime during the turf growing season; however, when weather is extremely hot, it is best to delay or reduce fertilizer applications. To feed at the rate of 1 lb. Nitrogen per 1,000 sq. ft., apply this product at 5.6 lbs. per 1,000 sq. ft. or 242 lbs. per acre.

SUGGESTED SPREADER SETTINGS											
	Sp	eed	Width	Width Settings			Speed		Width	Setti	ngs
Spreader	Ground	PTO	of	Regular	Half	Spreader	Ground	PTO	of	Regular	Half
	MPH	RPM	Coverage	(1#N)	(½#N)		MPH	RPM	Coverage	(1#N)	(½#N)
Cyclone®	3		8 ft.	41/2	31/2	Prizelawn BF & CBR III	3		8 ft.	L	Н
Earthway® Rotary	3		8 ft.	14	11	Prizelawn CBR II	3		8 ft.	41/2	21/2
Ezee Flow (109)	5	540	30 ft.	C3	C2	Prizelawn LF-1	3		8 ft.	31/2	2
Gandy®	3			26	22	ProScape® SS	3		8 ft.	L	Н
Lely (HR, 1250, 1500, 2010)	5		39 ft.	5II	3II	Republic® Rotary	3		6 ft.	41/2	2
Lely (W)	5	425	39 ft.	5II	3II	Scotts® AccuPro®	3		8 ft.	K	F
Lesco® (Letter Dial)	3		8 ft.	I	D	Scotts® (Rotary) R7X	3		8 ft.	Н	E
Lesco® (Numeric Dial)	3		8 ft.	17	10	Scotts® (Rotary) R8A	3		8 ft.	L	J
Ortho® Rotary	3		6 ft.	L	Н	Spyker	3		8 ft.	4	3
PennMulch® HVO	3		8 ft.	L	Н	Vicon (all models)	5	540	35 ft.	24	20

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation, and evenness of terrain may require slightly different settings for desired coverage.



LebanonTurf encourages all of our customers to use our products responsibly. Help do your part in protecting our lakes, streams, and rivers by following label directions and cleaning all walkways and driveways after applications. Do not apply to frozen ground or allow fertilizers to fall into storm drains. By working together, we can help preserve the environment. To learn more, visit www.LebanonTurf.com/turf

Fertilizer may cause irritation of eyes, nose, throat and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes, get medical attention.

KEEP OUT OF REACH OF CHILDREN. CAUTION

LebanonTurf

For technical assistance or more information about our products visit www.LebanonTurf.com

Lebanon Seaboard Corporation

1600 E. Cumberland St • Lebanon, PA 17042

50 Lbs. (22.68 kg) Net Weight