



Country Club[®]

FERTILIZER



GREENS GRADE FORMULA
FINE HOMOGENEOUS GRANULES FOR CLOSE CUT TURF
COVERS 12,000 SQ. FT.

8-4-24



GUARANTEED ANALYSIS

Total Nitrogen	8%
2.9% Ammoniacal Nitrogen	
1.6% Water Insoluble Nitrogen*	
0.8% Urea Nitrogen	
2.7% Other Water Soluble Nitrogen*	
Available Phosphate (P ₂ O ₅)	4%
Soluble Potash (K ₂ O)	24%
Magnesium (Mg)	0.6%
0.6% Water Soluble Magnesium (Mg)	
Sulfur (S)	9.0%
9.0% Combined Sulfur (S)	
Iron (Fe)	0.5%
0.5% Water Soluble Iron (Fe)	
Manganese (Mn)	0.25%
0.25% Water Soluble Manganese (Mn)	
Derived From: Ammonium Phosphate, Ammonium Sulfate, Methylene Ureas, Urea, Sulfate of Potash, Sulfate of Potash Magnesia, Ferric Oxide, Ferrous Sulfate, Manganese Sulfate.	
Chlorine (Cl) not more than	2.0%
*4.3% Slowly Available Nitrogen from Methylene Ureas.	



F699 **21-35603**

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.regulatory-info-lebsea.com>

Notice: This product contains the secondary nutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly after application by sweeping or blowing. Do not wash off with water.

DIRECTIONS FOR USE

On established turf, use in fall or spring at the rate of 4.2 lbs. per 1,000 sq. ft. or 182 lbs. per acre to apply 1 lb. potash (K₂O) or 1/3 lb. nitrogen (N) per 1,000 sq. ft. Applications made during the summer should be watered in to prevent turf damage. Apply anytime as a soil application at the rate of 6.3 lbs. per 1,000 sq. ft. and work in to a depth of at least 2 inches. Supplemental applications of lawn fertilizer are needed to achieve a minimum of 1 lb. nitrogen per 1,000 sq. ft.

SUGGESTED SPREADER SETTINGS

Spreader	Speed		Width of Coverage	Settings		Spreader	Speed		Width of Coverage	Settings	
	Ground MPH	PTO RPM		Regular (1#K ₂ O)	Half (½#K ₂ O)		Ground MPH	PTO RPM		Regular (1#K ₂ O)	Half (½#K ₂ O)
Cyclone®	3		8 ft.	4	3	Prizelawn BF & CBR III	3		8 ft.	J	E
Earthway® Rotary	3		8 ft.	14	12	Prizelawn CBR II	3		8 ft.	4	2½
Ezee Flow (109)	5	540	30 ft.	C2	A3	Prizelawn LF-1	3		8 ft.	2½	2
Gandy®	3		8 ft.	30	28	ProScape® SS	3		8 ft.	J	E
Lely (HR, 1250, 1500, 2010)	5		39 ft.	5II	3½II	Republic® Rotary	3		6 ft.	3	2
Lely (W)	5	425	39 ft.	5II	3½II	Scotts® AccuPro®	3		8 ft.	H	F
Lesco® (Letter Dial)	3		8 ft.	H	E	Scotts® (Rotary) R7X	3		8 ft.	F	D
Lesco® (Numeric Dial)	3		8 ft.	16	11	Scotts® (Rotary) R8A	3		8 ft.	K	I
Ortho® Rotary	3		6 ft.	3	2	Spyker	3		8 ft.	4	3
PennMulch® HVO	3		8 ft.	J	E	Vicon (all models)	5	540	35 ft.	24	20

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation, and evenness of terrain may require slightly different settings for desired coverage.

Country Club and the Lebanon Diamond are registered trademarks of Lebanon Seaboard Corporation.

KEEP OUT OF REACH OF CHILDREN. CAUTION

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

WARRANTY

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

LebanonTurf

For technical assistance or more information about our products visit www.LebanonTurf.com

Lebanon Seaboard Corporation
 1600 E. Cumberland St • Lebanon, PA 17042

50 Lbs. (22.68 kg) Net Weight

GREENS GRADE FORMULA

FINE HOMOGENEOUS GRANULES FOR CLOSE CUT TURF


COVERS 12,000 SQ. FT.

8-4-24



GUARANTEED ANALYSIS

Total Nitrogen	8%
2.9% Ammoniacal Nitrogen	
1.6% Water Insoluble Nitrogen*	
0.8% Urea Nitrogen	
2.7% Other Water Soluble Nitrogen*	
Available Phosphate (P₂O₅)	4%
Soluble Potash (K₂O)	24%
Magnesium (Mg)	0.6%
0.6% Water Soluble Magnesium (Mg)	
Sulfur (S)	9.0%
9.0% Combined Sulfur (S)	
Iron (Fe)	0.5%
0.5% Water Soluble Iron (Fe)	
Manganese (Mn)	0.25%
0.25% Water Soluble Manganese (Mn)	
Derived From: Ammonium Phosphate, Ammonium Sulfate, Methylene Ureas, Urea, Sulfate of Potash, Sulfate of Potash Magnesia, Ferric Oxide, Ferrous Sulfate, Manganese Sulfate.	
Chlorine (Cl) not more than	2.0%
*4.3% Slowly Available Nitrogen from Methylene Ureas.	



F699 **21-35603**

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.regulatory-info-lebsea.com>

Notice: This product contains the secondary nutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly after application by sweeping or blowing. Do not wash off with water.

DIRECTIONS FOR USE

On established turf, use in fall or spring at the rate of 4.2 lbs. per 1,000 sq. ft. or 182 lbs. per acre to apply 1 lb. potash (K₂O) or 1/3 lb. nitrogen (N) per 1,000 sq. ft. Applications made during the summer should be watered in to prevent turf damage.

Apply anytime as a soil application at the rate of 6.3 lbs. per 1,000 sq. ft. and work in to a depth of at least 2 inches. Supplemental applications of lawn fertilizer are needed to achieve a minimum of 1 lb. nitrogen per 1,000 sq. ft.

SUGGESTED SPREADER SETTINGS

Spreader	Speed		Width of Coverage	Settings		Spreader	Speed		Width of Coverage	Settings	
	Ground MPH	PTO RPM		Regular (1#K ₂ O)	Half (1/2#K ₂ O)		Ground MPH	PTO RPM		Regular (1#K ₂ O)	Half (1/2#K ₂ O)
Cyclone®	3		8 ft.	4	3	Prizelawn BF & CBR III	3		8 ft.	J	E
Earthway® Rotary	3		8 ft.	14	12	Prizelawn CBR II	3		8 ft.	4	2½
Ezee Flow (109)	5	540	30 ft.	C2	A3	Prizelawn LF-1	3		8 ft.	2½	2
Gandy®	3			30	28	ProScape® SS	3		8 ft.	J	E
Lely (HR, 1250, 1500, 2010)	5		39 ft.	5II	3½II	Republic® Rotary	3		6 ft.	3	2
Lely (W)	5	425	39 ft.	5II	3½II	Scotts® AccuPro®	3		8 ft.	H	F
Lesco® (Letter Dial)	3		8 ft.	H	E	Scotts® (Rotary) R7X	3		8 ft.	F	D
Lesco® (Numeric Dial)	3		8 ft.	16	11	Scotts® (Rotary) R8A	3		8 ft.	K	I
Ortho® Rotary	3		6 ft.	3	2	Spyker	3		8 ft.	4	3
PennMulch® HVO	3		8 ft.	J	E	Vicon (all models)	5	540	35 ft.	24	20

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation, and evenness of terrain may require slightly different settings for desired coverage.

KEEP OUT OF REACH OF CHILDREN. CAUTION

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

WARRANTY

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

LebanonTurf

For technical assistance or more information about our products visit www.LebanonTurf.com

Lebanon Seaboard Corporation

1600 E. Cumberland St • Lebanon, PA 17042

50 Lbs. (22.68 kg) Net Weight