

LebanonTurf

Country Club[®] MD

Maximum Dispersion

- Utilizes a unique, highly dispersing granule technology
- Contains North Atlantic Ocean sea kelp
- Features METH-EX[®] slow release nitrogen
- SGN 80 is ideal for putting greens

18-0-18



GUARANTEED ANALYSIS

Total Nitrogen (N)	18%
4.0% Ammoniacal Nitrogen	
3.6% Water Insoluble Nitrogen*	
4.0% Urea Nitrogen	
6.4% Other Water Soluble Nitrogen *	
Soluble Potash (K₂O)	18%
Magnesium (Mg).....	0.5%
0.5% Water Soluble Magnesium (Mg)	
Sulfur (S).....	11.8%
11.8% Combined Sulfur (S)	
Iron (Fe).....	1.6%
0.2% Water Soluble Iron (Fe)	
Manganese (Mn)	0.5%
0.5% Water Soluble Manganese (Mn)	

Derived From: Ammonium Sulfate, Methylene Ureas, Urea, Sulfate of Potash, Sulfate of Potash Magnesia, Kelp Meal, Ferric Oxide, Ferrous Sulfate, Manganese Sulfate.

*10.0% Slowly Available Nitrogen from Methylene Ureas.
Chlorine (Cl) not more than 2.0%

ALSO CONTAINS NON PLANT FOOD INGREDIENTS SOIL/PLANT AMENDING INGREDIENTS

Active Ingredients:
Humic Acids (derived from Leonardite) .. 1.0%
Inert Ingredients (as soil amending)..... 99.0%
99.0% Fertilizer Ingredients

U.S.A

GUARANTEED MINIMUM ANALYSIS

Total Nitrogen (N)	18%
4.0% Ammoniacal Nitrogen	
3.6% Water Insoluble Nitrogen*	
4.0% Urea Nitrogen	
6.4% Other Water Soluble Nitrogen *	
Soluble Potash (K₂O)	18%
Magnesium (Mg).....	0.5%
0.5% Water Soluble Magnesium (Mg)	
Sulfur (S).....	11.8%
11.8% Combined Sulfur (S)	
Iron (Fe) (actual).....	1.6%
0.2% Water Soluble Iron (Fe)	
Manganese (Mn) (actual)	0.5%
0.5% Water Soluble Manganese (Mn)	

Chlorine (Cl) (maximum) 2.0%

Derived From: Ammonium Sulfate, Methylene Ureas, Urea, Sulfate of Potash, Sulfate of Potash Magnesia, Kelp Meal, Ferric Oxide, Ferrous Sulfate, Manganese Sulfate.
*10.0% Slowly Available Nitrogen from Methylene Ureas.

ALSO CONTAINS NON PLANT FOOD INGREDIENTS SOIL/PLANT AMENDING INGREDIENTS

Active Ingredients:
Humic Acids (derived from Leonardite) .. 1.0%
Inert Ingredients (as soil amending)..... 99.0%
99.0% Fertilizer Ingredients

CANADA

Country Club[®] MD products contain humic acids, which may aid in nutrient availability.

Lebanon brand fertilizers are formulated for professional use on turf, including golf courses, sports fields, and landscapes. Specific application rates and frequencies are determined by the professional applicator based on local soils, regulations, and climate.

Application Rates:
To feed at the rate of 0.9 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 5.0 lbs per 1,000 sq. ft. or 217 lbs. per acre. To feed at the rate of ½ lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 2.8 lbs per 1,000 sq. ft. or 121 lbs. per acre.

Spreader	0.9# N/1,000 sq. ft.	0.5 # N/1,000 sq. ft.
Lebanon Turf	2½	1½
Andersons AccuPro	G	E
Earthway Rotary	12	10
Gandy	23	20
Lely	3½ II	2 II
Lesco (letter/numeric)F/16		D/14
PennMulch HVO	I	E
ProScape SS	I	E
Spyker	2½	1½
Vicon	18	15

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

KEEP OUT OF REACH OF CHILDREN.

Hazard Statements
Harmful if swallowed.
May be harmful if inhaled.
May cause respiratory irritation.

Warning



Precautionary Statements
Wash hands and exposed skin thoroughly after handling.
Do not eat, drink or smoke when using this product.
If in eyes, rinse with water and seek medical attention if symptoms persist.
Rinse mouth.
IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell.
Store locked up.
Store in a well-ventilated place.
Keep container tightly closed.
Dispose of contents/container properly as required by law for waste pesticides.
Keep out of reach of children
Precautionary Statements for disposal - Dispose in accordance with all federal, state and local regulations


Application Rates and Frequencies in Canada: Follow your professional landscape management plan for your local course or area. A suggested application rate is 1 to 2.8 Kg for 100 m², applied every 4 to 8 weeks during the local growing season.

Application Rates:
To feed at the rate of 0.41 kg Nitrogen (N) Equivalent to 2.4 kg of product per 100 sq. meters.

To feed at the rate of 0.23 kg Nitrogen (N) Equivalent to 1.35 kg of product per 100 sq. meters.

Spreader	0.41 kg N/100 m ²	0.23 kg N/100 m ²
Lebanon Turf	2½	1½
Andersons AccuPro	G	E
Earthway Rotary	12	10
Gandy	23	20
Lely	3½ II	2 II
Lesco (letter/numeric)F/16		D/14
PennMulch HVO	I	E
ProScape SS	I	E
Spyker	2½	1½
Vicon	18	15

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.



Information regarding the contents and levels of metals in this product is available on the Internet at: <http://www.regulatory-info-lebsea.com>

WARRANTY
NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

PennMulch[®], ProScape[®], Country Club[®] and the Lebanon Diamond are registered trademarks of Lebanon Seaboard Corporation.

For technical assistance or more information about our products visit www.LebanonTurf.com

Lebanon Seaboard Corporation
1600 E. Cumberland St • Lebanon, PA 17042
800-233-0628 • (717-273-1685)

40 Lbs. (18.14 kg) Net Weight

18-0-18



GUARANTEED ANALYSIS

Total Nitrogen (N)	18%
4.0% Ammoniacal Nitrogen	
3.6% Water Insoluble Nitrogen*	
4.0% Urea Nitrogen	
6.4% Other Water Soluble Nitrogen *	
Soluble Potash (K₂O)	18%
Magnesium (Mg).....	0.5%
0.5% Water Soluble Magnesium (Mg)	
Sulfur (S)	11.8%
11.8% Combined Sulfur (S)	
Iron (Fe).....	1.6%
0.2% Water Soluble Iron (Fe)	
Manganese (Mn)	0.5%
0.5% Water Soluble Manganese (Mn)	

Derived From: Ammonium Sulfate, Methylene Ureas, Urea, Sulfate of Potash, Sulfate of Potash Magnesia, Kelp Meal, Ferric Oxide, Ferrous Sulfate, Manganese Sulfate.

*10.0% Slowly Available Nitrogen from Methylene Ureas.
Chlorine (Cl) not more than 2.0%

**ALSO CONTAINS NON PLANT FOOD INGREDIENTS
SOIL/PLANT AMENDING INGREDIENTS**

Active Ingredients:
Humic Acids (derived from Leonardite) .. 1.0%
Inert Ingredients (as soil amending) 99.0%
99.0% Fertilizer Ingredients

U.S.A

GUARANTEED MINIMUM ANALYSIS

Total Nitrogen (N)	18%
4.0% Ammoniacal Nitrogen	
3.6% Water Insoluble Nitrogen*	
4.0% Urea Nitrogen	
6.4% Other Water Soluble Nitrogen *	
Soluble Potash (K₂O)	18%
Magnesium (Mg).....	0.5%
0.5% Water Soluble Magnesium (Mg)	
Sulfur (S)	11.8%
11.8% Combined Sulfur (S)	
Iron (Fe) (actual).....	1.6%
0.2% Water Soluble Iron (Fe)	
Manganese (Mn) (actual)	0.5%
0.5% Water Soluble Manganese (Mn)	

Chlorine (Cl) (maximum) 2.0%

Derived From: Ammonium Sulfate, Methylene Ureas, Urea, Sulfate of Potash, Sulfate of Potash Magnesia, Kelp Meal, Ferric Oxide, Ferrous Sulfate, Manganese Sulfate.

*10.0% Slowly Available Nitrogen from Methylene Ureas.

**ALSO CONTAINS NON PLANT FOOD INGREDIENTS
SOIL/PLANT AMENDING INGREDIENTS**

Active Ingredients:
Humic Acids (derived from Leonardite) .. 1.0%
Inert Ingredients (as soil amending) 99.0%
99.0% Fertilizer Ingredients

CANADA

Country Club® MD products contain humic acids, which may aid in nutrient availability.

Lebanon brand fertilizers are formulated for professional use on turf, including golf courses, sports fields, and landscapes. Specific application rates and frequencies are determined by the professional applicator based on local soils, regulations, and climate.

Application Rates:

To feed at the rate of 0.9 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 5.0 lbs per 1,000 sq. ft. or 217 lbs. per acre. To feed at the rate of 1/2 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 2.8 lbs per 1,000 sq. ft. or 121 lbs. per acre.

SUGGESTED SPREADER SETTINGS

Spreader	0.9# N/1,000 sq. ft.	0.5# N/1,000 sq. ft.
Lebanon Turf	2 1/2	1 1/2
Andersons AccuPro	G	E
Earthway Rotary	12	10
Gandy	23	20
Lely	3 1/2 II	2 II
Lesco (letter/numeric)F/16		D/14
PennMulch HVO	I	E
ProScape SS	I	E
Spyker	2 1/2	1 1/2
Vicon	18	15

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

Warning



Hazard Statements

Harmful if swallowed.
May be harmful if inhaled.
May cause respiratory irritation.

Precautionary Statements

Wash hands and exposed skin thoroughly after handling.
Do not eat, drink or smoke when using this product.
If in eyes, rinse with water and seek medical attention if symptoms persist.
Rinse mouth.
IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
IF INHALED: Call » POISON CENTER or doctor/physician if you feel unwell.
Store locked up.
Store in a well-ventilated place.
Keep container tightly closed.
Keep out of reach of children
Dispose of contents/container properly as required by law for waste pesticides.
Precautionary Statements for disposal - Dispose in accordance with all federal, state and local regulations

Application Rates and Frequencies in Canada: Follow your professional landscape management plan for your local course or area. A suggested application rate is 1 to 2.8 Kg for 100 m², applied every 4 to 8 weeks during the local growing season.

Application Rates:

To feed at the rate of 0.41 kg Nitrogen (N) Equivalent to 2.4 kg of product per 100 sq. meters.

To feed at the rate of 0.23 kg Nitrogen (N) Equivalent to 1.35 kg of product per 100 sq. meters.

SUGGESTED SPREADER SETTINGS

Spreader	0.41 kg N/100 m ²	0.23 kg N/100 m ²
Lebanon Turf	2 1/2	1 1/2
Andersons AccuPro	G	E
Earthway Rotary	12	10
Gandy	23	20
Lely	3 1/2 II	2 II
Lesco (letter/numeric)F/16		D/14
PennMulch HVO	I	E
ProScape SS	I	E
Spyker	2 1/2	1 1/2
Vicon	18	15

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

KEEP OUT OF REACH OF CHILDREN.

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.


Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

WARRANTY

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

PennMulch®, ProScape®, Country Club® and the Lebanon Diamond are registered trademarks of Lebanon Seaboard Corporation.



F699

21-35734

i/18

Information regarding the contents and levels of metals in this product is available on the Internet at: <http://www.regulatory-info-lebsea.com>

For technical assistance or more information about our products visit www.LebanonTurf.com

Lebanon Seaboard Corporation

1600 E. Cumberland St • Lebanon, PA 17042

800-233-0628 • (717-273-1685)

40 Lbs. (18.14 kg) Net Weight