

Country Club. FERTILIZER

HOMOGENEOUS GRANULES FOR PROFESSIONAL TURF

21-3-18



GUARANTEED ANALYSIS

Total Nitrogen (N)	21%
0.6% Ammoniacal Nitrogen	
5.5% Water Insoluble Nitrogen*	
6.1% Urea Nitrogen	
8.8% Other Water Soluble Nitrogen*	
Available Phosphate (P ₂ O ₅)	3 %
Soluble Potash (K ₂ 0)	18%
Magnesium (Mg)	
0.6% Water Soluble Magnesium (Mg)	
Sulfur (S)	5.6%
5.6% Combined Sulfur (S)	
Iron (Fe)	0.4%
0.4% Water Soluble Iron (Fe)	
Manganese (Mn)	0.2%
0.2% Water Soluble Manganese (Mn)	
, ,	
Derived From: Ammonium Phosphate, Methylene Ureas, Urea, Sulfate of Pot	ash.
Sulfate of Potash Magnesia, Ferrous Sulfate, Manganese Sulfate.	,
g, Januaro, manigario o danato.	

GUARANTEED MINIMUM ANALYSIS

dominities minimon analioid	
Total Nitrogen (N)	21 %
0.6% Ammoniacal Nitrogen	
5.5% Water Insoluble Nitrogen*	
6.1% Urea Nitrogen	
8.8% Other Water Soluble Nitrogen*	
Available Phosphate (P ₂ 0 ₅)	3 %
Soluble Potash (K ₂ 0)	18 %
Magnesium (Mg)	0.6%
0.6% Water Soluble Magnesium (Mg)	
Sulfur (S)	5.6%
5.6% Combined Sulfur (S)	
Iron (Fe) (actual)	0.4%
0.4% Water Soluble Iron (Fe)	
Manganese (Mn) (actual)	0.2%
0.2% Water Soluble Manganese (Mn)	
Chlorine (CI) (maximum)	2.0%

Derived From: Ammonium Phosphate, Methylene Ureas, Urea, Sulfate of Potash, Sulfate of Potash Magnesia, Ferrous Sulfate, Manganese Sulfate.

*14.3% Slowly Available Nitrogen from Methylene Ureas.

NOTICE: This product contains the secondary micronutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly by sweeping or blowing. Do not wash off with water.

Application Rates: To feed at the rate of 0.9 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 4.2 lbs per 1,000 sq. ft. or 182 lbs. per acre. To feed at the rate of ½ lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 2.4

*14.3% Slowly Available Nitrogen from Methylene Ureas.

minogon (n) por 1,000 oq. iti, appiy tino product at 2		
lbs per 1,000 sq. ft. or 105 lbs. per acre.		
SI	UGGESTED SPREADE	R SETTINGS
Spreader	0.9#N /1,000 sq. ft.	0.5#N /1,000 sq. ft.
Lebanon Turf	51/2	41/2
Andersons Acc	uPro 0	J
Earthway Rotai	ry 18	15
Gandy	30	26
Lely	6½ II	5 II
Lesco (letter/n	umeric) J/21	H/16
PennMulch HV	0 N	J
ProScape SS	N	J
Spyker	5 ½	41/2
Vicon	30	23

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

Apply only to actively growing turf. Do not exceed 3.2 lbs. of total nitrogen per 1,000 sq. ft. annually.

In Maryland and Virginia: This fertilizer contains phosphorus and may not be used for lawn maintenance on turf in the states

of Maryland or Virginia except when 1) Providing nutrients to specific soils and target vegetation as determined to be necessary in accordance with a soil test that was conducted by a laboratory* performed no more than 3 years before the application:

2) Establishing vegetation for the first time, such as after land disturbance, provided the application is conducted in accordance with the recommended application rates established

or 3) Re-establishing or repairing a turf area.
*In Maryland, the laboratory must be identified under Section 8-803.7 of the Agriculture Article, Annotated Code of Maryland.

In New Hampshire: This fertilizer contains phosphate. In New Hampshire, phosphate fertilizers may only be used for turf maintenance in golf courses, parks, athletic fields, and sod farms.

Hazard Statements Causes eye irritation.

May be harmful if inhaled repeatedly over prolonged periods.

May cause respiratory irritation.

Precautionary Statements Avoid breathing dust.

Wash hands and exposed skin thoroughly after handling. If in eyes: rinse cautiously with water for several minutes. If eye irritation persits: seek medical attention. Call a POISON CENTER or doctor/physician if you feel unwell. Use only outdoors or in a well-ventilated area.

If inhaled and breathing difficulty occurs, remove victim to fresh air and keep at a rest in a position comfortable for breathing Dispose in accordance with all federal, state and local regulations.

Unknown acute toxicity: <1% of the mixture consists of ingredients of unknown toxicity.

KEEP OUT OF REACH OF CHILDREN.

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention. Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommenda-

tions in your approved nutrient management plan. Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according

Application Rates: To feed at the rate of 0.43 kg Nitrogen (N) Equivalent to 2.0 kg of product per 100 sq. meters.

To feed at the rate of 0.24 kg Nitrogen (N) Equivalent to 1.1 kg of product per 100 sq. meters.

	ED SPREADER	
Spreader 0.43 k	cg N /100 m².	0.24 kg N /100 m ² .
Lebanon Turf	5 ½	41/2
Andersons AccuPro	0	J
Earthway Rotary	18	15
Gandy	30	26
Lely	6½ II	5 II
Lesco (letter/numeric)	J/21	H/16
PennMulch HVO	N	J
ProScape SS	N	J
Spyker	5 ½	41/2
Vicon	30	23

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.



Information regarding the contents and levels of metals in this product is available on the Internet at: http://www.regulatory-info-lebsea.com 800-233-0628 • (717) 273-1685

LebanonTurf

For technical assistance or more information about our products visit www.LebanonTurf.com

Lebanon Seaboard Corporation

1600 E. Cumberland St • Lebanon, PA 17042 800-233-0628 • (717) 273-1685

HOMOGENEOUS GRANULES FOR PROFESSIONAL TURF



GUARANTEED ANALYSIS

Total Nitrogen (N)	21%
0.6% Ammoniacal Nitrogen	
5.5% Water Insoluble Nitrogen*	
6.1% Urea Nitrogen	
8.8% Other Water Soluble Nitrogen*	
Available Phosphate (P ₂ O ₅)	3 %
Soluble Potash (K ₂ O)	18%
Magnesium (Mg)	
0.6% Water Soluble Magnesium (Mg)	
Sulfur (S)	5.6%
5.6% Combined Sulfur (S)	
Iron (Fe)	0.4%
0.4% Water Soluble Iron (Fe)	
Manganese (Mn) 0	1.2%
0.2% Water Soluble Manganese (Mn)	
Derived From: Ammonium Phosphate, Methylene Ureas, Urea, Sulfate of Potas	sh,
Sulfate of Potash Magnesia, Ferrous Sulfate, Manganese Sulfate.	,
*14.3% Slowly Available Nitrogen from Methylene Ureas.	
Chlorine (CI) not more than	2.0%

GUARANTEED MINIMUM ANALYSIS

Total Nitrogen (N) 0.6% Ammoniacal Nitrogen 5.5% Water Insoluble Nitrogen* 6.1% Urea Nitrogen 8.8% Other Water Soluble Nitrogen*	21%
Available Phosphate (P ₂ 0 ₅)	3%
Soluble Potash (K ₂ O)	
Magnesium (Mg)	0.6%
0.6% Water Soluble Magnesium (Mg)	
Sulfur (S)	5.6%
5.6% Combined Sulfur (S)	
Iron (Fe) (actual)	0.4%
0.4% Water Soluble Iron (Fe)	
Manganese (Mn) (actual)	0.2%
0.2% Water Soluble Manganese (Mn)	
Chlorine (CI) (maximum)	2.0%

Derived From: Ammonium Phosphate, Methylene Ureas, Urea, Sulfate of Potash, Sulfate of Potash Magnesia, Ferrous Sulfate, Manganese Sulfate.

NOTICE: This product contains the secondary micronutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly by sweeping or blowing. Do not wash off with water.

Application Rates:

To feed at the rate of 0.9 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 4.2 lbs per 1,000 sq. ft. or 182 lbs. per acre. To feed at the rate of $\frac{1}{2}$ lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 2.4 lbs per 1,000 sq. ft. or 105 lbs. per acre.

SUG	GESTED SPREADE	R SETTINGS
Spreader 0	.9#N /1,000 sq. ft.	0.5#N /1,000 sq. ft.
Lebanon Turf	5½	41/2
Andersons AccuF	Pro O	J
Earthway Rotary	18	15
Gandy	30	26
Lely	61/2 II	5 II
Lesco (letter/nun	neric) J/21	H/16
PennMulch HVO	N	J
ProScape SS	N	J
Spyker	5½	41/2
Vicon	30	23

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

Apply only to actively growing turf. Do not exceed 3.2 lbs. of total nitrogen per 1,000 sq. ft. annually.

In Maryland and Virginia: This fertilizer contains phosphorus and may not be used for lawn maintenance on turf in the states of Maryland or Virginia except when

- 1) Providing nutrients to specific soils and target vegetation as determined to be necessary in accordance with a soil test that was conducted by a laboratory* performed no more than 3 years before the application;
- 2) Establishing vegetation for the first time, such as after land disturbance, provided the application is conducted in accordance with the recommended application rates established by the State;
- or 3) Re-establishing or repairing a turf area.
- *In Maryland, the laboratory must be identified under Section 8-803.7 of the Agriculture Article, Annotated Code of Maryland.

In New Hampshire: This fertilizer contains phosphate. In New Hampshire, phosphate fertilizers may only be used for turf maintenance in golf courses, parks, athletic fields, and sod farms.



Warning

Hazard Statements Causes eve irritation.

May be harmful if inhaled repeatedly over prolonged periods. May cause respiratory irritation.

Precautionary Statements

Avoid breathing dust.

Wash hands and exposed skin thoroughly after handling.

If in eyes: rinse cautiously with water for several minutes. If eye irritation persits: seek medical attention.

Call a POISON CENTER or doctor/physician if you feel unwell.

Use only outdoors or in a well-ventilated area.

If inhaled and breathing difficulty occurs, remove victim to fresh air and keep at a rest in a position comfortable for breathing.

Dispose in accordance with all federal, state and local regulations.

Unknown acute toxicity: <1% of the mixture consists of ingredients of unknown toxicity.

KEEP OUT OF REACH OF CHILDREN.

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

WARRANTY

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

Application Rates:

To feed at the rate of 0.43 kg Nitrogen (N) Equivalent to 2.0 kg of product per 100 sq. meters.

To feed at the rate of 0.24 kg Nitrogen (N) Equivalent to 1.1 kg of product per 100 sq. meters.

SUGGESTED SPREADER SETTINGS		
Spreader 0.43	kg N /100 m ² .	0.24 kg N /100 m ² .
Lebanon Turf	5 ½	41/2
Andersons AccuPro	0	J
Earthway Rotary	18	15
Gandy	30	26
Lely	61/2 II	5 II
Lesco (letter/numerio	;) J/21	H/16
PennMulch HVO	N	J
ProScape SS	N	J
Spyker	5 ½	41/2
Vicon	30	23

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.



Information regarding the contents and levels of metals in this product is available on the Internet at: http://www.regulatory-info-lebsea.com

800-233-0628 • (717) 273-1685

^{*14.3%} Slowly Available Nitrogen from Methylene Ureas.

LebanonTurf

For technical assistance or more information about our products visit www.LebanonTurf.com

Lebanon Seaboard Corporation

1600 E. Cumberland St • Lebanon, PA 17042 800-233-0628 • (717) 273-1685

50 Lbs. (22.7 kg) Net Weight