



Country Club[®]

FERTILIZER




MICRO GREENS GRADE FORMULA
FINE HOMOGENEOUS GRANULES FOR CLOSE CUT TURF
 COVERS 9,500 SQ. FT.

19-0-19



GUARANTEED ANALYSIS

Total Nitrogen (N).....	19%
2.5% Ammoniacal Nitrogen	
3.6% Water Insoluble Nitrogen *	
4.2% Urea Nitrogen	
8.7% Other Water Soluble Nitrogen *	
Soluble Potash (K ₂ O).....	19%
Sulfur (S).....	9.0%
9.0% Combined Sulfur (S)	
Iron (Fe).....	1.3%
0.1% Water Soluble Iron (Fe)	
Manganese (Mn).....	0.6%
0.6% Water Soluble Manganese (Mn)	



F699 **21-42758**

Derived From: Ammonium Sulfate, Methylene Ureas, Urea, Sulfate of Potash, Ferric Oxide, Ferrous Sulfate, Manganese Sulfate.
 Chlorine (Cl) not more than..... 2.0%
 *12.3% Slowly Available Nitrogen from Methylene Ureas.

DIRECTIONS FOR USE

Apply anytime during the turf growing season; however, when the weather is extremely hot, it is best to delay or reduce fertilizer applications.

To feed at the rate of 1 lb. Nitrogen per 1,000 sq. ft., apply this product at 5.3lbs. per 1,000 sq. ft. or 230 lbs. per acre.
 To feed at the rate of ½ lb. Nitrogen per 1,000 sq. ft., apply this product at 2.6 lbs. per 1,000 sq. ft. or 113 lbs. per acre.

Notice: This product contains the secondary nutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly after applications by sweeping or blowing. Do not wash off with water.

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.regulatory-info-lebsea.com>

SUGGESTED SPREADER SETTINGS

11/06/09

Spreader	Speed		Width of Coverage	Settings		Spreader	Speed		Width of Coverage	Settings	
	Ground MPH	PTO RPM		Regular (1#N)	Half (½#N)		Ground MPH	PTO RPM		Regular (1#N)	Half (½#N)
Cyclone®	3		8 ft.	3½	2½	Prizelawn BF & CBR III	3		8 ft.	J	F
Earthway® Rotary	3		8 ft.	12	10½	Prizelawn CBR II	3		8 ft.	4	2
Ezee Flow (109)	5	540	30 ft.	C2	A2	Prizelawn LF-1	3		8 ft.	2½	1½
Gandy®	3			22	20	ProScape® SS	3		8 ft.	J	F
Lely (HR, 1250, 1500, 2010)	5		39 ft.	4II	2II	Republic® Rotary	3		6 ft.	3	1½
Lely (W)	5	425	39 ft.	4II	2II	Scotts® AccuPro®	3		8 ft.	H	E
Lesco® (Letter Dial)	3		8 ft.	H	D	Scotts® (Rotary) R7X	3		8 ft.	F	D
Lesco® (Numeric Dial)	3		8 ft.	17	14	Scotts® (Rotary) R8A	3		8 ft.	K	G
Ortho® Rotary	3		6 ft.	3	1½	Spyker	3		8 ft.	3½	1½
PennMulch® HVO	3		8 ft.	J	F	Vicon (all models)	5	540	35 ft.	22	15

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation, and evenness of terrain may require slightly different settings for desired coverage.

Fertilizer may cause irritation of eyes, nose, throat and skin.
 In case of contact with skin or eyes, flush with plenty of water;
 for eyes, get medical attention.

KEEP OUT OF REACH OF CHILDREN.
CAUTION



For technical assistance or more information about our products visit www.LebanonTurf.com

Manufactured by:

Lebanon Seaboard Corporation
 1600 E. Cumberland St. • Lebanon, PA 17042

Made in the U.S.A.

www.LebanonTurf.com

50 Lbs. (22.68 kg) Net Weight

MICRO GREENS GRADE FORMULA

FINE HOMOGENEOUS GRANULES FOR CLOSE CUT TURF


COVERS 9,500 SQ. FT.

19-0-19



GUARANTEED ANALYSIS

Total Nitrogen (N).....	19%
2.5% Ammoniacal Nitrogen	
3.6% Water Insoluble Nitrogen *	
4.2% Urea Nitrogen	
8.7% Other Water Soluble Nitrogen *	
Soluble Potash (K ₂ O)	19%
Sulfur (S)	9.0%
9.0% Combined Sulfur (S)	
Iron (Fe)	1.3%
0.1% Water Soluble Iron (Fe)	
Manganese (Mn)	0.6%
0.6% Water Soluble Manganese (Mn)	



F699 **21-42758**

Derived From: Ammonium Sulfate, Methylene Ureas, Urea, Sulfate of Potash, Ferric Oxide, Ferrous Sulfate, Manganese Sulfate.
Chlorine (Cl) not more than..... 2.0%
*12.3% Slowly Available Nitrogen from Methylene Ureas.

DIRECTIONS FOR USE

Apply anytime during the turf growing season; however, when the weather is extremely hot, it is best to delay or reduce fertilizer applications.

To feed at the rate of 1 lb. Nitrogen per 1,000 sq. ft., apply this product at 5.3lbs. per 1,000 sq. ft. or 230 lbs. per acre.
To feed at the rate of ½ lb. Nitrogen per 1,000 sq. ft., apply this product at 2.6 lbs. per 1,000 sq. ft. or 113 lbs. per acre.

Notice: This product contains the secondary nutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly after applications by sweeping or blowing. Do not wash off with water.

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.regulatory-info-lebsea.com>

SUGGESTED SPREADER SETTINGS

11/06/09

Spreader	Speed		Width of Coverage	Settings		Spreader	Speed		Width of Coverage	Settings	
	Ground MPH	PTO RPM		Regular (1#N)	Half (½#N)		Ground MPH	PTO RPM		Regular (1#N)	Half (½#N)
	Cyclone®	3		8 ft.	3½		2½	Prizelawn BF & CBR III	3		8 ft.
Earthway® Rotary	3		8 ft.	12	10½	Prizelawn CBR II	3		8 ft.	4	2
Ezee Flow (109)	5	540	30 ft.	C2	A2	Prizelawn LF-1	3		8 ft.	2½	1½
Gandy®	3			22	20	ProScape® SS	3		8 ft.	J	F
Lely (HR, 1250, 1500, 2010)	5		39 ft.	4II	2II	Republic® Rotary	3		6 ft.	3	1½
Lely (W)	5	425	39 ft.	4II	2II	Scotts® AccuPro®	3		8 ft.	H	E
Lesco® (Letter Dial)	3		8 ft.	H	D	Scotts® (Rotary) R7X	3		8 ft.	F	D
Lesco® (Numeric Dial)	3		8 ft.	17	14	Scotts® (Rotary) R8A	3		8 ft.	K	G
Ortho® Rotary	3		6 ft.	3	1½	Spyker	3		8 ft.	3½	1½
PennMulch® HVO	3		8 ft.	J	F	Vicon (all models)	5	540	35 ft.	22	15

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation, and evenness of terrain may require slightly different settings for desired coverage.

Fertilizer may cause irritation of eyes, nose, throat and skin.
In case of contact with skin or eyes, flush with plenty of water;
for eyes, get medical attention.

**KEEP OUT OF REACH OF CHILDREN.
CAUTION**



For technical assistance or more information about our products visit www.LebanonTurf.com

Manufactured by:

Lebanon Seaboard Corporation

1600 E. Cumberland St. • Lebanon, PA 17042

Made in the U.S.A.

www.LebanonTurf.com

50 Lbs. (22.68 kg) Net Weight