

# Country Club. FERTILIZER

## MICRO GREENS GRADE FORMULA FINE HOMOGENEOUS GRANULES FOR CLOSE CUT TURF

**COVERS 12,000 SQ. FT.** 



#### **GUARANTEED ANALYSIS**

Total Nitrogen (N)	12%
4.8% Ammoniacal Nitrogen	
1.5% Water Insoluble Nitrogen *	
2.0% Urea Nitrogen	
3.7% Other Water Soluble Nitrogen *	
Available Phosphate (P <sub>2</sub> O <sub>5</sub> ). Soluble Potash (K <sub>2</sub> O). Magnesium (Mg).	24%
Soluble Potash (K>0)	8%
Magnesium (Mg)	1.9%
1.9% Water Soluble Magnesium (Mg)	
Sulfur (S)	4.4%
A 4% Combined Sulfur (S)	
Iron (Fe)	1.0%
0.1% Water Soluble Iron (Fe)	,
Manganese (Mn)	0.5%
0.5% Water Soluble Manganese (Min)	0.070

terrain may require slightly different settings for desired coverage



DIRECTIONS FOR USE

Apply anytime during the turf growing season; however, when the weather is extremely hot, it is best to delay or reduce fertilizer applications.

To feed at the rate of 1 lb. Phosphate (P205) per 1,000 sq. ft., apply this product at 4.2 lbs. per 1,000 sq. ft. or 182 lbs. per acre. To feed at the rate of  $\frac{1}{2}$  lb. Phosphate (P205) per 1,000 sq. ft., apply this product at 2.1 lbs. per 1,000 sq. ft. or 91 lbs. per acre.

Notice: This product contains the secondary nutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampen

concrete and should be removed from these areas promptly after applications by sweeping or blowing. Do not wash off with water Information regarding the contents and levels of metals in this product is available on the Internet at http://www.regulatory-info-lebsea.com

NOTE: Supplemental applications of fertilizer are needed to achieve a minimum 1 lb. Nitrogen per 1,000 sq. ft.

SUGGESTED SPREADER SETTINGS											
	Speed		Width	Width Settings			Speed		Width	Settings	
Spreader	Ground	PTO	of	Regular	Half	Spreader	Ground	PTO	of	Regular	Half
	MPH	RPM	Coverage	(1/2#P2O5)	(1/#P2O5)		MPH	RPM	Coverage	(½#P2O5)	(½#P2O5
Cyclone®	3		8 ft.	3	2	Prizelawn BF & CBR III	3		8 ft.	Н	D
Earthway® Rotary	3		8 ft.	12	10	Prizelawn CBR II	3		8 ft.	<b>2</b> ½	11/2
Ezee Flow (109)	5	540	30 ft.	C1	A2	Prizelawn LF-1	3		8 ft.	2	1
Gandy®	3			22	20	ProScape® SS	3		8 ft.	Н	D
Lely (HR, 1250, 1500, 2010)	5		39 ft.	311	<b>2</b> 11	Republic® Rotary	3		6 ft.	2	1
Lely (W)	5	425	39 ft.	311	<b>2</b> 11	Scotts® AccuPro®	3		8 ft.	G	E
Lesco® (Letter Dial)	3		8 ft.	G	D	Scotts® (Rotary) R7X	3		8 ft.	E	C
Lesco® (Numeric Dial)	3		8 ft.	16	14	Scotts® (Rotary) R8A	3		8 ft.	J	G
Ortho® Rotary	3		6 ft.	2	1	Spyker	3		8 ft.	2	1
PennMulch® HVO	3		8 ft.	Н	D	Vicon (all models)	5	540	35 ft.	18	15
These settings were calibrated and field tested. However, age and condition of spreader, speed of operation, and evenness of											

Fertilizer may cause irritation of eyes, nose, throat and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes, get medical attention.

KEEP OUT OF REACH OF CHILDREN. CAUTION



For technical assistance or more information about our products visit www.LebanonTurf.com Manufactured by:

Lebanon Seaboard Corporation 1600 E. Cumberland St. • Lebanon, PA 17042

> Made in the U.S.A. www.LebanonTurf.com

50 Lbs. (22.68 kg) Net Weight

### MICRO GREENS GRADE FORMULA

FINE HOMOGENEOUS GRANULES FOR CLOSE CUT TURF

**COVERS 12.000 SQ. FT.** 



#### **GUARANTEED ANALYSIS**

Total Nitrogen (N)	
Available Phosphate (PaOs)	24%
Available Phosphate (P205). Soluble Potash (K20). Magnesium (Mg).	8%
Magnesium (Mg) 2	1.9%
1.9% Water Soluble Magnesium (Mg)	
Sulfur (S)	4.4%
4.4% Combined Sulfur (S)	
Iron (Fe)	1.0%
0.1% Water Soluble Iron (Fe)	
Manganese (Mn)	0.5%
0.5% Water Soluble Manganese (Mn)	

Derived From: Ammonium Phosphate, Ammonium Sulfate, Methylene Ureas, Urea, Sulfate of Potash, Sulfate of Potash Magnesia, Ferric Oxide, Ferrous Sulfate, Manganese Sulfate. 



#### **DIRECTIONS FOR USE**

Apply anytime during the turf growing season; however, when the weather is extremely hot, it is best to delay or reduce fertilizer applications.

To feed at the rate of 1 lb. Phosphate (P205) per 1,000 sq. ft., apply this product at 4.2 lbs. per 1,000 sq. ft. or 182 lbs. per acre. To feed at the rate of  $\frac{1}{2}$  lb. Phosphate (P205) per 1,000 sq. ft., apply this product at 2.1 lbs. per 1,000 sq. ft. or 91 lbs. per acre.

Notice: This product contains the secondary nutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly after applications by sweeping or blowing. Do not wash off with water.

Information regarding the contents and levels of metals in this product is available on the Internet at http://www.regulatory-info-lebsea.com

NOTE: Supplemental applications of fertilizer are needed to achieve a minimum 1 lb. Nitrogen per 1,000 sq. ft.

SUGGESTED SPREADER SETTINGS											
	Sp	eed	Width Settin		ngs		Speed		Width	Setti	ngs
Spreader	Ground	PTO	of	Regular	Half	Spreader	Ground	PTO	of	Regular	Half
	MPH	RPM	Coverage	(½#P2O5)	(½#P2O5)		MPH	RPM	Coverage	(½#P2O5	(½#P2O5
Cyclone®	3		8 ft.	3	2	Prizelawn BF & CBR III	3		8 ft.	Н	D
Earthway® Rotary	3		8 ft.	12	10	Prizelawn CBR II	3		8 ft.	<b>2</b> ½	11/2
Ezee Flow (109)	5	540	30 ft.	C1	A2	Prizelawn LF-1	3		8 ft.	2	1
Gandy®	3			22	20	ProScape® SS	3		8 ft.	Н	D
Lely (HR, 1250, 1500, 2010)	5		39 ft.	3II	<b>2</b> II	Republic® Rotary	3		6 ft.	2	1
Lely (W)	5	425	39 ft.	3II	<b>2</b> II	Scotts® AccuPro®	3		8 ft.	G	E
Lesco® (Letter Dial)	3		8 ft.	G	D	Scotts® (Rotary) R7X	3		8 ft.	E	C
Lesco® (Numeric Dial)	3		8 ft.	16	14	Scotts® (Rotary) R8A	3		8 ft.	J	G
Ortho® Rotary	3		6 ft.	2	1	Spyker	3		8 ft.	2	1
PennMulch® HVO	3		8 ft.	Н	D	Vicon (all models)	5	540	35 ft.	18	15

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation, and evenness of terrain may require slightly different settings for desired coverage.

Fertilizer may cause irritation of eyes, nose, throat and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes, get medical attention.

## KEEP OUT OF REACH OF CHILDREN. CAUTION



For technical assistance or more information about our products visit www.LebanonTurf.com

Manufactured by:

Lebanon Seaboard Corporation

1600 E. Cumberland St. • Lebanon, PA 17042

Made in the U.S.A. www.LebanonTurf.com

50 Lbs. (22.68 kg) Net Weight