BANO R

FERTILIZER MESA POTASSIUM SULFATE

GUARANTEED ANALYSIS

Total Nitrogen (N) 5.3% Ammoniacal Nitrogen 5.7% Water Insoluble Nitrogen* 3.0% Urea Nitrogen 11.0% Other Water Soluble Nitrogen* Soluble Potash (K ₂ O) Sulfur (S) 10.2% Combined Sulfur (S)	12%		
Derived From: Ammonium Sulfate, Methylene Ureas, Urea, Sulfate of Potash.			
*16.7% Slowly available Nitrogen from Methylene Ure	as.		

Chlorine (CI) not more than..... 2.0%

otal Nitrogen (N) 5.3% Ammoniacal Nitrogen 5.7% Water Insoluble Nitrogen* 3.0% Urea Nitrogen 11.0% Other Water Soluble Nitrogen* Soluble Potash (K₂O)..... 12% Chlorine (CI) (maximum) 2.0% Derived From: Ammonium Sulfate, Methylene Ureas, Urea, Sulfate of Potash. *16.7% Slowly available Nitrogen from Methylene Ureas.

GUARANTEED MINIMUM ANALYSIS

Total Nitrogen (N) 25%

CANADA

Application Rates and Frequencies in Canada: Follow

Lebanon brand fertilizers are formulated for professional use on turf, including golf courses, sports fields, and landscapes. Specific application rates and frequencies are determined by the professional applicator based on local soils, regulations, and climate.

U.S.A

		Precautionary Statements Keep out of reach of children Precautionary Statements for disposal - Dispose in accordance	local course or a	2, applied every 4 to	ment plan for your plication rate is 1 to) 8 weeks during the
Application Rates: To feed at the rate of 0.9 lb. Nitrog sq. ft., apply this product at 3.6 lb or 156 lbs. per acre. To feed at the	s per 1,000 sq. ft. rate of 0.5 lb.	with all federal, state and localregulations.	Equivalent to 2	ate of 0.43 kg Nite .8 kg of product p	er 100 sq. meters.
Nitrogen (N) per 1,000 sq. ft., apply t per 1,000 sq. ft. or 87 lbs. per acre.	this product at 2 lbs	Fertilizer may cause irritation of eyes, nose, throat, and skin. In case		ate of 0.24 kg Nit .8kg of product pe	
SUGGESTED SPREADER S Spreader 0.9# N /1,000 sq. ft. 0 Lebanon Turf 4%		of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.		GESTED SPREADE 0.43 kg N/100 m² 4 ³ ⁄4	R SETTINGS 0.24 kg# N/100 m² 4
Andersons AccuPro M	H	Use in accordance with recommendations of a qualified individual	Andersons AccuP		H
Earthway Rotary 16 Gandy 28	14 24	or institution, such as, but not limited to a certified crop advisor,	Earthway Rotary Gandy	16 28	14 24
Leiv 6 li	4 11	agronomist, university crop extension publication, or apply	Lely	6 II	4 11
Lesco (letter/numeric) J/21	G/15	according to recommendations in your approved nutrient	Lesco (letter/num	neric) J/21	G/15
PennMulch HVO M	i	management plan.	PennMulch HVO	Μ	i
ProScape SS M	1	•	ProScape SS	M	1
Spyker 4¾	4	Do not apply near water, storm drains or drainage ditches. Do not	Spyker	4 ³ / ₄	4
Vicon 26	22	apply if heavy rain is expected. Apply this product only to your	Vicon	26	22

apply if heavy rain is expected. Apply this product only to your Vicon These settings were calibrated and field tested. lawn, and sweep any product that lands on the driveway, sidewalk, These settings were calibrated and field tested. However, age and condition of spreader, speed of or street back on to your lawn. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage. operation and evenness of terrain may require slightly WARRANTY different settings for desired coverage. NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions. Information regarding the contents and levels of metals in

Do not apply to frozen ground.

this product is available on the Internet at: http://www.regulatory-info-lebsea.com







Manufactured by: Lebanon Seaboard Corporation 1600 E. Cumberland St. • Lebanon, PA 17042 800-233-0628 • (717) 273-1685 Made in the U.S.A.

www.LebanonTurf.com





GUARANTEED ANALYSIS

Total Nitrogen (N) 5.3% Ammoniacal Nitrogen 5.7% Water Insoluble Nitrogen* 3.0% Urea Nitrogen 11.0% Other Water Soluble Nitrogen* Soluble Potash (K20) Sulfur (S) 10.2% Combined Sulfur (S)	25% 12% 10.2%
Derived From: Ammonium Sulfate, Methylene Ureas, Ure Sulfate of Potash.	a,
*16.7% Slowly available Nitrogen from Methylene Ure	as.

······

Chlorine (CI) not more than..... 2.0%

GUARANTEED MINIMUM ANALYSIS

Total Nitrogen (N) 5.3% Ammoniacal Nitrogen 5.7% Water Insoluble Nitrogen* 3.0% Urea Nitrogen 11.0% Other Water Soluble Nitrogen* Soluble Potash (K20) Sulfur (S) 10.2% Combined Sulfur (S)		
Chlorine (CI) (maximum)	2.0%	
Derived From: Ammonium Sulfate, Methylene Ureas, Urea, Sulfate of Potash.		
*16.7% Clowby available Nitragon from Mathylana Llrs		

*16.7% Slowly available Nitrogen from Methylene Ureas.

CANADA

Lebanon brand fertilizers are formulated for professional use on turf, including golf courses, sports fields, and landscapes. Specific application rates and frequencies are determined by the professional applicator based on local soils, regulations, and climate.

U.S.A

Application Rates: To feed at the rate of 0.9 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 3.6 lbs per 1,000 sq. ft. or 156 lbs. per acre. To feed at the rate of 0.5 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 2 lbs per 1,000 sq. ft. or 87 lbs. per acre.			
SUGGES	SUGGESTED SPREADER SETTINGS		
Spreader 0.9#	N /1,000 s	sq. ft. 0.5# N /1,000 sq. ft.	
Lebanon Turf	43/4	4	
Andersons AccuPro	М	н	
Earthway Rotary	16	14	
Gandy	28	24	
Lely	6 II	4 11	
Lesco (letter/numerio	c) J/21	G/15	
PennMulch HVO	M	i	
ProScape SS	М	i	
Spyker	4 ³ ⁄ ₄	4	
Vicon	26	22	
These settings were calibrated and field tested.			
However, age and condition of spreader, speed of			
operation and evenness of terrain may require slightly			
different settings f	or desire	ed coverage.	

Precautionary Statements

Keep out of reach of children Precautionary Statements for disposal - Dispose in accordance with all federal, state and localregulations.

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

WARRANTY

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions. Application Rates and Frequencies in Canada: Follow your professional landscape management plan for your local course or area. A suggested application rate is 1 to 2.8 Kg for 100 m2, applied every 4 to 8 weeks during the local growing season.

Application Rates: To feed at the rate of 0.43 kg Nitrogen (N) Equivalent to 2.8 kg of product per 100 sq. meters.			
To feed at the rate of 0.24 kg Nitrogen (N) Equivalent to 0.8kg of product per 100 sq. meters.			
SUGGESTED SPREADER SETTINGS			
Spreader	0.43 kg N/100 m ²	0.24 kg# N/100 m ²	
Lebanon Turf	43/4	4	
Andersons Accul	Pro M	н	
Earthway Rotary	16	14	
Gandy	28	24	
Lely	6 II	4 II	

Gandy	28	24
Lely	6 II	4 11
Lesco (letter/numerio	:) J/21	G/15
PennMulch HVO	M	i
ProScape SS	M	i
Spyker	4 ³ ⁄ ₄	4
Vicon	26	22
These settings wer		

However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.



Information regarding the contents and levels of metals in this product is available on the Internet at: http://www.regulatory-info-lebsea.com



Manufactured by: Lebanon Seaboard Corporation 1600 E. Cumberland St. • Lebanon, PA 17042 800-233-0628 • (717) 273-1685 Made in the U.S.A. www.LebanonTurf.com

