

LEBANON ProScape®

FERTILIZER

20-0-25



expo

POTASSIUM SULFATE

GUARANTEED ANALYSIS

Total Nitrogen (N) 20%
 6.5% Water Insoluble Nitrogen*
 3.0% Urea Nitrogen
 10.5% Other Water Soluble Nitrogen*
Soluble Potash (K₂O)** 25%
 Sulfur (S)..... 8.5%
 8.5% Combined Sulfur (S)

Derived From: Methylene Ureas, Urea, Sulfate of Potash.

*17.0% Slowly available Nitrogen from Methylene Ureas.

** 7.5% Slow release Potash from Occluded Sulfate of Potash.

Chlorine (Cl) not more than 2.0%

U.S.A

GUARANTEED MINIMUM ANALYSIS

Total Nitrogen (N) 20%
 6.5% Water Insoluble Nitrogen*
 3.0% Urea Nitrogen
 10.5% Other Water Soluble Nitrogen*
Soluble Potash (K₂O)** 25%
 Sulfur (S)..... 8.5%
 8.5% Combined Sulfur (S)

Chlorine (Cl) (maximum) 2.0%

Derived From: Methylene Ureas, Urea, Sulfate of Potash.

*17.0% Slowly available Nitrogen from Methylene Ureas.

** 7.5% Slow release Potash from Occluded Sulfate of Potash.

CANADA

Lebanon brand fertilizers are formulated for professional use on turf, including golf courses, sports fields, and landscapes. Specific application rates and frequencies are determined by the professional applicator based on local soils, regulations, and climate.

Application Rates:

To feed at the rate of 1 lb. Potash (K₂O) per 1,000 sq. ft., apply this product at 4.0 lbs per 1,000 sq. ft. or 174 lbs. per acre. To feed at the rate of 0.6 lb. Potash (K₂O) per 1,000 sq. ft., apply this product at 2.4 lbs per 1,000 sq. ft. or 105 lbs. per acre.

SUGGESTED SPREADER SETTINGS

| Spreader | 1# K ₂ O/1,000 sq. ft. | 0.6# K ₂ O/1,000 sq. ft. |
|------------------------|-----------------------------------|-------------------------------------|
| Lebanon Turf | 4¾ | 4½ |
| Andersons AccuPro | M | G |
| Earthway Rotary | 16 | 14 |
| Gandy | 28 | 26 |
| Lely | 6 II | 4½ II |
| Lesco (letter/numeric) | J/21 | G/14 |
| PennMulch HVO | N | K |
| ProScape SS | N | K |
| Spyker | 4¾ | 4½ |
| Vicon | 26 | 23 |

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

WARNING

Hazard Statements

Causes skin irritation.
 May be harmful if inhaled.
 Causes serious eye irritation.

Precautionary Statements

Wash hands and exposed skin thoroughly after handling.
 Wear protective gloves/protective clothing/eye protection/face protection.
 Take off contaminated clothing and wash before reuse.
 IF ON SKIN: Wash with plenty of soap and water.
 IF INHALED: Call » POISON CENTER or doctor/physician if you feel unwell.
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 If skin irritation occurs: Get medical advice/ attention.
 If eye irritation persists: Get medical advice/attention.
 Keep out of reach of children
 Precautionary Statements for disposal - Dispose in accordance with all federal, state and local regulations.

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

Do not apply to frozen ground

WARRANTY

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

Application Rates and Frequencies in Canada: Follow your professional landscape management plan for your local course or area. A suggested application rate is 1 to 2.8 Kg for 100 m², applied every 4 to 8 weeks during the local growing season.


Application Rates:

To apply at the rate of 0.48 kg Potash (K₂O)/100 sq. meters. Equivalent to 1.9 kg of product per 100 sq. meters. To apply at the rate of 0.29 kg Potash (K₂O)/100 sq. meters. Equivalent to 1.1 kg of product per 100 sq. meters.

SUGGESTED SPREADER SETTINGS

| Spreader | 0.48 kg K ₂ O/100 m ² . | 0.29 kg K ₂ O/100 m ² . |
|------------------------|---|---|
| Lebanon Turf | 4¾ | 4½ |
| Andersons AccuPro | M | G |
| Earthway Rotary | 16 | 14 |
| Gandy | 28 | 26 |
| Lely | 6 II | 4½ II |
| Lesco (letter/numeric) | J/21 | G/14 |
| PennMulch HVO | N | K |
| ProScape SS | N | K |
| Spyker | 4¾ | 4½ |
| Vicon | 26 | 23 |

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.



0 8 8 6 8 5 5 4 2 4 2 8

F699

J/21

21-54242

EXPO®, PennMulch® and ProScape® are registered trademarks of Lebanon Seaboard Corporation.

NET WEIGHT 50 LBS. (22.7 KG)

Manufactured by:
Lebanon Seaboard Corporation
 1600 E. Cumberland St. • Lebanon, PA 17042
 800-253-0628 • (717) 273-1685
www.LebanonTurf.com

Information regarding the contents and levels of metals in this product is available on the Internet at:
<http://www.regulatory-info-lebsea.com>