

LebanonTurf

Country Club[®]

Blended Fertilizer

10-0-20

METH-EX[®]



GUARANTEED ANALYSIS

Total Nitrogen (N) 10%
 3.2% Water Insoluble Nitrogen*
 1.2% Urea Nitrogen
 5.6% Other Water Soluble Nitrogen*
 Soluble Potash (K₂O)..... 20%
 Sulfur (S) 6.6%
 6.6% Combined Sulfur (S)

Derived From: Methylene Ureas, Urea, Sulfate of Potash.

*8.8% Slowly available Nitrogen from Methylene Ureas.

Chlorine (Cl) not more than 2.0%

GUARANTEED MINIMUM ANALYSIS

Total Nitrogen (N) 10%
 3.2% Water Insoluble Nitrogen*
 1.2% Urea Nitrogen
 5.6% Other Water Soluble Nitrogen*
 Soluble Potash (K₂O)..... 20%
 Sulfur (S) 6.6%
 6.6% Combined Sulfur (S)

Chlorine (Cl) (maximum) 2.0%

Derived From: Methylene Ureas, Urea, Sulfate of Potash.

*8.8% Slowly available Nitrogen from Methylene Ureas.

Application Rates:
 To feed at the rate of 1 lb. Potash (K₂O) per 1,000 sq. ft., apply this product at 5.0 lbs per 1,000 sq. ft. or 218 lbs. per acre. To feed at the rate of 0.5 lb. Potash (K₂O) per 1,000 sq. ft., apply this product at 2.4 lbs per 1,000 sq. ft. or 109 lbs. per acre.

SUGGESTED SPREADER SETTINGS		
Spreader	1#K ₂ O /1,000 sq. ft.	0.5#K ₂ O/1,000 sq. ft.
Lebanon Turf	3½	1½
Andersons AccuPro	H	F
Earthway Rotary	14	11
Gandy	24	21
Lely	4 II	2½ II
Lesco (letter/numeric) H/17		E/15
PennMulch HVO	J	F
ProScape SS	J	F
Spyker	3½	1½
Vicon	22	16

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

Warning



Hazard Statements
 May be harmful if inhaled repeatedly over long time periods.
 Suspected of causing cancer by prolonged/repeated inhalation.

Precautionary Statements
 Use appropriate personal protective equipment as required to avoid
 Dispose in accordance with all federal, state and local regulations.

KEEP OUT OF REACH OF CHILDREN.

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.


WARRANTY

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

Application Rates:
 To apply at the rate of 0.48 kg K₂O/100 sq. meters. Equivalent to 1.2 kg of product per 100 sq. meters.
 To apply at the rate of 0.24 kg K₂O/100 sq. meters. Equivalent to 0.8 kg of product per 100 sq. meters.

SUGGESTED SPREADER SETTINGS		
Spreader	0.48 kg K ₂ O /100 m ² .	0.24 kg K ₂ O /100 m ² .
Lebanon Turf	3½	1½
Andersons AccuPro	H	F
Earthway Rotary	14	11
Gandy	24	21
Lely	4 II	2½ II
Lesco (letter/numeric) H/17		E/15
PennMulch HVO	J	F
ProScape SS	J	F
Spyker	3½	1½
Vicon	22	16

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.



0 88685 35738 1
 F699 **22-35738** g/15

Information regarding the contents and levels of metals in this product is available on the Internet at:
<http://www.regulatory-info-lebsea.com>
 800-233-0628 • (717) 273-1685

LebanonTurf

For technical assistance or more information about our products visit www.LebanonTurf.com

Lebanon Seaboard Corporation
 1600 E. Cumberland St • Lebanon, PA 17042
 800-233-0628 • (717) 273-1685

50 Lbs. (22.7 kg) Net Weight

10-0-20



METH-EX®

GUARANTEED ANALYSIS

Total Nitrogen (N) 10%
 3.2% Water Insoluble Nitrogen*
 1.2% Urea Nitrogen
 5.6% Other Water Soluble Nitrogen*
 Soluble Potash (K₂O)..... 20%
 Sulfur (S) 6.6%
 6.6% Combined Sulfur (S)

Derived From: Methylene Ureas, Urea, Sulfate of Potash.

*8.8% Slowly available Nitrogen from Methylene Ureas.

Chlorine (Cl) not more than 2.0%

GUARANTEED MINIMUM ANALYSIS

Total Nitrogen (N) 10%
 3.2% Water Insoluble Nitrogen*
 1.2% Urea Nitrogen
 5.6% Other Water Soluble Nitrogen*
 Soluble Potash (K₂O)..... 20%
 Sulfur (S) 6.6%
 6.6% Combined Sulfur (S)

Chlorine (Cl) (maximum) 2.0%

Derived From: Methylene Ureas, Urea, Sulfate of Potash.

*8.8% Slowly available Nitrogen from Methylene Ureas.

Application Rates:

To feed at the rate of 1 lb. Potash (K₂O) per 1,000 sq. ft., apply this product at 5.0 lbs per 1,000 sq. ft. or 218 lbs. per acre. To feed at the rate of 0.5 lb. Potash (K₂O) per 1,000 sq. ft., apply this product at 2.4 lbs per 1,000 sq. ft. or 109 lbs. per acre.

SUGGESTED SPREADER SETTINGS

Spreader	1#K ₂ O /1,000 sq. ft.	0.5#K ₂ O/1,000 sq. ft.
Lebanon Turf	3½	1½
Andersons AccuPro	H	F
Earthway Rotary	14	11
Gandy	24	21
Lely	4 II	2½ II
Lesco (letter/numeric)	H/17	E/15
PennMulch HVO	J	F
ProScape SS	J	F
Spyker	3½	1½
Vicon	22	16

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

Warning



Hazard Statements

May be harmful if inhaled repeatedly over long time periods.
 Suspected of causing cancer by prolonged/repeated inhalation.

Precautionary Statements

Use appropriate personal protective equipment as required to avoid
 Dispose in accordance with all federal, state and local regulations.

KEEP OUT OF REACH OF CHILDREN.

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

WARRANTY

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

Application Rates:

To apply at the rate of 0.48 kg K₂O/100 sq. meters. Equivalent to 1.2 kg of product per 100 sq. meters.
 To apply at the rate of 0.24 kg K₂O/100 sq. meters. Equivalent to 0.8 kg of product per 100 sq. meters.

SUGGESTED SPREADER SETTINGS

Spreader	0.48 kg K ₂ O /100 m ² .	0.24 kg K ₂ O /100 m ² .
Lebanon Turf	3½	1½
Andersons AccuPro	H	F
Earthway Rotary	14	11
Gandy	24	21
Lely	4 II	2½ II
Lesco (letter/numeric)	H/17	E/15
PennMulch HVO	J	F
ProScape SS	J	F
Spyker	3½	1½
Vicon	22	16

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.



F699

22-35738 g/15

Information regarding the contents and levels of metals in this product is available on the Internet at:
<http://www.regulatory-info-iebsea.com>

800-233-0628 • (717) 273-1685



LebanonTurf

For technical assistance or more information about our products visit www.LebanonTurf.com

Lebanon Seaboard Corporation

1600 E. Cumberland St • Lebanon, PA 17042

800-233-0628 • (717) 273-1685

50 Lbs. (22.7 kg) Net Weight