

LebanonTurf

# Country Club®

## Blended Fertilizer

# 16-0-30

## METH-EX®



### GUARANTEED ANALYSIS

Total Nitrogen (N) .....	16%
2.5% Water Insoluble Nitrogen*	
9.1% Urea Nitrogen	
4.4% Other Water Soluble Nitrogen*	
Soluble Potash (K <sub>2</sub> O) .....	30%
Sulfur (S) .....	9.8%
9.8% Combined Sulfur (S)	
Iron (Fe) .....	1.0%
0.01% Water Soluble Iron (Fe)	
Manganese (Mn) .....	0.7%
0.1% Water Soluble Manganese (Mn)	

Derived From: Methylene Ureas, Urea, Sulfate of Potash, Iron Sulfate, Manganese Sulfate.

\*6.9% Slowly available Nitrogen from Methylene Ureas.

Chlorine (Cl) not more than ..... 2.0%

U.S.A

### GUARANTEED MINIMUM ANALYSIS

Total Nitrogen (N) .....	16%
2.5% Water Insoluble Nitrogen*	
9.1% Urea Nitrogen	
4.4% Other Water Soluble Nitrogen*	
Soluble Potash (K <sub>2</sub> O) .....	30%
Sulfur (S) .....	9.8%
9.8% Combined Sulfur (S)	
Iron (Fe) (actual) .....	1.0%
0.01% Water Soluble Iron (Fe)	
Manganese (Mn) (actual) .....	0.7%
0.1% Water Soluble Manganese (Mn)	

Chlorine (Cl) (maximum) ..... 2.0%

Derived From: Methylene Ureas, Urea, Sulfate of Potash, Iron Sulfate, Manganese Sulfate.

\*6.9% Slowly available Nitrogen from Methylene Ureas.

CANADA

**NOTICE:** This product contains the secondary nutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly by sweeping or blowing. Do not wash off with water.

Lebanon brand fertilizers are formulated for professional use on turf, including golf courses, sports fields, and landscapes. Specific application rates and frequencies are determined by the professional applicator based on local soils, regulations, and climate.

#### Application Rates:

To feed at the rate of 1 lb. Potash (K<sub>2</sub>O) per 1,000 sq. ft., apply this product at 3.4 lbs per 1,000 sq. ft. or 148 lbs. per acre. To feed at the rate of 0.5 lb. Potash (K<sub>2</sub>O) per 1,000 sq. ft., apply this product at 1.7 lbs per 1,000 sq. ft. or 74 lbs. per acre.

#### SUGGESTED SPREADER SETTINGS

Spreader	1# K <sub>2</sub> O / 1,000 sq. ft.	0.5# K <sub>2</sub> O / 1,000 sq. ft.
Lebanon Turf	2	1½
Andersons AccuPro	E	D
Earthway Rotary	10	8
Gandy	21	19
Lely	2½ II	2 II
Lesco (letter/numeric)	D/9	C/7
PennMulch HVO	G	C
ProScape SS	G	C
Spyker	2	1½
Vicon	17	15

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

#### Hazard Statements

May be harmful if inhaled repeatedly over long time periods.

#### Precautionary Statements

Avoid breathing dust.  
Seek medical advice or attention if you feel unwell  
Dispose in accordance with all federal, state and local regulations.

**KEEP OUT OF REACH OF CHILDREN.**

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

#### WARRANTY

NOTE: To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

Application Rates and Frequencies in Canada: Follow your professional landscape management plan for your local course or area. A suggested application rate is 1 to 2.8 Kg for 100 m<sup>2</sup>, applied every 4 to 8 weeks during the local growing season.

#### Application Rates:


To apply at the rate of 0.48 kg K<sub>2</sub>O/100 sq. meters. Equivalent to 1.6 kg of product per 100 sq. meters.  
To apply at the rate of 0.24 kg K<sub>2</sub>O/100 sq. meters. Equivalent to 0.8 kg of product per 100 sq. meters.

#### SUGGESTED SPREADER SETTINGS

Spreader	0.48 kg K <sub>2</sub> O / 100 m <sup>2</sup> .	0.24 kg K <sub>2</sub> O / 100 m <sup>2</sup> .
Lebanon Turf	2	1½
Andersons AccuPro	E	D
Earthway Rotary	10	8
Gandy	21	19
Lely	2½ II	2 II
Lesco (letter/numeric)	D/9	C/7
PennMulch HVO	G	C
ProScape SS	G	C
Spyker	2	1½
Vicon	17	15

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

Information regarding the contents and levels of metals in this product is available on the Internet at:  
<http://www.regulatory-info-lebsea.com>



0 88685 35739 8  
F699 22-35739 j/16

LebanonTurf

For technical assistance or more information about our products visit [www.LebanonTurf.com](http://www.LebanonTurf.com)

**Lebanon Seaboard Corporation**  
1600 E. Cumberland St • Lebanon, PA 17042  
800-233-0628 • (717) 273-1685

**50 Lbs. (22.7 kg) Net Weight**

# 16-0-30

# METH-EX®



## GUARANTEED ANALYSIS

Total Nitrogen (N) .....	16%
2.5% Water Insoluble Nitrogen*	
9.1% Urea Nitrogen	
4.4% Other Water Soluble Nitrogen*	
Soluble Potash (K <sub>2</sub> O) .....	30%
Sulfur (S) .....	9.8%
9.8% Combined Sulfur (S)	
Iron (Fe) .....	1.0%
0.01% Water Soluble Iron (Fe)	
Manganese (Mn) .....	0.7%
0.1% Water Soluble Manganese (Mn)	

Derived From: Methylene Ureas, Urea, Sulfate of Potash, Iron Sulfate, Manganese Sulfate.

\*6.9% Slowly available Nitrogen from Methylene Ureas.

Chlorine (Cl) not more than .....

U.S.A

## GUARANTEED MINIMUM ANALYSIS

Total Nitrogen (N) .....	16%
2.5% Water Insoluble Nitrogen*	
9.1% Urea Nitrogen	
4.4% Other Water Soluble Nitrogen*	
Soluble Potash (K <sub>2</sub> O) .....	30%
Sulfur (S) .....	9.8%
9.8% Combined Sulfur (S)	
Iron (Fe) (actual) .....	1.0%
0.01% Water Soluble Iron (Fe)	
Manganese (Mn) (actual) .....	0.7%
0.1% Water Soluble Manganese (Mn)	

Chlorine (Cl) (maximum) .....

Derived From: Methylene Ureas, Urea, Sulfate of Potash, Iron Sulfate, Manganese Sulfate.

\*6.9% Slowly available Nitrogen from Methylene Ureas.

CANADA

**NOTICE:** This product contains the secondary nutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly by sweeping or blowing. Do not wash off with water.

Lebanon brand fertilizers are formulated for professional use on turf, including golf courses, sports fields, and landscapes. Specific application rates and frequencies are determined by the professional applicator based on local soils, regulations, and climate.

Application Rates and Frequencies in Canada: Follow your professional landscape management plan for your local course or area. A suggested application rate is 1 to 2.8 Kg for 100 m<sup>2</sup>, applied every 4 to 8 weeks during the local growing season.

### Application Rates:

To feed at the rate of 1 lb. Potash (K<sub>2</sub>O) per 1,000 sq. ft., apply this product at 3.4 lbs per 1,000 sq. ft. or 148 lbs. per acre. To feed at the rate of 0.5 lb. Potash (K<sub>2</sub>O) per 1,000 sq. ft., apply this product at 1.7 lbs per 1,000 sq. ft. or 74 lbs. per acre.

### SUGGESTED SPREADER SETTINGS

Spreader	1# K <sub>2</sub> O /1,000 sq. ft.	0.5# K <sub>2</sub> O /1,000 sq. ft.
Lebanon Turf	2	1½
Andersons AccuPro	E	D
Earthway Rotary	10	8
Gandy	21	19
Lely	2½ II	2 II
Lesco (letter/numeric)	D/9	C/7
PennMulch HVO	G	C
ProScape SS	G	C
Spyker	2	1½
Vicon	17	15

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

### Hazard Statements

May be harmful if inhaled repeatedly over long time periods.

### Precautionary Statements

Avoid breathing dust.

Seek medical advice or attention if you feel unwell

Dispose in accordance with all federal, state and local regulations.

## KEEP OUT OF REACH OF CHILDREN.

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

### WARRANTY

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

### Application Rates:

To apply at the rate of 0.48 kg K<sub>2</sub>O/100 sq. meters. Equivalent to 1.6 kg of product per 100 sq. meters.


To apply at the rate of 0.24 kg K<sub>2</sub>O/100 sq. meters. Equivalent to 0.8 kg of product per 100 sq. meters.

### SUGGESTED SPREADER SETTINGS

Spreader	0.48 kg K <sub>2</sub> O /100 m <sup>2</sup> .	0.24 kg K <sub>2</sub> O /100 m <sup>2</sup> .
Lebanon Turf	2	1½
Andersons AccuPro	E	D
Earthway Rotary	10	8
Gandy	21	19
Lely	2½ II	2 II
Lesco (letter/numeric)	D/9	C/7
PennMulch HVO	G	C
ProScape SS	G	C
Spyker	2	1½
Vicon	17	15

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

Information regarding the contents and levels of metals in this product is available on the Internet at: <http://www.regulatory-info-lebsea.com>



F699

22-35739

j/16



For technical assistance or more information about our products visit [www.LebanonTurf.com](http://www.LebanonTurf.com)

## Lebanon Seaboard Corporation

1600 E. Cumberland St • Lebanon, PA 17042

800-233-0628 • (717) 273-1685

**50 Lbs. (22.7 kg) Net Weight**