

LebanonTurf



# Country Club<sup>®</sup>

## Blended Fertilizer

# 20-0-10

## METH-EX<sup>®</sup>



### GUARANTEED ANALYSIS

Total Nitrogen (N) .....	20%
4.6% Water Insoluble Nitrogen*	
6.9% Urea Nitrogen	
8.5% Other Water Soluble Nitrogen*	
Soluble Potash (K <sub>2</sub> O) .....	10%
Sulfur (S) .....	3.3%
3.3% Combined Sulfur (S)	

Derived From: Methylene Ureas, Urea, Sulfate of Potash.

\*13.1% Slowly available Nitrogen from Methylene Ureas  
Chlorine (Cl) not more than ..... 2.0%

### GUARANTEED MINIMUM ANALYSIS

Total Nitrogen (N) .....	20%
4.6% Water Insoluble Nitrogen*	
6.9% Urea Nitrogen	
8.5% Other Water Soluble Nitrogen*	
Soluble Potash (K <sub>2</sub> O) .....	10%
Sulfur (S) .....	3.3%
3.3% Combined Sulfur (S)	

Chlorine (Cl) not more than ..... 2.0%

Derived From: Methylene Ureas, Urea, Sulfate of Potash.

\*13.1% Slowly available Nitrogen from Methylene Ureas.

**Application Rates:**  
To feed at the rate of 0.9 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 4.5 lbs per 1,000 sq. ft. or 196 lbs. per acre. To feed at the rate of 0.5 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 2.5 lbs per 1,000 sq. ft. or 109 lbs. per acre.

SUGGESTED SPREADER SETTINGS		
Spreader	0.9# N /1,000 sq. ft.	0.5# N /1,000 sq. ft.
Lebanon Turf	3	1½
Andersons AccuPro	G	F
Earthway Rotary	13	11
Gandy	23	21
Lely	3½ II	2 II
Lesco (letter/numeric)	G/16	D/14
PennMulch HVO	I	F
ProScape SS	I	F
Spyker	3	1½
Vicon	20	16

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.



### Warning

**Hazard Statements**  
May be harmful if inhaled repeatedly over prolonged periods.  
Suspected of causing cancer by prolonged/repeated inhalation.  
Causes mild skin irritation.  
Causes serious eye irritation on contact.

**Precautionary Statements**  
Avoid breathing dust.  
Wash hands and exposed skin thoroughly after handling.  
Do not eat, drink or smoke when using this product.  
Wear protective gloves/protective clothing, eye protection, and face protection.  
Use appropriate personal protective equipment as required to avoid breathing dust.

If SWALLOWED: Rinse mouth. Call POISON CENTER or doctor/physician if you feel unwell.  
If exposed or concerned, seek medical attention.  
If skin irritation occurs: Wash with soap and water.  
Wash hands and exposed skin thoroughly after handling.  
If in eyes, rinse cautiously with water for several minutes.  
If eye irritation persists: seek medical attention.  
Dispose in accordance with all federal, state and local regulations.

### KEEP OUT OF REACH OF CHILDREN.

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

### WARRANTY

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

**Application Rates:**  
To feed at the rate of 0.43 kg Nitrogen (N) Equivalent to 2.2 kg of product per 100 sq. meters.

To feed at the rate of 0.22 kg Nitrogen (N) Equivalent to 1.2 kg of product per 100 sq. meters.

SUGGESTED SPREADER SETTINGS		
Spreader	0.43 kg N /100 m <sup>2</sup> .	0.22 kg N /100 m <sup>2</sup> .
Lebanon Turf	3	1½
Andersons AccuPro	G	F
Earthway Rotary	13	11
Gandy	23	21
Lely	3½ II	2 II
Lesco (letter/numeric)	G/16	D/14
PennMulch HVO	I	F
ProScape SS	I	F
Spyker	3	1½
Vicon	20	16

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.



F699 **22-35755** g/15

Information regarding the contents and levels of metals in this product is available on the Internet at: <http://www.regulatory-info-lebsea.com>  
800-233-0628 • (717) 273-1685

LebanonTurf

For technical assistance or more information about our products visit [www.LebanonTurf.com](http://www.LebanonTurf.com)

**Lebanon Seaboard Corporation**  
1600 E. Cumberland St • Lebanon, PA 17042  
800-233-0628 • (717) 273-1685

**50 Lbs. (22.7 kg) Net Weight**

# 20-0-10 METH-EX®



## GUARANTEED ANALYSIS

Total Nitrogen (N) .....	20%
4.6% Water Insoluble Nitrogen*	
6.9% Urea Nitrogen	
8.5% Other Water Soluble Nitrogen*	
Soluble Potash (K <sub>2</sub> O) .....	10%
Sulfur (S) .....	3.3%
3.3% Combined Sulfur (S)	

Derived From: Methylene Ureas, Urea, Sulfate of Potash.

\*13.1% Slowly available Nitrogen from Methylene Ureas

Chlorine (Cl) not more than ..... 2.0%

## GUARANTEED MINIMUM ANALYSIS

Total Nitrogen (N) .....	20%
4.6% Water Insoluble Nitrogen*	
6.9% Urea Nitrogen	
8.5% Other Water Soluble Nitrogen*	
Soluble Potash (K <sub>2</sub> O) .....	10%
Sulfur (S) .....	3.3%
3.3% Combined Sulfur (S)	

Chlorine (Cl) not more than ..... 2.0%

Derived From: Methylene Ureas, Urea, Sulfate of Potash.

\*13.1% Slowly available Nitrogen from Methylene Ureas.

### Application Rates:

To feed at the rate of 0.9 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 4.5 lbs per 1,000 sq. ft. or 196 lbs. per acre. To feed at the rate of 0.5 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 2.5 lbs per 1,000 sq. ft. or 109 lbs. per acre.

### SUGGESTED SPREADER SETTINGS

Spreader	0.9# N /1,000 sq. ft.	0.5# N /1,000 sq. ft.
Lebanon Turf	3	1½
Andersons AccuPro	6	F
Earthway Rotary	13	11
Gandy	23	21
Lely	3½ II	2 II
Lesco (letter/numeric)	G/16	D/14
PennMulch HVO	I	F
ProScape SS	I	F
Spyker	3	1½
Vicon	20	16

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.



## Warning

### Hazard Statements

May be harmful if inhaled repeatedly over prolonged periods.  
Suspected of causing cancer by prolonged/repeated inhalation.  
Causes mild skin irritation.  
Causes serious eye irritation on contact.

### Precautionary Statements

Avoid breathing dust.  
Wash hands and exposed skin thoroughly after handling.  
Do not eat, drink or smoke when using this product.  
Wear protective gloves/protective clothing, eye protection, and face protection.  
Use appropriate personal protective equipment as required to avoid breathing dust.  
If SWALLOWED: Rinse mouth. Call POISON CENTER or doctor/physician if you feel unwell.  
If exposed or concerned, seek medical attention.  
If skin irritation occurs: Wash with soap and water.  
Wash hands and exposed skin thoroughly after handling.  
If in eyes, rinse cautiously with water for several minutes.  
If eye irritation persists: seek medical attention.  
Dispose in accordance with all federal, state and local regulations.

**KEEP OUT OF REACH OF CHILDREN.**

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

### WARRANTY

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

### Application Rates:


To feed at the rate of 0.43 kg Nitrogen (N) Equivalent to 2.2 kg of product per 100 sq. meters.

To feed at the rate of 0.22 kg Nitrogen (N) Equivalent to 1.2 kg of product per 100 sq. meters.

### SUGGESTED SPREADER SETTINGS

Spreader	0.43 kg N /100 m².	0.22 kg N /100 m².
Lebanon Turf	3	1½
Andersons AccuPro	6	F
Earthway Rotary	13	11
Gandy	23	21
Lely	3½ II	2 II
Lesco (letter/numeric)	G/16	D/14
PennMulch HVO	I	F
ProScape SS	I	F
Spyker	3	1½
Vicon	20	16

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.



F699

**22-35755**

g/15

Information regarding the contents and levels of metals in this product is available on the Internet at: <http://www.regulatory-info-lebsea.com>

800-233-0628 • (717) 273-1685



**LebanonTurf**

For technical assistance or more information about our products visit [www.LebanonTurf.com](http://www.LebanonTurf.com)

**Lebanon Seaboard Corporation**

1600 E. Cumberland St • Lebanon, PA 17042

800-233-0628 • (717) 273-1685

**50 Lbs. (22.7 kg) Net Weight**