
NET WT. 30 LBS. (13.64 KG)



For Residential Lawn, Home Perimeter, Ornamental & Flower Gardens Use Only

Active Ingredient Bifenthrin*.. Other Ingredients .99.9% ..100.0% *Cis isomers 97% minimum, trans isomers 3% maximum.

INSECT CONTROL

EPA Est. 961-PA-01; 961-IL-01

EPA Reg. No. 53883-121-961

KEEP OUT OF REACH OF CHILDREN CAUTION

First Aid				
IF SWALLOWED	Call a poison control center or doctor immediately for treatment advice.			
IF SWALLOWED	Have person sip a glass of water if able to swallow.			
	• Do not induce vomiting unless told to do so by the poison control center or doctor.			
	• Do not give anything by mouth to an unconscious person.			
IF IN EYES	Hold eye open and rinse slowly and gently with water for 15-20 minutes.			
	• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.			
	 Call a poison control center or doctor for treatment advice. 			
Have the product container or la	bel with you when calling a poison control center or doctor, or going for treatment. You may call			
888-208-1368 for emergency me				
NOTE TO PHYSICIAN: This produ	ct is a pyrethroid. If large amounts have been ingested, milk, cream and other digestible fats and oils may			
increase absorption and so shou	ld be avoided			

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco or using the toilet.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish and aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treatment area of the lawn or garden will help to prevent run off to water bodies or drainage systems.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

In New York, this product may NOT be applied to any grass or turf area (lawns) within 100 feet of a water body (lake, pond, river, stream, wetland, or drainage ditch).

In New York State, do make a single repeat application of Lebanon Bifenthrin 0.1% Insect Control if there are signs of renewed insect activity, but not sooner than two weeks after the first application.

Do not allow children or pets to enter the area until dry.

Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.

Apply this product directly to the lawn or garden area. Water treated area as directed on this label. Do not water to the point of run-off.

Do not make applications during the rain.



LAWN, HOME PERIMETER, ORNAMENTALS & FLOWER GARDENS

Surface Feeding Insects

Lebanon Bifenthrin 0.1% Insect Control is intended to control ants, including

- Carpenter
- Red Harvester
- Odorous Pyramid
- Pharaoh (Sugar)
- Fire Ants, Foraging Fire Ants

Armyworms including

- Fall Armyworms
- Billbug Including
 - Bluegrass Billbug

Cutworms including

Black Cutworms

Weevils including

Hypernodes and Bluegrass

Other insects include

 Chiggers, Chinch Bugs, Cockroaches, Crickets, Earwigs, Grasshoppers, Mealybugs, Pillbugs, Silverfish, Sod Webworms (Lawn Moth), and Sowbugs.

Application instructions:

Apply **Lebanon Bifenthrin 0.1% Insect Control** evenly at the rate of 1.2 to 2.4 pounds per 1,000 sq. ft. by using any hand held or power operated gravity or rotary type spreader designed for the application of granular materials. A 30-pound bag will treat a 12,500 to 25,000 square feet area.

Lebanon Bifenthrin 0.1% Insect Control should be applied when insects first appear. If suitable signs of renewed insect activity become apparent and re-treatment becomes necessary, applications must be limited to no more than one application per a seven day period and at the instructed rate to obtain best results. Best results will be obtained by thoroughly watering the treated area immediately after application.

Argentine Ants, Black Turf Ants, Black Turfgrass Ataenius, Fleas (including Cat Fleas), Leafhoppers, Spiders (including Brown Recluse Spiders) and Ticks (including Brown Dog Ticks)	Evenly apply 2.4 pounds of Lebanon Bifenthrin 0.1% Insect Control over a 1,000 sq. ft. area (or 3.84 ounces over a 100 sq. ft. area). Irrigate or water thoroughly immediately after application.			
Centipedes, Millipedes, Pavement Ants	Uniformly apply 4.8 pounds Lebanon Bifenthrin 0.1% Insect Control over a 1,000 sq. ft. area (or 7.68 ounces over a 100 sq. ft. area). Irrigate or water thoroughly immediately after application.			
Mole Crickets (including Tawny Mole Crickets)	Uniformly apply 2.4 to 4.8 pounds Lebanon Bifenthrin 0.1% Insect Control over a 1,000 sq. ft. area (or 3.84 to 7.68 ounces over a 100 sq. ft. area). Treat Mole Crickets in late spring. Irrigate or water thoroughly immediately after application.			
Fire Ant Mounds	Gently sprinkle 1/2 cup of product over, and 2 feet around, each mound. To maximize product performance, slowly and gently water-in 1 to 2 gallons of water to limit run-off from the mound and reduce the chance of disturbing the ants.			

^{**} Food utensils such as tablespoons/teaspoons must not be used for food purposes after use in measuring pesticides.

SPREADER TIPS							
Spreader Settings:							
) Sq. Ft.						
Spreader		2.4	4.8	Directions			
Scotts® AccuGreen® drop spreader		4	5	Mow lawn first if grass is tall enough to touch the			
	bottom of the spreader. First apply two header strips. Operate spreader the longest way of the lawn. Overlap wheel marks to ensure uniform feeding. Shut off spreader when you have reached the header strips or stopped.						
Spreader		2.4	4.8	Shut off spreader anytime you stop. For complete			
Scotts® SpeedyGreen® rotary		3½	4	coverage make each pass about five feet from			
			•	the previous one, so some overlapping occurs. Avoid applying this product on flower, vegetable, and shrub plantings			

When using other spreaders, calibrate the spreader settings based on the manufacturer's recommendations.

Ornamental Flower Beds (Outdoor)

Pests Controlled: Ants, crickets, earwigs, grasshoppers, spiders and ticks.

Application Instructions:

Evenly apply 1/2 lb. of **Lebanon Bifenthrin 0.1% Insect Control** for every 500 sq. ft. (or 2 ounces for every 50 sq. ft. area). Repeat application as necessary only if there are signs of renewed insect activity. Repeat applications must be limited to no more than once per 7 days.

Home Invading Insects - Barrier Treatment Around House Foundations

Pests Controlled: Ants, chiggers, crickets, earwigs, grasshoppers, spiders and ticks.

Application Instructions:

Apply a 2-foot band of **Lebanon Bifenthrin 0.1% Insect Control** next to the house foundation. Use 1/2 lb. for each 500 sq. ft. (2 ft. x 250 ft.) (or 2 ounces for each 50 sq. ft. (2 ft. x 25 ft.)). Repeat applications every 2 weeks only if there are signs of renewed insect activity.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Keep out of reach of children and animals. Store in original containers only. Store in a cool, dry place and avoid excess heat. Carefully open containers. After partial use close tightly.

Container Disposal: If Empty: Non-refillable container. Do not reuse or refill this container. Empty container through use according to label instructions. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor (including toilet) or outdoor (including sewer) drain.

NOTICE: To the extent consistent with applicable law, buyer assumes all risks of use, storage or handling of this product not in accordance with directions.

DISTRIBUTED BY LEBANON SEABOARD CORPORATION

1600 EAST CUMBERLAND STREET LEBANON, PA 17042

Made in the U.S.A.

For technical assistance or more information about our

products visit www.LebanonTurf.com