## FOR EASY OPENING PULL NARROW



# 8-0-6 **FINE GRADE**

#### **Guaranteed analysis** .....

Total Nitrogen (N)	8.0%	
0.50% Ammoniacal Nitrogen		
7.50% Water Insoluble Nitrogen*		
Soluble Potash (K,O)	6.0%	
Calcium (Ca)	1.0%	
Magnesium (Mg)	0.5%	
0.25% Water Soluble Magnesium (Mg)		
Sulfur (S)	1.0%	
1.00% Combined Sulfur (S)		
Copper (Cu)	0.1%	
Iron (Fe)	1.0%	
0.50% Water Soluble Iron (Fe)		
Manganese (Mn)	0.1%	
0.05% Water Soluble Manganese (Mn)		
Zinc (Zn)	0.1%	

Derived from: Feather Meal, Meat and Bone Meal, Potassium Sulfate, Kelp Meal, Ferric Oxide, Ferrous Sulfate, Magnesium Oxide, Magnesium Sulfate, Manganese Oxide, Manganese Sulfate, Zinc Oxide, Cupric Oxide, Lime. F699

\*7.5% slowly available nitrogen from feather meal and meat and bone meal.

#### ALSO CONTAINS NONPLANT FOOD INGREDIENTS: 0.0035% Bacterial Cultures F00 406 (

5.99 x 10° cfu/g
2.48 x 10° cfu/g
8.73 x 10° cfu/g
7.25 x 10° cfu/g
2.25 x 10 <sup>5</sup> cfu/g
3.00 x 10 <sup>5</sup> cfu/g

• Roots® Turf Food is derived from plant and animal meals and is fortified with slow release water-insoluble nitrogen

• No Phosphate Turf Fertilizer

Information regarding the contents and levels of metals in this product is available on the Internet at: http://www.regulatory-info-lebsea.com

For Florida: We recommend that you follow the Green Industries BMP's at: http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/BMP\_Book\_final.pdf

For Florida: We recommend that you follow the Golf Course BMP's at: http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/glfbmp07.pdf

**Application Rates:** Apply only as directed.

### **Greens and Tees:**

Apply 1 pound of nitrogen (12.5 lbs. of product) per 1,000 sq.ft., every 4 weeks.

### Fairways, Athletic Fields, Lawns:

12.5 lbs. product (1 lb. N) per 1,000 sq. ft., 3 to 5 times throughout the growing season. 11 bags per acre.

### **Ornamental & Flower Beds:**

Apply 4 lbs. product (12 cups) per 100 sq. ft. Mix into soil when planting beds, or top dress after planting.

Typical Spreader Settings			
Lbs N/1,000 sq. ft.	1/2	3/4	1
Sq. ft./50 lb. bag	8,000	6,000	4,000
Spreaders			
Scotts AccuPro 2000/R-8	N	Q	S1/2
Lesco 021820/R-7	G		K
Scotts Speedy Green 3000	5	6.25	7.75
PSB Prizelawn CBR III	M <sup>1</sup> /2	Р	R1⁄2
Earthway Ev-N-Spred C24ss	1.7	2.1	2.4
Spyker 76	4.6	5	5.6



27-56514

**COVERS UP TO** 8,000 SQ. FT.

### CAUTION **KEEP OUT OF REACH OF CHILDREN.**

Do not contaminate water by storage or disposal. Store in a cool, dry place inaccessible to surface water runoff. Do not apply in or near any water supply source or any body of water, including wells, streams, rivers and lakes, storm drains or drainage ditches. Do not apply to any land that is flooded, frozen or snow-covered. Do not apply if heavy rain is expected. Apply this product only to turfgrass or lawns, and sweep any product that lands in the driveway, sidewalk, or street, back onto turfgrass or lawns.

### WARRANTY

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.



For technical assistance or more information about our products visit www.LebanonTurf.com Manufactured by: Lebanon Seaboard Corporation 1600 E. Cumberland St. • Lebanon, PA 17042 Made in the U.S.A.

www.LebanonTurf.com Information regarding the contents and levels of metals in this product is available on the Internet at: http://www.regulatory-info-lebsea.com

## Net Weight 50 LBS Peso Neto 22.7 KG

Store at temperatures between 50°F and 90°F (10°C and 32°C)

# **8-0-6** FINE GRADE

Guaranteed analysis	
Total Nitrogen (N)	8.0%
0.50% Ammoniacal Nitrogen	
7.50% Water Insoluble Nitrogen*	
Soluble Potash (K,O)	6.0%
Calcium (Ca)	
Magnesium (Mg)	0.5%
0.25% Water Soluble Magnesium (Mg)	
Sulfur (S)	1.0%
1.00% Combined Sulfur (S)	
Copper (Cu)	0.1%
Iron (Fe)	
0.50% Water Soluble Iron (Fe)	
Manganese (Mn)	0.1%
0.05% Water Soluble Manganese (Mn)	
Zinc (Zn)	0.1%

**Derived from:** Feather Meal, Meat and Bone Meal, Potassium Sulfate, Kelp Meal, Ferric Oxide, Ferrous Sulfate, Magnesium Oxide, Magnesium Sulfate, Manganese Oxide, Manganese Sulfate, Zinc Oxide, Cupric Oxide, Lime. **F699** 

\*7.5% slowly available nitrogen from feather meal and meat and bone meal.

### ALSO CONTAINS NONPLANT FOOD INGREDIENTS:

0.0035% Bacterial Cultures

Bacillus amyloliquifaciens	5.99 x 10° cfu/g
Bacillus pasteuri	2.48 x 10° cfu/g
Bacillus laevolacticus	8.73 x 10° cfu/g
Bacillus licheniformis	7.25 x 10° cfu/g
Paenibacillus azotofixans	2.25 x 10 <sup>5</sup> cfu/g
Bacillus cereus	3.00 x 10 <sup>5</sup> cfu/g

• Roots® Turf Food is derived from plant and animal meals and is fortified with slow release water-insoluble nitrogen

### • No Phosphate Turf Fertilizer

Information regarding the contents and levels of metals in this product is available on the Internet at: http://www.regulatory-info-lebsea.com

For Florida: We recommend that you follow the Green Industries BMP's at: http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/BMP\_Book\_final.pdf

For Florida: We recommend that you follow the Golf Course BMP's at: http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/glfbmp07.pdf Application Rates: Apply only as directed.

### Greens and Tees:

Apply 1 pound of nitrogen (12.5 lbs. of product) per 1,000 sq. ft., every 4 weeks.

### Fairways, Athletic Fields, Lawns:

12.5 lbs. product (1 lb. N) per 1,000 sq. ft., 3 to 5 times throughout the growing season. 11 bags per acre.

### **Ornamental & Flower Beds:**

Apply 4 lbs. product (12 cups) per 100 sq. ft. Mix into soil when planting beds, or top dress after planting.

Typical Spreader Settings				
Lbs N/1,000 sq. ft.	1/2	3/4	1	
Sq. ft./50 lb. bag	8,000	6,000	4,000	
Spreaders				
Scotts AccuPro 2000/R-8	N	Q	S1/2	
Lesco 021820/R-7	G		K	
Scotts Speedy Green 3000	5	6.25	7.75	
PSB Prizelawn CBR III	M <sup>1</sup> /2	Р	R1⁄2	
Earthway Ev-N-Spred C24ss	1.7	2.1	2.4	
Spyker 76	4.6	5	5.6	



COVERS UP TO 8,000 SQ. FT.

### CAUTION KEEP OUT OF REACH OF CHILDREN.

Do not contaminate water by storage or disposal. Store in a cool, dry place inaccessible to surface water runoff. Do not apply in or near any water supply source or any body of water, including wells, streams, rivers and lakes, storm drains or drainage ditches. Do not apply to any land that is flooded, frozen or snow-covered. Do not apply if heavy rain is expected. Apply this product only to turfgrass or lawns, and sweep any product that lands in the driveway, sidewalk, or street, back onto turfgrass or lawns.

### WARRANTY

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.



For technical assistance or more information about our products visit www.LebanonTurf.com

### Manufactured by: Lebanon Seaboard Corporation

1600 E. Cumberland St. • Lebanon, PA 17042

Made in the U.S.A. www.LebanonTurf.com Information regarding the contents and levels of metals in this product is available on the Internet at: http://www.regulatory-info-lebsea.com

## Net Weight 50 LBS Peso Neto 22.7 KG

Store at temperatures between 50°F and 90°F (10°C and 32°C)