# LebanonTurf

# Country Club Maximum Dis

- Utilizes a unique, highly dispersing granule technology
- Contains North Atlantic Ocean sea kelp
- Features METH-EX slow release nitrogen
- SGN 125 is ideal for low-cut turf on tees and fairways



#### **GUARANTEED ANALYSIS** Total Nitrogen (N) .. 0.7% Ammoniacal Nitrogen 7.0% Water Insoluble Nitrogen 3.8% Urea Nitrogen 12.5% Other Water Soluble Nitrogen \* Soluble Potash (K<sub>2</sub>O)...... Magnesium (Mg). 2.0% Water Soluble Magnesium (Mg) Sulfur (S) .... 6.2% Combined Sulfur (S) Iron (Fe)... 0.3% Water Soluble Iron (Fe) Manganese (Mn) .. 0.5% Water Soluble Manganese (Mn) Derived From: Ammonium Sulfate, Methylene Ureas, Urea, Sulfate of Potash, Kelo Sulfate of Potash Magnesia, Ferric Oxide, Ferrous Sulfate. \*19.5% Slowly Available Nitrogen from Methylene Urea. ..... 2.0% Chlorine (CI) not more than ALSO CONTAINS NON PLANT FOOD INGREDIENTS **SOIL/PLANT AMENDING INGREDIENTS** Active Ingredients: Humic Acids (derived from Leonardite) .. 1.0%

99.0%	U.S.	Α
aunden Cluba MD	 	h

GUARANTEED MINIMUM ANALYSIS	
Total Nitrogen (N)	24%
0.7% Ammoniacal Nitrogen	
7.0% Water Insoluble Nitrogen*	
3.8% Urea Nitrogen	
12.5% Other Water Soluble Nitrogen *	
Soluble Potash (K <sub>2</sub> O)	8%
Magnesium (Mg)	2.0%
2 0% Water Soluble Magnesium (Mg)	
Sulfur (S)	6.2%
6.2% Combined Sulfur (S)	
Iron (Fe) (actual)	3.0%
0.3% Water Soluble Iron (Fe)	
Manganese (Mn)	0.5%
0.5% Water Soluble Manganese (Mn)	
Chlorine (CI) (maximum)	2.0%
<b>Derived From:</b> Ammonium Sulfate, Methylene Ureas, Urea, Sulfate of Potash, K Sulfate of Potash Magnesia, Ferric Oxide, Ferrous Sulfate.	elp,

\*19.5% Slowly Available Nitrogen from Methylene Urea. **ALSO CONTAINS NON PLANT FOOD INGREDIENTS SOIL/PLANT AMENDING INGREDIENTS** 

Active Ingredients: Humic Acids (derived from Leonardite).. 1.0% Inert Ingredients (as soil amending)......99.0% 99.0% Fertilizer Ingredients

CANADA

Country Club® MD products contain humic acids, which may aid in nutrient availability.

Notice: This product contains the micronutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly after applications by sweeping or blowing. Do not wash off with water.

Lebanon brand fertilizers are formulated for professional use on turf, including golf courses, sports fields, and landscapes. Specific application rates and frequencies are determined by the professional applicator based on local soils, regulations, and climate.

## **Application Rates:**

To feed at the rate of 0.9 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 3.7 lbs per 1,000 sq. ft. or 244 er acre. To feed at the rate of ½ lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 1.6 lbs per 1,000 sq.

Inert Ingredients (as soil amending)...

99.0% Fertilizer Ingredients

ft. or 135 lbs.	. per acre.	
SUGGESTED SPREADER SETTINGS		
Spreader	0.9# N/1,000 sq. ft.	0.5 # N/1,000 sq. ft.
Lebanon Turf	31/2	3
Andersons Ac	cuPro H	F
Earthway Rota	ary 14	12
Gandy	24	22
Lely	4 II	3 II
Lesco (letter/r	numeric)H/15	D/10
PennMulch H\	/0 J	E
ProScape SS	J	E
Spyker	31/2	3
Vicon	22	20
Those cettings were calibrated and field tested		

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

Information regarding the contents and levels of metals in this product is available on the Internet at: http://www.regulatory-info-lebsea.com

PennMulch®, ProScape®, Country Club and the Lebanon Diamond are registered trademarks of Lebanon Seaboard Corporation.

### Warning



**Precautionary Statements** Do not handle until all safety precautions have been read and understood.

Avoid breathing dust/fume/gas/mist/vapours/spray. Wash hands and exposed skin thoroughly after handling.

Do not eat, drink or smoke when using this product. Use personal protective equipment as required.

If in eyes, rinse with water and seek medical attention if symptoms persist

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell.

Store locked up. Store in a well-ventilated place.

Keep container tightly closed.

Dispose of contents/container properly as required by law for waste pesticides. If exposed or concerned, seek medical advice.

Keep out of reach of children

Precautionary Statements for disposal - Dispose in accordance with all federal,

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention

Use in accordance with recommendations of a qualified individual or institution. such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

WARRANTY

 $\begin{tabular}{ll} \textbf{NOTE} & To the extent consistent with applicable law, Buyer assumes all \\ \end{tabular}$ responsibility for safety and performance if this product is not used according to the

Application Rates and Frequencies in Canada: Follow your professional landscape management plan for your local course or area. A suggested application rate is 1 to 2.8 Kg for 100  $\ensuremath{\text{m}}^2,$ applied every 4 to 8 weeks during the local growing season.

Application Rates: To feed at the rate of 0.43 kg Nitrogen (N) Equivalent to 1.8 kg of product per 100 sq. meters. To feed at the rate of 0.22 kg Nitrogen (N) Equivalent to 1.0 kg of product per 100 sq. meters. SUGGESTED SPREADER SETTINGS  $0.43 \; kg \; N \; / 100 \; m^2 \qquad 0.22 \; \; kg \; N \; / 100 \; m^2$ Spreader . .ebanon Turf Andersons AccuPro **Earthway Rotary** 12 Lely 3 II Lesco (letter/numeric)H/15 D/10 PennMulch HVO ProScape SS Spyker 22 These settings were calibrated and field tested. However, age and condition of spreader, speed of different settings for desired coverage.



For technical assistance or more information about our products visit www.LebanonTurf.com

Lebanon Seaboard Corporation

1600 E. Cumberland St • Lebanon, PA 17042 800-233-0628 • (717-273-1685)



#### **GUARANTEED ANALYSIS**

0.7% Ammoniacal Nitrogen	
7.0% Water Insoluble Nitrogen*	
3.8% Urea Nitrogen	
12.5% Other Water Soluble Nitrogen *	
Soluble Potash (K <sub>2</sub> O)	
Magnesium (Mg)	,
2.0% Water Soluble Magnesium (Mg)	
Sulfur (S)	,
6.2% Combined Sulfur (S)	
Iron (Fe)	)
0.3% Water Soluble Iron (Fe)	
Manganese (Mn)	,
0.5% Water Soluble Manganese (Mn)	
0.0 /0 Traisi Goldbio manganoso (min)	
Derived From: Ammonium Sulfate, Methylene Ureas, Urea, Sulfate of Potash, Kelp,	
Sulfate of Potash Magnesia, Ferric Oxide, Ferrous Sulfate.	
Sulfate of Polasif Magnesia, Petric Oxide, Petrous Sulfate.	
*10 E0/ Claudy Available Nitrogen from Mathylana Uran	
*19.5% Slowly Available Nitrogen from Methylene Urea.	
Chlorine (CI) not more than	1
ALSO CONTAINS NON PLANT FOOD INGREDIENTS	
SOIL/PLANT AMENDING INGREDIENTS	
Active Ingredients:	
Humic Acids (derived from Leonardite) 1.0%	

**GUARANTEED MINIMUM ANALYSIS** 

Total Nitrogen (N)	24%
Soluble Potash (K <sub>2</sub> O)	8%
Magnesium (Mg)	2.0%
2.0% Water Soluble Magnesium (Mg)	
Sulfur (S)	6.2%
6.2% Combined Sulfur (S)	
Iron (Fe) (actual)	3.0%
0.3% Water Soluble Iron (Fe)	
Manganese (Mn)	0.5%
0.5% Water Soluble Manganese (Mn)	
Chlorine (CI) (maximum)	2.0%
<b>Derived From:</b> Ammonium Sulfate, Methylene Ureas, Urea, Sulfate of Potash, K. Sulfate of Potash Magnesia, Ferric Oxide, Ferrous Sulfate.	elp,
*19.5% Slowly Available Nitrogen from Methylene Urea.	
ALSO CONTAINS NON PLANT FOOD INGREDIENTS	

**SOIL/PLANT AMENDING INGREDIENTS Active Ingredients:** Humic Acids (derived from Leonardite) .. 1.0%

Inert Ingredients (as soil amending)...... 99.0% 99.0% Fertilizer Ingredients

**CANADA** 

Country Club® MD products contain humic acids, which may aid in nutrient availability.

Notice: This product contains the micronutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly after applications by sweeping or blowing. Do not wash off with water.

U.S.A

Lebanon brand fertilizers are formulated for professional use on turf, including golf courses, sports fields, and landscapes. Specific application rates and frequencies are determined by the professional applicator based on local soils, regulations, and climate.

#### Application Rates:

To feed at the rate of 0.9 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 3.7 lbs per 1,000 sq. ft. or 244 lbs. per acre. To feed at the rate of ½ lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 1.6 lbs per 1,000 sq. ft. or 135 lbs. per acre.

Inert Ingredients (as soil amending)...... 99.0%

99.0% Fertilizer Ingredients

SUGGESTED SPREADER SETTINGS		
Spreader 0.9#	N/1,000 sq. ft.	0.5 # N/1,000 sq. ft.
Lebanon Turf	31/2	3
Andersons AccuPro	Н	F
Earthway Rotary	14	12
Gandy	24	22
Lely	4 II	3 II
Lesco (letter/numeri	c)H/15	D/10
PennMulch HVO	J	E
ProScape SS	J	E
Spyker	31/2	3
Vicon	22	20

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

Information regarding the contents and levels of metals in this product is available on the Internet at: http://www.regulatory-info-lebsea.com

PennMulch®, ProScape®, Country Club and the Lebanon Diamond are registered trademarks of Lebanon Seaboard Corporation.

#### Warning **Hazard Statements**

Harmful if swallowed May be harmful if inhaled. May cause respiratory irritation. Suspected of causing cancer.



#### **Precautionary Statements**

Do not handle until all safety precautions have been read and understood.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Wash hands and exposed skin thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use personal protective equipment as required.

If in eyes, rinse with water and seek medical attention if symptoms persist. Rinse mouth.

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell. Store locked up.

Store in a well-ventilated place.

Keep container tightly closed.

Dispose of contents/container properly as required by law for waste pesticides. If exposed or concerned, seek medical advice.

Keep out of reach of children

Precautionary Statements for disposal - Dispose in accordance with all federal, state and local regulations.

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

#### WARRANTY

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

Application Rates and Frequencies in Canada: Follow your professional landscape management plan for your local course or area. A suggested application rate is 1 to 2.8 Kg for 100 m<sup>2</sup>, applied every 4 to 8 weeks during the local growing season.

#### **Application Rates:**

To feed at the rate of 0.43 kg Nitrogen (N) Equivalent to 1.8 kg of product per 100 sq. meters.

To feed at the rate of 0.22 kg Nitrogen (N) Equivalent to 1.0 kg of product per 100 sq. meters.

# SUGGESTED SPREADER SETTINGS

Spreader	0.43 kg N /100 m <sup>2</sup>	0.22 kg N /100 m <sup>2</sup>
Lebanon Turf	31/2	3
Andersons Accu	iPro H	F
Earthway Rotary	y 14	12
Gandy	24	22
Lely	4 II	3 II
Lesco (letter/nu	meric)H/15	D/10
PennMulch HVO	) J	E
ProScape SS	J	E
Spyker	31/2	3
Vicon	22	20

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.



21-29098

For technical assistance or more information about our products visit www.LebanonTurf.com

# Lebanon Seaboard Corporation

1600 E. Cumberland St • Lebanon, PA 17042 800-233-0628 • (717-273-1685)

# 50 Lbs. (22.7 kg) Net Weight