

LebanonTurf

Country Club[®] MD

Maximum Dispersion

- Utilizes a unique, highly dispersing granule technology
- Contains North Atlantic Ocean sea kelp
- SGN 80 is ideal for putting greens

16-0-8



GUARANTEED ANALYSIS

Total Nitrogen (N)	16%
14.6% Ammoniacal Nitrogen	
1.4% Urea Nitrogen	
Soluble Potash (K₂O)	8%
Magnesium (Mg)	1.0%
1.0% Water Soluble Magnesium (Mg)	
Sulfur (S)	20.0%
20.0% Combined Sulfur (S)	
Iron (Fe)	1.0%
Manganese (Mn)	0.5%
0.5% Water Soluble Manganese (Mn)	

Derived From: Ammonium Sulfate, Urea, Sulfate of Potash, Sulfate of Potash Magnesia, Ferric Oxide, Manganese Sulfate, Potassium Humate, Kelp Meal.

Chlorine (Cl) not more than..... 2.0%

ALSO CONTAINS NON PLANT FOOD INGREDIENTS SOIL/PLANT AMENDING INGREDIENTS

Active Ingredients:

Humic Acids (derived from Leonardite)	1.0%
Inert Ingredients (as soil amending)	99.0%
99.0% Fertilizer Ingredients	

U.S.A

GUARANTEED MINIMUM ANALYSIS

Total Nitrogen (N)	16%
14.6% Ammoniacal Nitrogen	
1.4% Urea Nitrogen	
Soluble Potash (K₂O)	8%
Magnesium (Mg)	1.0%
1.0% Water Soluble Magnesium (Mg)	
Sulfur (S)	20.0%
20.0% Combined Sulfur (S)	
Iron (Fe) (actual)	1.0%
Manganese (Mn)	0.5%
0.5% Water Soluble Manganese (Mn)	

Chlorine (Cl) (maximum) 2.0%

Derived From: Ammonium Sulfate, Urea, Sulfate of Potash, Sulfate of Potash Magnesia, Ferric Oxide, Manganese Sulfate, Potassium Humate, Kelp Meal.

ALSO CONTAINS NON PLANT FOOD INGREDIENTS SOIL/PLANT AMENDING INGREDIENTS

Active Ingredients:

Humic Acids (derived from Leonardite)	1.0%
Inert Ingredients (as soil amending)	99.0%
99.0% Fertilizer Ingredients	

CANADA

Country Club[®] MD products contain humic acids, which may aid in nutrient availability.

Notice: This product contains the micronutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly after applications by sweeping or blowing. Do not wash off with water.

Lebanon brand fertilizers are formulated for professional use on turf, including golf courses, sports fields, and landscapes. Specific application rates and frequencies are determined by the professional applicator based on local soils, regulations, and climate.

Application Rates:

To feed at the rate of 0.7 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 4.3 lbs per 1,000 sq. ft. or 187 lbs. per acre. To feed at the rate of 0.5 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 3.1 lbs per 1,000 sq. ft. or 135 lbs. per acre.

SUGGESTED SPREADER SETTINGS

Spreader	0.7# N/1,000 sq. ft.	0.5# N/1,000 sq. ft.
Lebanon Turf	2	1½
Andersons AccuPro	G	F
Earthway Rotary	12	11
Gandy	22	21
Lely	3 II	2½ II
Lesco (letter/numeric)	G/16	E/15
PennMulch HVO	H	G
ProScape SS	H	G
Spyker	2	1½
Vicon	18	16

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

WARNING



Hazard Statements:
May cause skin and eye irritation.
May be harmful if inhaled.

Precautionary Statements for handling:
Wash hands and exposed skin thoroughly after handling.
Wear protective gloves and protective clothing.
If eye or skin exposure occurs, rinse with water. Seek medical attention if irritation persists.
Take off contaminated clothing and wash before reuse.
Store the container locked up in a well-ventilated place out of reach of children.
Dispose of in accordance with all federal, state and local regulations.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your turf, and sweep any product that lands on the driveway, sidewalk, or street back onto your turf.

Do not apply to frozen ground.

WARRANTY

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

Application Rates and Frequencies in Canada: Follow your professional landscape management plan for your local course or area. A suggested application rate is 1.5 to 2.1 Kg for 100 m², applied every 4 to 8 weeks during the local growing season.

Application Rates:

To feed at the rate of 0.33 kg Nitrogen (N) Equivalent to 2.1 kg of product per 100 sq. meters.

To feed at the rate of 0.22 kg Nitrogen (N) Equivalent to 1.5 kg of product per 100 sq. meters.

SUGGESTED SPREADER SETTINGS

Spreader	0.43 kg N/100 m ²	0.22 kg N/100 m ²
Lebanon Turf	2	1½
Andersons AccuPro	G	F
Earthway Rotary	12	11
Gandy	22	21
Lely	3 II	2½ II
Lesco (letter/numeric)	G/16	E/15
PennMulch HVO	H	G
ProScape SS	H	G
Spyker	2	1½
Vicon	18	16

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.



Information regarding the contents and levels of metals in this product is available on the Internet at: <http://www.regulatory-info-lebsea.com>

For technical assistance or more information about our products visit www.LebanonTurf.com

Lebanon Seaboard Corporation
1600 E. Cumberland St • Lebanon, PA 17042
800-233-0628 • 717-273-1685

40 Lbs. (18.14 kg) Net Weight