



Country Club®

FERTILIZER



STARTER FORMULA

HOMOGENEOUS GRANULES FOR PROFESSIONAL TURF

13-25-12



GUARANTEED ANALYSIS

Total Nitrogen (N).....	13%
9.5% Ammoniacal Nitrogen	
3.5% Urea Nitrogen	
Available Phosphate (P ₂ O ₅).....	25%
Soluble Potash (K ₂ O).....	12%
Sulfur (S).....	5.7%
5.7% Combined Sulfur (S)	
Iron (Fe).....	2.0%
0.2% Water Soluble Iron (Fe)	

Derived From:Ammonium Phosphate, Ammonium Sulfate, Urea, Muriate of Potash, Ferric Oxide, Ferrous Sulfate.

Chlorine (Cl) not more than 8.0%

GUARANTEED MINIMUM ANALYSIS

Total Nitrogen (N).....	13%
9.5% Ammoniacal Nitrogen	
3.5% Urea Nitrogen	
Available Phosphate (P ₂ O ₅).....	25%
Soluble Potash (K ₂ O).....	12%
Sulfur (S).....	5.7%
5.7% Combined Sulfur (S)	
Iron (Fe) (Actual).....	2.0%
0.2% Water Soluble Iron (Fe)	

Chlorine (Cl) maximum 8.0%

Derived From:Ammonium Phosphate, Ammonium Sulfate, Urea, Muriate of Potash, Ferric Oxide, Ferrous Sulfate.

U.S.A

CANADA

NOTICE: This product contains the secondary micronutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly by sweeping or blowing. Do not wash off with water.

Application Rates: To feed at the rate of 1.5 lb. Phosphate (P ₂ O ₅) per 1,000 sq. ft., apply this product at 6 lbs per 1,000 sq. ft. or 261 lbs. per acre. To feed at the rate of ½ lb. Phosphate (P ₂ O ₅) per 1,000 sq. ft., apply this product at 2 lbs per 1,000 sq. ft. or 87 lbs. per acre.		
SUGGESTED SPREADER SETTINGS		
Spreader	6# /1,000 sq. ft.	2# /1,000 sq. ft.
Lebanon Turf	5	4
Andersons AccuPro	0	H
Earthway Rotary	18	15
Gandy	35	30
Lely	7 II	5 II
Lesco (letter/numeric)	K/22	H/15
PennMulch HVO	0	J
ProScape SS	0	J
Spyker	5	4
Vicon	30	25
These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.		



Warning


Hazard Statements
May be harmful if swallowed.
Causes skin irritation.
Causes eye irritation.
May be harmful if inhaled repeatedly over prolonged periods.
Suspected of causing cancer by prolonged/repeated inhalation.
May cause respiratory irritation.

Precautionary Statements
Avoid breathing dust.
Use appropriate personal protective equipment as required to avoid breathing dust.
Call a poison center or doctor/physician if you feel unwell.
Keep container tightly closed and store in well-ventilated place.
Wash hands and exposed skin thoroughly after handling.
Wear protective gloves/protective clothing/face protection
IF ON SKIN: Gently wash with plenty of soap and water. Seek medical attention of irritation occurs and persists.
If in eyes, rinse cautiously with water for several minutes.
If eye irritation persists: seek medical advice.
Take off contaminated clothing and wash before reuse.
Dispose in accordance with all federal, state and local regulations.

KEEP OUT OF REACH OF CHILDREN.

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.
Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.
Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

Application Rates: To feed at the rate of 0.72 kg Phosphate (P ₂ O ₅) Equivalent to 3.5 kg of product per 100 sq. meters.		
To feed at the rate of 0.24 kg Phosphate (P ₂ O ₅) Equivalent to 1.2 kg of product per 100 sq. meters.		
SUGGESTED SPREADER SETTINGS		
Spreader	3.5 kg # /100 m ² .	1.2 kg # /100 m ² .
Lebanon Turf	5	4
Andersons AccuPro	0	H
Earthway Rotary	18	15
Gandy	35	30
Lely	7 II	5 II
Lesco (letter/numeric)	K/22	H/15
PennMulch HVO	0	J
ProScape SS	0	J
Spyker	5	4
Vicon	30	25
These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.		



F699 **21-35573** i/16

Information regarding the contents and levels of metals in this product is available on the Internet at: <http://www.regulatory-info-lebsea.com>
800-233-0628 • (717) 273-1685

LebanonTurf

For technical assistance or more information about our products visit www.LebanonTurf.com

Lebanon Seaboard Corporation
1600 E. Cumberland St • Lebanon, PA 17042
800-233-0628 • (717) 273-1685

50 Lbs. (22.7 kg) Net Weight

STARTER FORMULA

HOMOGENEOUS GRANULES FOR PROFESSIONAL TURF

13-25-12



GUARANTEED ANALYSIS

Total Nitrogen (N)	13%
9.5% Ammoniacal Nitrogen	
3.5% Urea Nitrogen	
Available Phosphate (P ₂ O ₅).....	25%
Soluble Potash (K ₂ O).....	12%
Sulfur (S)	5.7%
5.7% Combined Sulfur (S)	
Iron (Fe)	2.0%
0.2% Water Soluble Iron (Fe)	

Derived From: Ammonium Phosphate, Ammonium Sulfate, Urea, Muriate of Potash, Ferric Oxide, Ferrous Sulfate.

Chlorine (Cl) not more than 8.0%

U.S.A

GUARANTEED MINIMUM ANALYSIS

Total Nitrogen (N)	13%
9.5% Ammoniacal Nitrogen	
3.5% Urea Nitrogen	
Available Phosphate (P ₂ O ₅).....	25%
Soluble Potash (K ₂ O).....	12%
Sulfur (S)	5.7%
5.7% Combined Sulfur (S)	
Iron (Fe) (Actual).....	2.0%
0.2% Water Soluble Iron (Fe)	

Chlorine (Cl) maximum 8.0%

Derived From: Ammonium Phosphate, Ammonium Sulfate, Urea, Muriate of Potash, Ferric Oxide, Ferrous Sulfate.

CANADA

NOTICE: This product contains the secondary micronutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly by sweeping or blowing. Do not wash off with water.

Application Rates:
To feed at the rate of 1.5 lb. Phosphate (P₂O₅) per 1,000 sq. ft., apply this product at 6 lbs per 1,000 sq. ft. or 261 lbs. per acre. To feed at the rate of 1/2 lb. Phosphate (P₂O₅) per 1,000 sq. ft., apply this product at 2 lbs per 1,000 sq. ft. or 87 lbs. per acre.

SUGGESTED SPREADER SETTINGS		
Spreader	6# /1,000 sq. ft.	2# /1,000 sq. ft.
Lebanon Turf	5	4
Andersons AccuPro	0	H
Earthway Rotary	18	15
Gandy	35	30
Lely	7 II	5 II
Lesco (letter/numeric) K/22		H/15
PennMulch HVO	0	J
ProScape SS	0	J
Spyker	5	4
Vicon	30	25

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.



Warning

Hazard Statements
May be harmful if swallowed.
Causes skin irritation.
Causes eye irritation.
May be harmful if inhaled repeatedly over prolonged periods.
Suspected of causing cancer by prolonged/repeated inhalation.
May cause respiratory irritation.

Precautionary Statements
Avoid breathing dust.
Use appropriate personal protective equipment as required to avoid breathing dust.
Call a poison center or doctor/physician if you feel unwell.
Keep container tightly closed and store in well-ventilated place.
Wash hands and exposed skin thoroughly after handling.
Wear protective gloves/protective clothing/face protection
IF ON SKIN: Gently wash with plenty of soap and water. Seek medical attention if irritation occurs and persists.
If in eyes, rinse cautiously with water for several minutes.
If eye irritation persists: seek medical advice.
Take off contaminated clothing and wash before reuse.
Dispose in accordance with all federal, state and local regulations.

Application Rates:
To feed at the rate of 0.72 kg Phosphate (P₂O₅) Equivalent to 3.5 kg of product per 100 sq. meters.
To feed at the rate of 0.24 kg Phosphate (P₂O₅) Equivalent to 1.2 kg of product per 100 sq. meters.

SUGGESTED SPREADER SETTINGS		
Spreader	3.5 kg # /100 m ² .	1.2 kg # /100 m ² .
Lebanon Turf	5	4
Andersons AccuPro	0	H
Earthway Rotary	18	15
Gandy	35	30
Lely	7 II	5 II
Lesco (letter/numeric) K/22		H/15
PennMulch HVO	0	J
ProScape SS	0	J
Spyker	5	4
Vicon	30	25


These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

KEEP OUT OF REACH OF CHILDREN.

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.



0 88685 35573 8
F699 **21-35573** i/16

Information regarding the contents and levels of metals in this product is available on the Internet at:
<http://www.regulatory-info-lebsea.com>
800-233-0628 • (717) 273-1685

LebanonTurf

For technical assistance or more information about our products visit www.LebanonTurf.com

Lebanon Seaboard Corporation

1600 E. Cumberland St • Lebanon, PA 17042

800-233-0628 • (717) 273-1685

50 Lbs. (22.7 kg) Net Weight