

LebanonTurf

Country Club[®] MD

Maximum Dispersion

- Utilizes a unique, highly dispersing granule technology
- Contains North Atlantic Ocean sea kelp
- Features METH-EX[®] slow release nitrogen
- SGN 125 is ideal for low-cut turf on tees and fairways

21-0-15



GUARANTEED ANALYSIS

Total Nitrogen (N)	21%
5.6% Water Insoluble Nitrogen*	
5.2% Urea Nitrogen	
10.2% Other Water Soluble Nitrogen *	
Soluble Potash (K ₂ O).....	15%
Sulfur (S)	4.8%
4.8% Combined Sulfur (S)	
Iron (Fe)	3.0%
0.3% Water Soluble Iron (Fe)	

Derived From: Methylene Ureas, Urea, Sulfate of Potash, Ferric Oxide, Ferrous Sulfate, Kelp Meal.

*15.8% Slowly Available Nitrogen from Methylene Urea.
Chlorine (Cl) not more than 2.0%

ALSO CONTAINS NON PLANT FOOD INGREDIENTS
SOIL/PLANT AMENDING INGREDIENTS
Active Ingredients:
Humic Acids (derived from Leonardite) .. 1.0%
Inert Ingredients (as soil amending) 99.0%
99.0% Fertilizer Ingredients

U.S.A

GUARANTEED MINIMUM ANALYSIS

Total Nitrogen (N)	21%
5.6% Water Insoluble Nitrogen*	
5.2% Urea Nitrogen	
10.2% Other Water Soluble Nitrogen *	
Soluble Potash (K ₂ O).....	15%
Sulfur (S)	4.8%
4.8% Combined Sulfur (S)	
Iron (Fe) (actual)	3.0%
0.3% Water Soluble Iron (Fe)	
Chlorine (Cl) (maximum).....	2.0%

Derived From: Methylene Ureas, Urea, Sulfate of Potash, Ferric Oxide, Ferrous Sulfate, Kelp Meal.

*17.6% Slowly Available Nitrogen from Methylene Urea.

ALSO CONTAINS NON PLANT FOOD INGREDIENTS
SOIL/PLANT AMENDING INGREDIENTS
Active Ingredients:
Humic Acids (derived from Leonardite) .. 1.0%
Inert Ingredients (as soil amending) 99.0%
99.0% Fertilizer Ingredients

CANADA

Country Club[®] MD products contain humic acids, which may aid in nutrient availability.

Notice: This product contains the micronutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly after applications by sweeping or blowing. Do not wash off with water.

Lebanon brand fertilizers are formulated for professional use on turf, including golf courses, sports fields, and landscapes. Specific application rates and frequencies are determined by the professional applicator based on local soils, regulations, and climate.

Application Rates:
To feed at the rate of 0.9 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 4.2 lbs per 1,000 sq. ft. or 182 lbs. per acre. To feed at the rate of 1/2 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 2.4 lbs per 1,000 sq. ft. or 105 lbs. per acre.

Spreader	0.9# N/1,000 sq. ft.	0.5 #N/1,000 sq. ft.
Lebanon Turf	4 1/4	3 1/4
Andersons AccuPro	1	G
Earthway Rotary	15	13
Gandy	25	23
Lely	5 II	3 II
Lesco (letter/numeric) i/16	K	D/10
PennMulch HVO	K	E
ProScape SS	K	E
Spyker	4 1/4	3 1/4
Vicon	23	21

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

Information regarding the contents and levels of metals in this product is available on the Internet at: <http://www.regulatory-info-lebsea.com>

Hazard Statements

Causes skin irritation.
Causes eye irritation.
May be harmful if inhaled.
Suspected of causing cancer.

Warning



Precautionary Statements

Do not handle until all safety precautions have been read and understood.
Avoid breathing dust/fume/gas/mist/vapours/spray.
Wash hands and exposed skin thoroughly after handling.
Wear protective gloves/protective clothing/eye protection/face protection.
Use personal protective equipment as required.
If in eyes, rinse with water and seek medical attention if symptoms persist.
Take off contaminated clothing and wash before reuse.
IF ON SKIN: Wash with plenty of soap and water.
F INHALED: Call » POISON CENTER or doctor/physician if you feel unwell.
If skin irritation occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.
Store locked up.
Dispose of contents/container properly as required by law for waste pesticides.
If exposed or concerned, seek medical advice.
Keep out of reach of children
Precautionary Statements for disposal - Dispose in accordance with all federal, state and local regulations.

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.
Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.
Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

WARRANTY

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

Application Rates and Frequencies in Canada: Follow your professional landscape management plan for your local course or area. A suggested application rate is 1 to 2.8 Kg for 100 m², applied every 4 to 8 weeks during the local growing season.

Application Rates:
To feed at the rate of 0.43 kg Nitrogen (N) Equivalent to 2.0 kg of product per 100 sq. meters.

To feed at the rate of 0.24 kg Nitrogen (N) Equivalent to 1.1 kg of product per 100 sq. meters.

Spreader	0.43 kg N /100 m ²	0.24 kg N /100 m ²
Lebanon Turf	4 1/4	3 1/4
Andersons AccuPro	1	G
Earthway Rotary	15	13
Gandy	25	23
Lely	5 II	3 II
Lesco (letter/numeric) i/16	K	D/10
PennMulch HVO	K	E
ProScape SS	K	E
Spyker	4 1/4	3 1/4
Vicon	23	21

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.



F699 **21-35769** /17

Country Club, the Lebanon Diamond, PennMulch[®] and ProScape[®] are registered trademarks of Lebanon Seaboard Corporation.

For technical assistance or more information about our products visit www.LebanonTurf.com

Lebanon Seaboard Corporation
1600 E. Cumberland St • Lebanon, PA 17042
800-233-0628 • (717-273-1685)

50 Lbs. (22.7 kg) Net Weight

21-0-15



GUARANTEED ANALYSIS

Total Nitrogen (N)	21%
5.6% Water Insoluble Nitrogen*	
5.2% Urea Nitrogen	
10.2% Other Water Soluble Nitrogen *	
Soluble Potash (K ₂ O)	15%
Sulfur (S)	4.8%
4.8% Combined Sulfur (S)	
Iron (Fe)	3.0%
0.3% Water Soluble Iron (Fe)	

Derived From: Methylene Ureas, Urea, Sulfate of Potash, Ferric Oxide, Ferrous Sulfate, Kelp Meal.

*15.8% Slowly Available Nitrogen from Methylene Urea.

Chlorine (Cl) not more than 2.0%

ALSO CONTAINS NON PLANT FOOD INGREDIENTS SOIL/PLANT AMENDING INGREDIENTS

Active Ingredients:

Humic Acids (derived from Leonardite) .. 1.0%

Inert Ingredients (as soil amending) 99.0%

99.0% Fertilizer Ingredients

U.S.A

GUARANTEED MINIMUM ANALYSIS

Total Nitrogen (N)	21%
5.6% Water Insoluble Nitrogen*	
5.2% Urea Nitrogen	
10.2% Other Water Soluble Nitrogen *	
Soluble Potash (K ₂ O)	15%
Sulfur (S)	4.8%
4.8% Combined Sulfur (S)	
Iron (Fe) (actual)	3.0%
0.3% Water Soluble Iron (Fe)	
Chlorine (Cl) (maximum)	2.0%

Derived From: Methylene Ureas, Urea, Sulfate of Potash, Ferric Oxide, Ferrous Sulfate, Kelp Meal.

*17.6% Slowly Available Nitrogen from Methylene Urea.

ALSO CONTAINS NON PLANT FOOD INGREDIENTS SOIL/PLANT AMENDING INGREDIENTS

Active Ingredients:

Humic Acids (derived from Leonardite) .. 1.0%

Inert Ingredients (as soil amending) 99.0%

99.0% Fertilizer Ingredients

CANADA

Country Club® MD products contain humic acids, which may aid in nutrient availability.

Notice: This product contains the micronutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly after applications by sweeping or blowing. Do not wash off with water.

Lebanon brand fertilizers are formulated for professional use on turf, including golf courses, sports fields, and landscapes. Specific application rates and frequencies are determined by the professional applicator based on local soils, regulations, and climate.

Application Rates:

To feed at the rate of 0.9 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 4.2 lbs per 1,000 sq. ft. or 182 lbs. per acre. To feed at the rate of ½ lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 2.4 lbs per 1,000 sq. ft. or 105 lbs. per acre.

SUGGESTED SPREADER SETTINGS

Spreader	0.9# N/1,000 sq. ft.	0.5 # N/1,000 sq. ft.
Lebanon Turf	4¼	3¼
Andersons AccuPro	1	6
Earthway Rotary	15	13
Gandy	25	23
Lely	5 II	3 II
Lesco (letter/numeric) i/16		D/10
PennMulch HVO	K	E
ProScape SS	K	E
Spyker	4¼	3¼
Vicon	23	21

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

Information regarding the contents and levels of metals in this product is available on the Internet at: <http://www.regulatory-info-lebsea.com>

Warning



Hazard Statements

Causes skin irritation.
Causes eye irritation.
May be harmful if inhaled.
Suspected of causing cancer.

Precautionary Statements

Do not handle until all safety precautions have been read and understood.
Avoid breathing dust/fume/gas/mist/vapours/spray.
Wash hands and exposed skin thoroughly after handling.
Wear protective gloves/protective clothing/eye protection/face protection.
Use personal protective equipment as required.
If in eyes, rinse with water and seek medical attention if symptoms persist.
Take off contaminated clothing and wash before reuse.
IF ON SKIN: Wash with plenty of soap and water.
F INHALED: Call » POISON CENTER or doctor/physician if you feel unwell.
If skin irritation occurs: Get medical advice/ attention.
If eye irritation persists: Get medical advice/attention.
Store locked up.
Dispose of contents/container properly as required by law for waste pesticides.
If exposed or concerned, seek medical advice.
Keep out of reach of children
Precautionary Statements for disposal - Dispose in accordance with all federal, state and local regulations.

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

WARRANTY

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

Application Rates and Frequencies in Canada: Follow your professional landscape management plan for your local course or area. A suggested application rate is 1 to 2.8 Kg for 100 m², applied every 4 to 8 weeks during the local growing season.

Application Rates:


To feed at the rate of 0.43 kg Nitrogen (N) Equivalent to 2.0 kg of product per 100 sq. meters.

To feed at the rate of 0.24 kg Nitrogen (N) Equivalent to 1.1 kg of product per 100 sq. meters.

SUGGESTED SPREADER SETTINGS

Spreader	0.43 kg N /100 m ²	0.24 kg N /100 m ²
Lebanon Turf	4¼	3¼
Andersons AccuPro	1	6
Earthway Rotary	15	13
Gandy	25	23
Lely	5 II	3 II
Lesco (letter/numeric) i/16		D/10
PennMulch HVO	K	E
ProScape SS	K	E
Spyker	4¼	3¼
Vicon	23	21

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.



F699

21-35769

i/17

For technical assistance or more information about our products visit www.LebanonTurf.com

Lebanon Seaboard Corporation

1600 E. Cumberland St • Lebanon, PA 17042

800-233-0628 • (717-273-1685)

50 Lbs. (22.7 kg) Net Weight