



Country Club®

FERTILIZER



26-0-5



GUARANTEED ANALYSIS		GUARANTEED MINIMUM ANALYSIS	
Total Nitrogen (N)	26%	Total Nitrogen (N)	26%
11.6% Ammoniacal Nitrogen		11.6% Ammoniacal Nitrogen	
8.0% Water Insoluble Nitrogen*		8.0% Water Insoluble Nitrogen*	
1.4% Urea Nitrogen		1.4% Urea Nitrogen	
5.0% Other Water Soluble Nitrogen*		5.0% Other Water Soluble Nitrogen*	
Soluble Potash (K₂O)	5%	Soluble Potash (K₂O)	5%
Sulfur (S)	12%	Sulfur (S)	12%
12.0% Combined Sulfur (S)		12.0% Combined Sulfur (S)	
Derived From: Ammonium Sulfate, Methylene Ureas, Sulfate of Potash.		Derived From: Ammonium Sulfate, Methylene Ureas, Sulfate of Potash.	
*13.0% Slowly available Nitrogen from Methylene Ureas.		*13.0% Slowly available Nitrogen from Methylene Ureas.	
Chlorine (Cl) not more than	2.0%	Chlorine (Cl) (maximum)	2.0%
U.S.A.		CANADA	

Lebanon brand fertilizers are formulated for professional use on turf, including golf courses, sports fields, and landscapes. Specific application rates and frequencies are determined by the professional applicator based on local soils, regulations, and climate.

WARNING



Hazard Statements

May be harmful if inhaled.
Suspected of causing cancer.

Precautionary Statements for handling

Do not handle until all safety precautions have been read and understood.
Avoid breathing dust/fume/gas/mist/vapours/spray.
Use personal protective equipment as required.
IF INHALED: Call » POISON CENTER or doctor/physician if you feel unwell.
Store locked up.
Dispose of contents/container properly as required by law for waste pesticides.
If exposed or concerned, seek medical advice.
Keep out of reach of children
Precautionary Statements for disposal - Dispose in accordance with all federal, state and local regulations.

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.
Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

WARRANTY

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.


Application Rates and Frequencies in Canada: Follow your professional landscape management plan for your local course or area. A suggested application rate is 1 to 2.8 Kg for 100 m², applied every 4 to 8 weeks during the local growing season.

Application Rates:		
To feed at the rate of 0.9 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 3.4 lbs per 1,000 sq. ft. or 148 lbs. per acre. To feed at the rate of 0.5 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 1.9 lbs per 1,000 sq. ft. or 83 lbs. per acre.		
SUGGESTED SPREADER SETTINGS		
Spreader	0.9#N/1,000 sq. ft.	0.5#N/1,000 sq. ft.
Lebanon Turf	4 1/4	3
Andersons AccuPro	1	F
Earthway Rotary	15	12
Gandy	25	22
Lely	5 II	3 II
Lesco (letter/numeric)	I/16	D/10
PennMulch HVO	K	E
ProScape SS	K	E
Spyker	4 1/4	3
Vicon	23	20

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

Application Rates:		
To feed at the rate of 0.43 kg Nitrogen (N) Equivalent to 1.6 kg of product per 100 sq. meters.		
To feed at the rate of 0.22 kg Nitrogen (N) Equivalent to 0.9 kg of product per 100 sq. meters.		
SUGGESTED SPREADER SETTINGS		
Spreader	0.43 kg #N/100 m ² .	0.22 kg #N/100 m ² .
Lebanon Turf	4 1/4	3
Andersons AccuPro	1	F
Earthway Rotary	15	12
Gandy	25	22
Lely	5 II	3 II
Lesco (letter/numeric)	I/16	D/10
PennMulch HVO	K	E
ProScape SS	K	E
Spyker	4 1/4	3
Vicon	23	20

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.



F699 **21-40590** K/17

Information regarding the contents and levels of metals in this product is available on the Internet at: <http://www.regulatory-info-lebsea.com>

LebanonTurf

For technical assistance or more information about our products visit www.LebanonTurf.com

Lebanon Seaboard Corporation
1600 E. Cumberland St • Lebanon, PA 17042
800-233-0628 • (717) 273-1685

50 Lbs. (22.7 kg) Net Weight

26-0-5



GUARANTEED ANALYSIS

Total Nitrogen (N)	26%
11.6% Ammoniacal Nitrogen	
8.0% Water Insoluble Nitrogen*	
1.4% Urea Nitrogen	
5.0% Other Water Soluble Nitrogen*	
Soluble Potash (K₂O)	5%
Sulfur (S)	12%
12.0% Combined Sulfur (S)	

Derived From: Ammonium Sulfate, Methylene Ureas, Sulfate of Potash.

*13.0% Slowly available Nitrogen from Methylene Ureas.

Chlorine (Cl) not more than 2.0%

U.S.A

GUARANTEED MINIMUM ANALYSIS

Total Nitrogen (N)	26%
11.6% Ammoniacal Nitrogen	
8.0% Water Insoluble Nitrogen*	
1.4% Urea Nitrogen	
5.0% Other Water Soluble Nitrogen*	
Soluble Potash (K₂O)	5%
Sulfur (S)	12%
12.0% Combined Sulfur (S)	

Chlorine (Cl) (maximum) 2.0%

Derived From: Ammonium Sulfate, Methylene Ureas, Sulfate of Potash.

*13.0% Slowly available Nitrogen from Methylene Ureas.

CANADA

Lebanon brand fertilizers are formulated for professional use on turf, including golf courses, sports fields, and landscapes. Specific application rates and frequencies are determined by the professional applicator based on local soils, regulations, and climate.

WARNING



Application Rates and Frequencies in Canada: Follow your professional landscape management plan for your local course or area. A suggested application rate is 1 to 2.8 Kg for 100 m², applied every 4 to 8 weeks during the local growing season.

Application Rates:
To feed at the rate of 0.9 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 3.4 lbs per 1,000 sq. ft. or 148 lbs. per acre. To feed at the rate of 0.5 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 1.9 lbs per 1,000 sq. ft. or 83 lbs. per acre.

SUGGESTED SPREADER SETTINGS		
Spreader	0.9#N/1,000 sq. ft.	0.5#N/1,000 sq. ft.
Lebanon Turf	4¼	3
Andersons AccuPro	I	F
Earthway Rotary	15	12
Gandy	25	22
Lely	5 II	3 II
Lesco (letter/numeric)	I/16	D/10
PennMulch HVO	K	E
ProScape SS	K	E
Spyker	4¼	3
Vicon	23	20

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

Hazard Statements

May be harmful if inhaled.
 Suspected of causing cancer.

Precautionary Statements for handling

Do not handle until all safety precautions have been read and understood.
 Avoid breathing dust/fume/gas/mist/vapours/spray.
 Use personal protective equipment as required.
 IF INHALED: Call » POISON CENTER or doctor/physician if you feel unwell.
 Store locked up.
 Dispose of contents/container properly as required by law for waste pesticides.
 If exposed or concerned, seek medical advice.
 Keep out of reach of children
 Precautionary Statements for disposal - Dispose in accordance with all federal, state and local regulations.

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.


WARRANTY

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

Application Rates:
To feed at the rate of 0.43 kg Nitrogen (N) Equivalent to 1.6 kg of product per 100 sq. meters.
To feed at the rate of 0.22 kg Nitrogen (N) Equivalent to 0.9 kg of product per 100 sq. meters.

SUGGESTED SPREADER SETTINGS		
Spreader	0.43 kg #N/100 m ² .	0.22 kg #N/100 m ² .
Lebanon Turf	4¼	3
Andersons AccuPro	I	F
Earthway Rotary	15	12
Gandy	25	22
Lely	5 II	3 II
Lesco (letter/numeric)	I/16	D/10
PennMulch HVO	K	E
ProScape SS	K	E
Spyker	4¼	3
Vicon	23	20

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.



F699

21-40590 K/17

Information regarding the contents and levels of metals in this product is available on the Internet at: <http://www.regulatory-info-lebsea.com>

LebanonTurf

For technical assistance or more information about our products visit www.LebanonTurf.com

Lebanon Seaboard Corporation

1600 E. Cumberland St • Lebanon, PA 17042

800-233-0628 • (717) 273-1685

50 Lbs. (22.7 kg) Net Weight