EBANO

GUARANTEED ANALYSIS

27.5% Water Insoluble Nitrogen* 5.0% Urea Nitrogen 5.5% Other Water Soluble Nitrogen* Derived From: Methylene Ureas, Urea. *33.0% Slowly available Nitrogen from Methylene Ureas. Chlorine (CI) not more than 2.0%

U.S.A

GUARANTEED MINIMUM ANALYSIS

Total Nitrogen (N) 27.5% Water Insoluble Nitrogen* 5.0% Urea Nitrogen 5.5% Other Water Soluble Nitrogen* Chlorine (CI) not more than ______ 2.0% Derived From: Methylene Ureas, Urea. *33.0% Slowly available Nitrogen from Methylene Ureas. **CANADA**

Lebanon brand fertilizers are formulated for professional use on turf, including golf courses, sports fields, and landscapes. Specific application rates and frequencies are determined by the professional applicator based on local soils, regulations, and climate.

Application Rates: To feed at the rate of 0.9 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 2.3 lbs per 1,000 sq. ft. or 230 lbs. per acre. To feed at the rate of 0.5 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 1.3 lbs per 1,000 sq. ft. or 126 lbs. per acre.

SUGGESTED SPREADER SETTINGS 0.9#N/1,000 sq. ft. 0.5#N/1,000 sq. ft. Spreader Lebanon Turf Andersons AccuPro **Earthway Rotary** 3 II Lely Lesco (letter/numeric) H/15 D/10 PennMulch HVO E ProScape SS Spyker 21/2

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

Precautionary Statements for handling: Keep out of reach of children.

Precautionary Statements for handling - Dispose in accordance with all federal, state and local regulations.

KEEP OUT OF REACH OF CHILDREN.

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan. Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back

WARRANTY

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

Application Rates and Frequencies in Canada: Follow your professional landscape management plan for your local course or area. A suggested application rate is 0.43 to 2.0 $\,$ Kg for 100 m², applied every 4 to 8 weeks during the local growing season.

Application Rates: To feed at the rate of 0.43 kg Nitrogen (N) Equivalent to 1.5 kg of product per 100 sq. meters.

To feed at the rate of 0.24 kg Nitrogen (N) Equivalent to 0.8 kg of product per 100 sq. meters.

SUGGESTEN SPREADER SETTINGS		
Spreader 0.4	43 kg #N/100 m².	0.24 kg #N/100
Lebanon Turf	3	2 ½
Andersons AccuPr	o H	F
Earthway Rotary	14	12
Gandy	24	22
Lely	4 II	3 II
Lesco (letter/nume	ric) H/15	D/10
PennMulch HVO	J	E
ProScape SS	J	E
Spyker	3	2 ½
Vicon	22	19
These settings w	ere calibrated a	nd field tested.

However, age and condition of spreader, speed of operation and evenness of terrain may require slightly



Information regarding the contents and levels of metals in this product is available on the Internet at: http://www.regulatory-info-lebsea.com

WARRANTY

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.



Manufactured by:
Lebanon Seaboard Corporation

1600 E. Cumberland St. • Lebanon, PA 17042 800-233-0628 • (717) 273-1685

Made in the U.S.A.

www.LebanonTurf.com

Information regarding the contents and levels of metals in this product is available on the Internet at: http://www.regulatory-info-lebsea.com

NET WEIGHT TILL LBS. (22.7 KG)



GUARANTEED ANALYSIS

 GUARANTEED MINIMUM ANALYSIS

*33.0% Slowly available Nitrogen from Methylene Ureas.

U.S.A

CANADA

Lebanon brand fertilizers are formulated for professional use on turf, including golf courses, sports fields, and landscapes. Specific application rates and frequencies are determined by the professional applicator based on local soils, regulations, and climate.

Application Rates:

To feed at the rate of 0.9 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 2.3 lbs per 1,000 sq. ft. or 230 lbs. per acre. To feed at the rate of 0.5 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 1.3 lbs per 1,000 sq. ft. or 126 lbs. per acre.

SUGGESTED SPREADER SETTINGS			
Spreader 0.9#N	/1,000 sq. ft.	0.5#N/1,000 sq. ft.	
Lebanon Turf	3	2 ½	
Andersons AccuPro	Н	F	
Earthway Rotary	14	12	
Gandy	24	22	
Lely	4 II	3 II	
Lesco (letter/numeric)	H/15	D/10	
PennMulch HVO	J	E	
ProScape SS	J	E	
Spyker	3	2 ½	
Vicon	22	19	

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage. **Precautionary Statements for handling:**

Keep out of reach of children.

Precautionary Statements for handling - Dispose in accordance with all federal, state and local regulations.

KEEP OUT OF REACH OF CHILDREN.

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

WARRANTY

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

Application Rates and Frequencies in Canada: Follow your professional landscape management plan for your local course or area. A suggested application rate is 0.43 to 2.0 Kg for 100 $\mathrm{m^2}$, applied every 4 to 8 weeks during the local growing season.

Application Rates:

To feed at the rate of 0.43 kg Nitrogen (N) Equivalent to 1.5 kg of product per 100 sq. meters.

To feed at the rate of 0.24 kg Nitrogen (N) Equivalent to 0.8 kg of product per 100 sq. meters.

SUGGESTED SPREADER SETTINGS			
Spreader	0.43 kg #N/100 m ² .	0.24 kg #N/100 m ² .	
Lebanon Turf	3	2 ½	
Andersons Acc	uPro H	F	
Earthway Rota	ry 14	12	
Gandy	24	22	
Lely	4 II	3 II	
Lesco (letter/n	umeric) H/15	D/10	
PennMulch HV	0 J	E	
ProScape SS	J	E	
Spyker	3	2 ½	
Vicon	22	10	

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.



21-53881

H/17

Information regarding the contents and levels of metals in this product is available on the Internet at: http://www.regulatory-info-lebsea.com

WARRANTY

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.



Manufactured by:

Lebanon Seaboard Corporation

1600 E. Cumberland St. • Lebanon, PA 17042

800-233-0628 • (717) 273-1685

Made in the U.S.A.

www.LebanonTurf.com

Information regarding the contents and levels of metals in this product is available on the Internet at: http://www.regulatory-info-lebsea.com

NET WEIGHT 50 LBS. (22.7 KG)