	LEBAN Cal	DE B	
25-	0-1	$0^{\mathbf{N}}$	IESA EXPO POTASSIUM SULFATE
GUARANTEED ANALYSIS Total Nitrogen (N) 25% 5.3% Ammoniacal Nitrogen 5.7% Water Insoluble Nitrogen* 3.0% Urea Nitrogen 11.0% Other Water Soluble Nitrogen* Soluble Potash (K2O) 10% Sulfur (S) 9.6% 9.6% Combined Sulfur (S) 9.6% Derived From: Ammonium Sulfate, Methylene Ureas, Urea,		Total Nitrogen (N) 5.3% Ammoniacal Nitr 5.7% Water Insoluble I 3.0% Urea Nitrogen 11.0% Other Water Solu Soluble Potash (K2C Sulfur (S) 9.6% Combined Sulfur (Derived From: Ammon	Nitrogen*
Sulfate of Potash. *16.7% Slowly available Nitrogen from Lebanon brand fertilizers are formulated for professional	U.S.A		e Nitrogen from Methylene Ureas. CANADA pes. Specific application rates and frequencies are
determined by the professional applicator based on local Application Rates: To feed at the rate of 0.9 lb. Nitrogen (N) per 1,000 sq. ft. or 156 lbs. per acre. To feed at the rate of 0.5 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 2 lbs per 1,000 sq. ft. or 87 lbs. per acre. SUGGESTED SPREADER SETTINGS Spreader 0.9# N/1,000 sq. ft. 0.5# N/1,000 sq. ft. Lebanon Turf 4 ³ /4 4 Andersons AccuPro M H Earthway Rotary 16 41 Lasco (letter/numeric) J/21 6/15 PennMulch HV0 M i ProScape SS M i Spyker 4 ³ /4 4 Vicon 26 20 These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly ifferent settings for desired coverage. 9 0 0 8 8 8 8 8 8 8 8 8 8 8 8 8	Hazard Statements: May cause skin and eye i May be harmful if inhaled Precautionary Statemer Wash hands and exposed Wear protective gloves ar If eye or skin exposure of medical attention if irritati Take off contaminated clott Store the container locker of reach of children. Dispose of in accordance regulations. Use in accordance with re individual or institution su certified crop advisor, agr extension publication. DO NOT apply near wate ditches. DO NOT apply if heavy ra DO NOT apply to frozen of Apply this product only to product that lands on the back onto your lawn. In Pennsylvania: Do not per 1,000 sq. ft. per applic	ARNING ARNING	Application Rates and Frequencies in Canada: Follow your professional landscape manage- ment plan for your local course or area. A suggested application rate is 1 to 2.8 Kg for 100 m2, applied every 4 to 8 weeks during the local Application Rates: To feed at the rate of 0.43 kg Nitrogen (N) Equivalent to 2.8 kg of product per 100 sq. meters. To feed at the rate of 0.24 kg Nitrogen (N) Equivalent to 0.8kg of product per 100 sq. meters. SUGGESTED SPREADER SETTINGS Spreader 0.43 kg N100 m ² 0.24 kg# N/100 m ² Lebanon Turf 4 ^{3/4} 4 Andersons AccuPro M H Earthway Rotary 16 14 Gandy 28 24 Lely 6 II 4 II Lesco (letter/numeric) J/21 6/15 PennMulch HVO M i ProScape SS M i Spyker 4 ^{3/4} 4 Vicon 26 22 These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage. Manufactured by: Lebanon Turf.com Information regarding the contents and levels of metals in this product is available on the Internet at: http://www.regulatory-info-lebsea.com
	NOTE To the extent consis	ARRANTY tent with applicable law, Buyer safety and performance if this to the directions.	products visit www.LebanonTurf.com

NET WEIGHT 50 LBS. (22.7 KG)