### LebanonTurf

### Country Club® Blended Fertilizer

## **FERTILIZER**

### **GUARANTEED ANALYSIS GUARANTEED MINIMUM ANALYSIS** Total Nitrogen (N) 29% 3.5% Ammoniacal Nitrogen 3.5% Ammoniacal Nitrogen 2.2% Water Insoluble Nitrogen\* 2.2% Water Insoluble Nitrogen\* 19.3% Urea Nitrogen 19.3% Urea Nitrogen 4.0% Other Water Soluble Nitrogen\* 4.0% Other Water Soluble Nitrogen\* Soluble Potash (K<sub>2</sub>0)..... Soluble Potash (K<sub>2</sub>0)..... Sulfur (S)..... Sulfur (S)..... 4.2% Combined Sulfur (S) 4.2% Combined Sulfur (S) Chlorine (CI) maximum ...... Derived From: Ammonium Sulfate, Methylene Ureas, Urea, Muriate of Potash. \*6.2% Slowly Available Nitrogen from Methylene Ureas. **Derived From:** Ammonium Sulfate, Methylene Ureas, Urea, Muriate of Potash. \*6.2% Slowly Available Nitrogen from Methylene Ureas. Chlorine (CI) not more than.... U.S.A

Lebanon brand fertilizers are formulated for professional use on turf, including golf courses, sports fields, and landscapes. Specific application rates and frequencies are determined by the professional applicator based on local soils, regulations, and climate.

**Application Rates:** 

To feed at the rate of 0.9 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 3.1 lbs per 1,000 sq. ft. or 135 lbs. per acre. To feed at the rate of 0.5 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 1.7 lbs per 1,000 sq. ft. or 74 lbs. per acre.

| SUGGEST                | TED SPREADE   | R SETTINGS          |
|------------------------|---------------|---------------------|
| Spreader 0.9# /        | 1,000 sq. ft. | 0.5# /1,000 sq. ft. |
| Lebanon Turf           | 41/2          | 31/2                |
| Andersons AccuPro      | M             | Н                   |
| Earthway Rotary        | 15            | 14                  |
| Gandy                  | 30            | 24                  |
| Lely                   | 6½ II         | 4 II                |
| Lesco (letter/numeric) | J/21          | G/15                |
| PennMulch HVO          | L             | i                   |
| ProScape SS            | L             | i                   |
| Spyker                 | 41/2          | 31/2                |
| Vicon                  | 26            | 22                  |
| These settings were    | calibrated a  | and field tested.   |

However, age and condition of spreader, speed of

different settings for desired coverage.

operation and evenness of terrain may require slightly

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

Do not apply to frozen ground.

### WARRANTY

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

Application Rates and Frequencies in Canada: Follow your professional landscape management plan for your local course or area. A suggested application rate is 1 to 2.8 Kg for 100 m<sup>2</sup>, applied every 4 to 8 weeks during the local growing season.

**CANADA** 

Application Rates:

To feed at the rate of 0.43 kg Nitrogen (N) Equivalent to 1.5 kg of product per 100 sq. meters.

To feed at the rate of 0.22 kg Nitrogen (N) Equivalent to 0.9 kg of product per 100 sq. meters.

SUGGESTED SPREADER SETTINGS 0.22# N/100 m<sup>2</sup> Spreader 0.43# N/100 m<sup>2</sup> Lebanon Turf Andersons AccuPro **Earthway Rotary** 15 30 Gandy Lesco (letter/numeric) J/21 G/15 PennMulch HVO ProScape SS Spyker 31/2

26 Vicon These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.



22-29084

this product is available on the Internet at:

Information regarding the contents and levels of metals in http://www.regulatory-info-lebsea.com



For technical assistance or more information about our products visit www.LebanonTurf.com

**Lebanon Seaboard Corporation** 

1600 E. Cumberland St • Lebanon, PA 17042 800-233-0628 • (717) 273-1685

# **FERTILIZE**I

### **GUARANTEED ANALYSIS**

| • | Total Nitrogen (N)                                                        | 29%   |
|---|---------------------------------------------------------------------------|-------|
|   | 2.2% Water Insoluble Nitrogen*                                            |       |
|   | 19.3% Urea Nitrogen                                                       |       |
|   | 4.0% Other Water Soluble Nitrogen*                                        |       |
|   | Soluble Potash (K <sub>2</sub> 0)                                         | 10%   |
| ( | Sulfur (S)                                                                | 4.2%  |
|   | 4.2% Combined Sulfur (S)                                                  |       |
| ı | Derived From: Ammonium Sulfate, Methylene Ureas, Urea, Muriate of Potash. |       |
| , | 6.2% Slowly Available Nitrogen from Methylene Ureas.                      |       |
| ( | Chlorine (CI) not more than                                               | 9.0%  |
|   |                                                                           | U.S.A |

| CIIA | DAN' | TEEN |        | I N/I I I N/I |      | ıvele  |
|------|------|------|--------|---------------|------|--------|
| UUA  | nan  | ICED | IALLIA | IMUM          | IANA | FI 919 |

| Total Nitrogen (N)                                                        | 29%  |
|---------------------------------------------------------------------------|------|
| 3.5% Ammoniacal Nitrogen                                                  |      |
| 2.2% Water Insoluble Nitrogen*                                            |      |
| 19.3% Urea Nitrogen                                                       |      |
| 4.0% Other Water Soluble Nitrogen*                                        |      |
| Soluble Potash (K <sub>2</sub> 0)                                         | 10%  |
| Sulfur (S)                                                                | 4.2% |
| 4.2% Combined Sulfur (S)                                                  |      |
| Chlorine (CI) maximum                                                     | 9.0% |
| Derived From: Ammonium Sulfate, Methylene Ureas, Urea, Muriate of Potash. |      |

\*6.2% Slowly Available Nitrogen from Methylene Ureas.

**CANADA** 

Lebanon brand fertilizers are formulated for professional use on turf, including golf courses, sports fields, and landscapes. Specific application rates and frequencies are determined by the professional applicator based on local soils, regulations, and climate.

### **Application Rates:**

To feed at the rate of 0.9 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 3.1 lbs per 1,000 sq. ft. or 135 lbs. per acre. To feed at the rate of 0.5 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 1.7 lbs per 1,000 sq. ft. or 74 lbs. per acre.

| SUGGEST                | ED SPREAD     | ER SETTINGS         |
|------------------------|---------------|---------------------|
| Spreader 0.9# /        | 1,000 sq. ft. | 0.5# /1,000 sq. ft. |
| Lebanon Turf           | 41/2          | 31/2                |
| Andersons AccuPro      | M             | H                   |
| Earthway Rotary        | 15            | 14                  |
| Gandy                  | 30            | 24                  |
| Lely                   | 6½ II         | 4 II                |
| Lesco (letter/numeric) | J/21          | G/15                |
| PennMulch HVO          | L             | i                   |
| ProScape SS            | L             | i                   |
| Spyker                 | 41/2          | 31/2                |
| Vicon                  | 26            | 22                  |
| These settings were    | calibrated    | and field tested.   |

However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

Do not apply to frozen ground.

### WARRANTY

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

Application Rates and Frequencies in Canada: Follow your professional landscape management plan for your local course or area. A suggested application rate is 1 to 2.8 Kg for 100 m<sup>2</sup>, applied every 4 to 8 weeks during the local growing season.

### **Application Rates:**

To feed at the rate of 0.43 kg Nitrogen (N) Equivalent to 1.5 kg of product per 100 sq. meters.

To feed at the rate of 0.22 kg Nitrogen (N) Equivalent to 0.9 kg of product per 100 sq. meters.

| SUG                    | GESTED SPREADE             | R SETTINGS                 |
|------------------------|----------------------------|----------------------------|
| Spreader               | 0.43# N/100 m <sup>2</sup> | 0.22# N/100 m <sup>2</sup> |
| Lebanon Turf           | 41/2                       | 31/2                       |
| Andersons AccuP        | ro M                       | Н                          |
| <b>Earthway Rotary</b> | 15                         | 14                         |
| Gandy                  | 30                         | 24                         |
| Lely                   | 6½ II                      | 4 II                       |
| Lesco (letter/num      | eric) J/21                 | G/15                       |
| PennMulch HVO          | Ĺ                          | i                          |
| ProScape SS            | L                          | i                          |
| Spyker .               | 41/2                       | 31/2                       |
| Vicon                  | 26                         | 22                         |

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.



F699

22-29084

Information regarding the contents and levels of metals in this product is available on the Internet at: http://www.regulatory-info-lebsea.com



For technical assistance or more information about our products visit www.LebanonTurf.com

### Lebanon Seaboard Corporation

1600 E. Cumberland St • Lebanon, PA 17042 800-233-0628 • (717) 273-1685

50 Lbs. (22.7 kg) Net Weight