

LebanonTurf

# Country Club<sup>®</sup>

## Blended Fertilizer

# 30-0-10



**MESA**  
PATENTED

### GUARANTEED ANALYSIS

<b>Total Nitrogen</b> .....	<b>30%</b>
2.9% Ammoniacal Nitrogen	
3.8% Water Insoluble Nitrogen*	
16.7% Urea Nitrogen	
6.6% Other Water Soluble Nitrogen*	
<b>Soluble Potash (K<sub>2</sub>O)</b> .....	<b>10%</b>
Sulfur (S) .....	6.6%
6.6% Combined Sulfur (S)	
Iron (Fe) .....	1.0%
0.001% Water Soluble Iron	

Derived From: Methylene Ureas, Ammonium Sulfate, Urea, Sulfate of Potash, Ferric Oxide.  
\*10.6% Slowly Available Nitrogen from Methylene Ureas.

U.S.A

### GUARANTEED MINIMUM ANALYSIS

<b>Total Nitrogen</b> .....	<b>30%</b>
2.9% Ammoniacal Nitrogen	
3.8% Water Insoluble Nitrogen*	
16.7% Urea Nitrogen	
6.6% Other Water Soluble Nitrogen*	
<b>Soluble Potash (K<sub>2</sub>O)</b> .....	<b>10%</b>
Sulfur (S) .....	6.6%
6.6% Combined Sulfur (S)	
Iron (Fe) Actual .....	1.0%
0.001% Water Soluble Iron	

Derived From: Methylene Ureas, Ammonium Sulfate, Urea, Sulfate of Potash, Ferric Oxide.  
\*10.6% Slowly Available Nitrogen from Methylene Ureas.

CANADA

Lebanon brand fertilizers are formulated for professional use on turf, including golf courses, sports fields, and landscapes. Specific application rates and frequencies are determined by the professional applicator based on local soils, regulations, and climate.

**NOTICE:** This product contains the micronutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly by sweeping or blowing. Do not wash off with water.

Application Rates and Frequencies in Canada: Follow your professional landscape management plan for your local course or area. A suggested application rate is 1 to 2.8 Kg for 100 m<sup>2</sup>, applied every 4 to 8 weeks during the local growing season.

**Application Rates:**  
To feed at the rate of 0.9lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 3.0 lbs per 1,000 sq. ft. or 130.4 lbs. per acre. To feed at the rate of 0.5 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 1.6 lbs per 1,000 sq. ft. or 69.6 lbs. per acre.

SUGGESTED SPREADER SETTINGS			
Spreader	0.9#N/1,000 sq. ft.	0.5#N/1,000 sq. ft.	
Lebanon Turf	4½	3½	
Andersons AccuPro	K	G	
Earthway Rotary	15	13	
Gandy	26	23	
Lely	5 II	3½ II	
Lesco (letter/numeric)	I/17	E/12	
PennMulch HVO	L	H	
ProScape SS	L	H	
Spyker	4½	3½	
Vicon	24	21	

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

Information regarding the contents and levels of metals in this product is available on the Internet at:  
<http://www.regulatory-info-lebsea.com>

#### Precautionary Statements for handling:

Keep out of reach of children  
Precautionary Statements for disposal - Dispose in accordance with all federal, state and local regulations.

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

Do not apply to frozen turf.

#### WARRANTY

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

**Application Rates:**  
To apply at the rate of 0.43 kg N/100 sq. meters. Equivalent to 1.46 kg of product per 100 sq. meters.  
To apply at the rate of 0.22 kg N/100 sq. meters. Equivalent to 0.78 kg of product per 100 sq. meters.

SUGGESTED SPREADER SETTINGS			
Spreader	0.43 kg N/100 m <sup>2</sup> .	0.22 kg N/100 m <sup>2</sup> .	
Lebanon Turf	4½	3½	
Andersons AccuPro	K	G	
Earthway Rotary	15	13	
Gandy	26	23	
Lely	5 II	3½ II	
Lesco (letter/numeric)	I/17	E/12	
PennMulch HVO	L	H	
ProScape SS	L	H	
Spyker	4½	3½	
Vicon	24	21	

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.



F699

**22-37094**

MESA<sup>®</sup>, PennMulch<sup>®</sup> and ProScape<sup>®</sup> are registered trademarks of Lebanon Seaboard Corporation.

i/19

LebanonTurf

For technical assistance or more information about our products visit [www.LebanonTurf.com](http://www.LebanonTurf.com)

**Lebanon Seaboard Corporation**  
1600 E. Cumberland St • Lebanon, PA 17042  
800-233-0628 • (717) 273-1685

**50 Lbs. (22.7 kg) Net Weight**

# 30-0-10



## MESA

P A T E N T E D

### GUARANTEED ANALYSIS

<b>Total Nitrogen</b> .....	<b>30%</b>
2.9% Ammoniacal Nitrogen	
3.8% Water Insoluble Nitrogen*	
16.7% Urea Nitrogen	
6.6% Other Water Soluble Nitrogen*	
<b>Soluble Potash (K<sub>2</sub>O)</b> .....	<b>10%</b>
Sulfur (S) .....	6.6%
6.6% Combined Sulfur (S)	
Iron (Fe).....	1.0%
0.001% Water Soluble Iron	

**Derived From:** Methylene Ureas, Ammonium Sulfate, Urea, Sulfate of Potash, Ferric Oxide.  
 \*10.6% Slowly Available Nitrogen from Methylene Ureas.

**U.S.A**

### GUARANTEED MINIMUM ANALYSIS

<b>Total Nitrogen</b> .....	<b>30%</b>
2.9% Ammoniacal Nitrogen	
3.8% Water Insoluble Nitrogen*	
16.7% Urea Nitrogen	
6.6% Other Water Soluble Nitrogen*	
<b>Soluble Potash (K<sub>2</sub>O)</b> .....	<b>10%</b>
Sulfur (S) .....	6.6%
6.6% Combined Sulfur (S)	
Iron (Fe) Actual.....	1.0%
0.001% Water Soluble Iron	

**Derived From:** Methylene Ureas, Ammonium Sulfate, Urea, Sulfate of Potash, Ferric Oxide.  
 \*10.6% Slowly Available Nitrogen from Methylene Ureas.

**CANADA**

**Lebanon brand fertilizers are formulated for professional use on turf, including golf courses, sports fields, and landscapes. Specific application rates and frequencies are determined by the professional applicator based on local soils, regulations, and climate.**

**NOTICE: This product contains the micronutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly by sweeping or blowing. Do not wash off with water.**

Application Rates and Frequencies in Canada: Follow your professional landscape management plan for your local course or area. A suggested application rate is 1 to 2.8 Kg for 100 m<sup>2</sup>, applied every 4 to 8 weeks during the local growing season.

#### Application Rates:

To feed at the rate of 0.9lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 3.0 lbs per 1,000 sq. ft. or 130.4 lbs. per acre. To feed at the rate of 0.5 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 1.6 lbs per 1,000 sq. ft. or 69.6 lbs. per acre.

#### SUGGESTED SPREADER SETTINGS

Spreader	0.9#N/1,000 sq. ft.	0.5#N/1,000 sq. ft.
Lebanon Turf	4½	3½
Andersons AccuPro	K	G
Earthway Rotary	15	13
Gandy	26	23
Lely	5 II	3½ II
Lesco (letter/numeric)	i/17	E/12
PennMulch HVO	L	H
ProScape SS	L	H
Spyker	4½	3½
Vicon	24	21

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

#### Precautionary Statements for handling:

Keep out of reach of children  
 Precautionary Statements for disposal - Dispose in accordance with all federal, state and local regulations.

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

Do not apply to frozen turf.

#### WARRANTY

**NOTE** To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

#### Application Rates:

To apply at the rate of 0.43 kg N/100 sq. meters. Equivalent to 1.46 kg of product per 100 sq. meters.

To apply at the rate of 0.22 kg N/100 sq. meters. Equivalent to 0.78 kg of product per 100 sq. meters.

#### SUGGESTED SPREADER SETTINGS

Spreader	0.43 kg N/100 m <sup>2</sup> .	0.22 kg N/100 m <sup>2</sup> .
Lebanon Turf	4½	3½
Andersons AccuPro	K	G
Earthway Rotary	15	13
Gandy	26	23
Lely	5 II	3½ II
Lesco (letter/numeric)	i/17	E/12
PennMulch HVO	L	H
ProScape SS	L	H
Spyker	4½	3½
Vicon	24	21

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

Information regarding the contents and levels of metals in this product is available on the Internet at:  
<http://www.regulatory-info-lebsea.com>



0 88685 37094 6

F699

**22-37094**



**LebanonTurf**

For technical assistance or more information about our products visit [www.LebanonTurf.com](http://www.LebanonTurf.com)

**Lebanon Seaboard Corporation**

1600 E. Cumberland St • Lebanon, PA 17042

800-233-0628 • (717) 273-1685

**50 Lbs. (22.7 kg) Net Weight**