


Lebanon Pro



BRAND

FERTILIZER

46-0-0



WITH **LSN**

LebanonTurf Stabilized Nitrogen

GUARANTEED ANALYSIS	GUARANTEED MINIMUM ANALYSIS
Total Nitrogen (N) 46% 46.0% Urea Nitrogen*	Total Nitrogen (N) 46% 46.0% Urea Nitrogen*
Derived From: Urea.	Derived From: Urea.
*46.0% Stabilized Urea Nitrogen with N-(n-butyl) thiophosphoric triamide.	Chlorine (Cl) maximum 9.0%
Chlorine (Cl) not more than 9.0%	*46.0% Stabilized Urea Nitrogen with N-(n-butyl) thiophosphoric triamide.
U.S.A	CANADA

Lebanon brand fertilizers are formulated for professional use on turf, including golf courses, sports fields, and landscapes. Specific application rates and frequencies are determined by the professional applicator based on local soils, regulations, and climate.

Application Rates:
To feed at the rate of 0.7 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 1.5 lbs per 1,000 sq. ft. or 65 lbs. per acre.

SUGGESTED SPREADER SETTINGS	
Spreader	0.7 # N/1,000 Sq. Ft.
Lebanon Turf	3½
Andersons AccuPro	H
Earthway Rotary	14
Gandy	23
Lely	3½ II
Lesco (letter/numeric)	F/12
PennMulch HVO	i
ProScape SS	i
Spyker	3½
Vicon	22

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

Information regarding the contents and levels of metals in this product is available on the Internet at:
<http://www.regulatory-info-lebsea.com>

Precautionary Statements
Keep out of reach of children
Precautionary Statements for disposal - Dispose in accordance with all federal, state and local regulations.

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

WARRANTY

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

Application Rates and Frequencies in Canada: Follow your professional landscape management plan for your local course or area. A suggested application rate is 1 to 2.8 Kg for 100 m², applied every 4 to 8 weeks during the local growing season.

Application Rates:
To feed at the rate of 0.36 kg Nitrogen (N) Equivalent to 1.2 kg of product per 100 sq. meters.

SUGGESTED SPREADER SETTINGS	
Spreader	0.36 kg N/100 m ²
Lebanon Turf	3½
Andersons AccuPro	H
Earthway Rotary	14
Gandy	23
Lely	3½ II
Lesco (letter/numeric)	F/12
PennMulch HVO	i
ProScape SS	i
Spyker	3½
Vicon	22

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.



0 88685 42710 7
F699 **22-42710** L/17

Do not apply to frozen ground.



Manufactured by:
Lebanon Seaboard Corporation
1600 E. Cumberland St. • Lebanon, PA 1704
800-233-0628 • (717) 273-1685
Made in the U.S.A.
www.LebanonTurf.com

NET WT. 50 LBS. (22.7 KG.)

FERTILIZER

46-0-0



WITH LSN

LebanonTurf Stabilized Nitrogen

GUARANTEED ANALYSIS

Total Nitrogen (N) 46%
46.0% Urea Nitrogen*

Derived From: Urea.

*46.0% Stabilized Urea Nitrogen with N-(n-butyl) thiophosphoric triamide.

Chlorine (Cl) not more than 9.0%

U.S.A

GUARANTEED MINIMUM ANALYSIS

Total Nitrogen (N) 46%
46.0% Urea Nitrogen*

Derived From: Urea.

Chlorine (Cl) maximum 9.0%

*46.0% Stabilized Urea Nitrogen with N-(n-butyl) thiophosphoric triamide.

CANADA

Lebanon brand fertilizers are formulated for professional use on turf, including golf courses, sports fields, and landscapes. Specific application rates and frequencies are determined by the professional applicator based on local soils, regulations, and climate.

Application Rates:

To feed at the rate of 0.7 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 1.5 lbs per 1,000 sq. ft. or 65 lbs. per acre.

SUGGESTED SPREADER SETTINGS

Spreader	0.7 # N/1,000 Sq. Ft.
Lebanon Turf	3½
Andersons AccuPro	H
Earthway Rotary	14
Gandy	23
Lely	3½ II
Lesco (letter/numeric)	F/12
PennMulch HVO	i
ProScape SS	i
Spyker	3½
Vicon	22

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

Information regarding the contents and levels of metals in this product is available on the Internet at: <http://www.regulatory-info-lebsea.com>

Precautionary Statements

Keep out of reach of children

Precautionary Statements for disposal - Dispose in accordance with all federal, state and local regulations.

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

WARRANTY

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

Application Rates and Frequencies in Canada: Follow your professional landscape management plan for your local course or area. A suggested application rate is 1 to 2.8 Kg for 100 m², applied every 4 to 8 weeks during the local growing season.

Application Rates:

To feed at the rate of 0.36 kg Nitrogen (N) Equivalent to 1.2 kg of product per 100 sq. meters.

SUGGESTED SPREADER SETTINGS

Spreader	0.36 kg N/100 m ²
Lebanon Turf	3½
Andersons AccuPro	H
Earthway Rotary	14
Gandy	23
Lely	3½ II
Lesco (letter/numeric)	F/12
PennMulch HVO	i
ProScape SS	i
Spyker	3½
Vicon	22

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.



F699

22-42710

L/17

Do not apply to frozen ground.



Manufactured by:

Lebanon Seaboard Corporation

1600 E. Cumberland St. • Lebanon, PA 1704

800-233-0628 • (717) 273-1685

Made in the U.S.A.

www.LebanonTurf.com

NET WT. 50 LBS. (22.7 KG.)