

Pro Scape[®] LEBANON

FERTILIZER 19-0-19 MESA[®]

P A T E N T E D

GUARANTEED ANALYSIS

Total Nitrogen (N)	19%
3.8% Ammoniacal Nitrogen	
2.5% Water Insoluble Nitrogen*	
8.7% Urea Nitrogen	
4.0% Other Water Soluble Nitrogen*	
Soluble Potash (K ₂ O).....	19%
Sulfur (S)	11.1%
11.1% Combined Sulfur (S)	
Iron (Fe)	3.0%
0.3% Water Soluble Iron (Fe)	
Zinc (Zn)	0.18%
0.18% Water Soluble Zinc (Zn)	

Derived From: Ammonium Sulfate, Methylene Ureas, Urea, Sulfate of Potash, Ferric Oxide, Ferrous Sulfate, Zinc Sulfate.

*6.5% Slowly available nitrogen from methylene urea.

Chlorine (Cl) not more than 2.0%

U.S.A

GUARANTEED MINIMUM ANALYSIS

Total Nitrogen (N)	19%
3.8% Ammoniacal Nitrogen	
2.5% Water Insoluble Nitrogen*	
8.7% Urea Nitrogen	
4.0% Other Water Soluble Nitrogen*	
Soluble Potash (K ₂ O).....	19%
Sulfur (S)	11.1%
11.1% Combined Sulfur (S)	
Iron (Fe) (Actual).....	3.0%
0.3% Water Soluble Iron (Fe)	
Zinc (Zn)	0.18%
0.18% Water Soluble Zinc (Zn)	

Chlorine (Cl) (maximum) 2.0%

Derived From: Ammonium Sulfate, Methylene Ureas, Urea, Sulfate of Potash, Ferric Oxide, Ferrous Sulfate, Zinc Sulfate.

*6.5% Slowly available nitrogen from methylene urea.

CANADA

NOTICE: This product contains the secondary micronutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly by sweeping or blowing. Do not wash off with water.

Lebanon brand fertilizers are formulated for professional use on turf, including golf courses, sports fields, and landscapes. Specific application rates and frequencies are determined by the professional applicator based on local soils, regulations, and climate.

Dispose in accordance with all federal, state and local regulations.

KEEP OUT OF REACH OF CHILDREN.

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

WARRANTY


NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

Information regarding the contents and levels of metals in this product is available on the Internet at:
<http://www.regulatory-info-lebsea.com>

Application Rates and Frequencies in Canada: Follow your professional landscape management plan for your local course or area. A suggested application rate is 1 to 2.8 Kg for 100 m², applied every 4 to 8 weeks during the local growing season.

Application Rates:		
To feed at the rate of 0.9 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 4.72 lbs per 1,000 sq. ft. or 206 lbs. per acre. To feed at the rate of 0.5 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 2.63 lbs per 1,000 sq. ft. or 114.5 lbs. per acre.		
SUGGESTED SPREADER SETTINGS		
Spreader	0.9#N/1,000 sq. ft.	0.5#N/1,000 sq. ft.
Lebanon Turf	5½	4
Andersons AccuPro	0	J
Earthway Rotary	18	15
Gandy	30	25
Lely	6½ II	4½ II
Lesco (letter/numeric)	K/22	H/15
PennMulch HVO	N	K
ProScape SS	N	K
Spyker	5½	4
Vicon	30	23
These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.		

Application Rates:		
To apply at the rate 0.43 kg N/100 sq. metres. Equivalent to 2.3 kg of product per 100 sq. metres. To apply at the rate 0.22 kg N/100 sq. metres. Equivalent to 1.3 kg of product per 100 sq. metres.		
SUGGESTED SPREADER SETTINGS		
Spreader	0.43 kg N/100 m ²	0.22 kg N/100 m ²
Lebanon Turf	5½	4
Andersons AccuPro	0	J
Earthway Rotary	18	15
Gandy	30	25
Lely	6½ II	4½ II
Lesco (letter/numeric)	K/22	H/15
PennMulch HVO	N	K
ProScape SS	N	K
Spyker	5½	4
Vicon	30	23
These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.		



F699 **22-53621** i/19

MESA is a registered trademark of Lebanon Seaboard Corporation.



For technical assistance or more information about our products visit www.LebanonTurf.com

Manufactured by:
Lebanon Seaboard Corporation
1600 E. Cumberland St. • Lebanon, PA 17042
Made in the U.S.A.
www.LebanonTurf.com

NET WEIGHT **50** LBS. (22.7 KG)

FERTILIZER 19-0-19

MESA

P A T E N T E D

GUARANTEED ANALYSIS

Total Nitrogen (N)	19%
3.8% Ammoniacal Nitrogen	
2.5% Water Insoluble Nitrogen*	
8.7% Urea Nitrogen	
4.0% Other Water Soluble Nitrogen*	
Soluble Potash (K ₂ O).....	19%
Sulfur (S)	11.1%
11.1% Combined Sulfur (S)	
Iron (Fe)	3.0%
0.3% Water Soluble Iron (Fe)	
Zinc (Zn)	0.18%
0.18% Water Soluble Zinc (Zn)	

Derived From: Ammonium Sulfate, Methylene Ureas, Urea, Sulfate of Potash, Ferric Oxide, Ferrous Sulfate, Zinc Sulfate.

*6.5% Slowly available nitrogen from methylene urea.
Chlorine (Cl) not more than 2.0%

U.S.A

GUARANTEED MINIMUM ANALYSIS

Total Nitrogen (N)	19%
3.8% Ammoniacal Nitrogen	
2.5% Water Insoluble Nitrogen*	
8.7% Urea Nitrogen	
4.0% Other Water Soluble Nitrogen*	
Soluble Potash (K ₂ O).....	19%
Sulfur (S)	11.1%
11.1% Combined Sulfur (S)	
Iron (Fe) (Actual)	3.0%
0.3% Water Soluble Iron (Fe)	
Zinc (Zn)	0.18%
0.18% Water Soluble Zinc (Zn)	

Chlorine (Cl) (maximum) 2.0%
Derived From: Ammonium Sulfate, Methylene Ureas, Urea, Sulfate of Potash, Ferric Oxide, Ferrous Sulfate, Zinc Sulfate.

*6.5% Slowly available nitrogen from methylene urea.

CANADA

NOTICE: This product contains the secondary micronutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly by sweeping or blowing. Do not wash off with water.

Lebanon brand fertilizers are formulated for professional use on turf, including golf courses, sports fields, and landscapes. Specific application rates and frequencies are determined by the professional applicator based on local soils, regulations, and climate.

Dispose in accordance with all federal, state and local regulations.

KEEP OUT OF REACH OF CHILDREN.

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

WARRANTY

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

Information regarding the contents and levels of metals in this product is available on the Internet at:
<http://www.regulatory-info-lebsea.com>

Application Rates and Frequencies in Canada: Follow your professional landscape management plan for your local course or area. A suggested application rate is 1 to 2.8 Kg for 100 m², applied every 4 to 8 weeks during the local growing season.

Application Rates:

To apply at the rate 0.43 kg N/100 sq. metres.
Equivalent to 2.3 kg of product per 100 sq. meters.
To apply at the rate 0.22 kg N/100 sq. metres.
Equivalent to 1.3 kg of product per 100 sq. meters.

SUGGESTED SPREADER SETTINGS

Spreader	0.43 kg N/100 m ²	0.22 kg N/100 m ²
Lebanon Turf	5½	4
Andersons AccuPro	0	J
Earthway Rotary	18	15
Gandy	30	25
Lely	6½ II	4½ II
Lesco (letter/numeric)	K/22	H/15
PennMulch HVO	N	K
ProScape SS	N	K
Spyker	5½	4
Vicon	30	23

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.


Application Rates:

To feed at the rate of 0.9 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 4.72 lbs per 1,000 sq. ft. or 206 lbs. per acre. To feed at the rate of 0.5 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 2.63 lbs per 1,000 sq. ft. or 114.5 lbs. per acre.

SUGGESTED SPREADER SETTINGS

Spreader	0.9#N/1,000 sq. ft.	0.5#N/1,000 sq. ft.
Lebanon Turf	5½	4
Andersons AccuPro	0	J
Earthway Rotary	18	15
Gandy	30	25
Lely	6½ II	4½ II
Lesco (letter/numeric)	K/22	H/15
PennMulch HVO	N	K
ProScape SS	N	K
Spyker	5½	4
Vicon	30	23

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.



F699

22-53621

i/19



For technical assistance or more information about our products visit www.LebanonTurf.com

Manufactured by:

Lebanon Seaboard Corporation

1600 E. Cumberland St. • Lebanon, PA 17042

Made in the U.S.A.

www.LebanonTurf.com

NET WEIGHT **50** LBS. (22.7 KG)