

## ORGANIC BASED FERTILIZER



GUARANTEED ANALYSIS	
Total Nitrogen (N)	15%
1.5% Ammoniacal Nitrogen	
4.3% Water Insoluble Nitrogen*	
5.0% Urea Nitrogen	
4.2% Other Water Soluble Nitrogen*	
Available Phosphate (P <sub>2</sub> 0 <sub>5</sub> )	2%
Soluble Potash (K <sub>2</sub> 0)	8%
Calcium (Ca)	1.0%
Sulfur (S)	4.2%
4.2% Combined Sulfur (S)	
Iron (Fe)	1.0%
1.0% Water Soluble Iron (Fe)	
Derived From: Ammonium Sulfate,Biosolids, Methylene Ureas, Urea, Muriate of Sulfate of Potash.	Potash
*8.5% Slowly available Nitrogen from Methylene Ureas and Biosolids.	
Chlorine (CI) not more than	7.0%

<b>GUARANTEED MINIMUM ANALYSIS</b>				
Total Nitrogen (N)	15%			
1.5% Ammoniacal Nitrogen				
4.3% Water Insoluble Nitrogen*				
5.0% Urea Nitrogen				
4.2% Other Water Soluble Nitrogen*				
Available Phosphate (P <sub>2</sub> 0 <sub>5</sub> )	2%			
Soluble Potash (K <sub>2</sub> 0)	8%			
Calcium (Ca)	1.0%			
Sulfur (S)	4.2%			
4.2% Combined Sulfur (S)				
Iron (Fe) (actual)	1.0%			
1.0% Water Soluble Iron (Fe)				
Chlorine (CI) (maximum)	7.0%			
, ,, ,				
Derived From: Ammonium Sulfate, Biosolids, Methylene Ureas, Urea, Muriate of Potash,				
Sulfate of Potash.	,			

\*8.5% Slowly available Nitrogen from Methylene Ureas and Biosolids.

NOTICE: This product contains the secondary micronutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly by sweeping or blowing. Do not wash off with water.

**Application Rates:** To feed at the rate of 0.9 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 6.0 lbs per 1,000 sq. ft. or 261 lbs. per acre. To feed at the rate of 0.5 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 3.35 lbs per 1,000 sq. ft. or 144lbs. per acre.

SUGGESTED SPREADER SETTINGS 0.9#N /1,000 sq. ft. 0.5#N /1,000 sq. ft. Lebanon Turf 4 1/2 Andersons AccuPro **Earthway Rotary** 27 Lely 7 1/2 II i/19 Lesco (letter/numeric) M/25 PennMulch HVO M M ProScane SS 4 1/2 Spyker

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

total nitrogen per 1,000 sq. ft. annually.

In Maryland and Virginia: This fertilizer contains phosphorus and may not be used for lawn maintenance on turf in the states of Maryland or Virginia except when 1) Providing nutrients to specific soils and target vegetation as

determined to be necessary in accordance with a soil test that

was conducted by a laboratory\* performed no more than 3 years before the application; 2) Establishing vegetation for the first time, such as after land disturbance, provided the application is conducted in

accordance with the recommended application rates established or 3) Re-establishing or repairing a turf area. \*In Maryland, the laboratory must be identified under Section

8-803.7 of the Agriculture Article, Annotated Code of Maryland. In New Hampshire: This fertilizer contains phosphate. In New Hampshire, phosphate fertilizers may only be used for turf

maintenance in golf courses, parks, athletic fields, and sod farms

**Hazard Statements** 

May be harmful if inhaled repeatedly over long periods of time.

**Precautionary Statements** Avoid Breathing dust.

Seek medical advice or attention if you feel unwell. Dispose in accordance with all federal, state and local regulations.

> KEEP OUT OF REACH OF CHILDREN. CAUTION

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention. Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

To feed at the rate of 0.43 kg Nitrogen (N) Equivalent to 2.7 kg of product per 100 sq. meters.

To feed at the rate of 0.22 kg Nitrogen (N) Equivalent to 1.4 kg of product per 100 sq. meters.

SUGGESTED SPREADER SETTINGS 0.24 kg# N/100 m<sup>2</sup> 0.43 kg N/100 m<sup>2</sup> Lebanon Turf 4 1/2 Andersons AccuPro Earthway Rotary 22 27 Gandy 5 i/19 Lely 7 1/2 II Lesco (letter/numeric) M/25 PennMulch HVO ProScape SS 4 1/2 Spyker

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.



Information regarding the contents and levels of metals in this product is available on the Internet at: http://www.regulatory-info-lebsea.com



Manufactured by: Lebanon Seaboard Corporation

1600 E. Cumberland St. • Lebanon, PA 17042 800-233-0628 • (717) 273-1685

> Made in the U.S.A. www.LebanonTurf.com

Information regarding the contents and levels of metals in this product is available on the Internet at: http://www.regulatory-info-lebsea.com

## ORGANIC BASED FERTILIZER



15-2-8



#### **GUARANTEED ANALYSIS** Total Nitrogen (N) ...... 15% 1.5% Ammoniacal Nitrogen 4.3% Water Insoluble Nitrogen 5.0% Urea Nitrogen 4.2% Other Water Soluble Nitrogen\* Available Phosphate (P205)..... 2% Soluble Potash (K<sub>2</sub>0)..... 8% Calcium (Ca)...... Sulfur (S) ..... 4.2% Combined Sulfur (S) Iron (Fe) ..... 1.0% Water Soluble Iron (Fe) Derived From: Ammonium Sulfate, Biosolids, Methylene Ureas, Urea, Muriate of Potash, Sulfate of Potash \*8.5% Slowly available Nitrogen from Methylene Ureas and Biosolids.

GUARANTEED MINIMUM ANALYSIS	
Total Nitrogen (N)	15%
1.5% Ammoniacal Nitrogen	
4.3% Water Insoluble Nitrogen*	
5.0% Urea Nitrogen	
4.2% Other Water Soluble Nitrogen*	
Available Phosphate (P <sub>2</sub> O <sub>5</sub> )	2%
Soluble Potash (K <sub>2</sub> 0)	8%
Calcium (Ca)	1.0%
Sulfur (S)	4.2%
4.2% Combined Sulfur (S)	
Iron (Fe) (actual)	1.0%
1.0% Water Soluble Iron (Fe)	
Chlorine (CI) (maximum)	7.0%

Derived From: Ammonium Sulfate, Biosolids, Methylene Ureas, Urea, Muriate of Potash, Sulfate of Potash.

\*8.5% Slowly available Nitrogen from Methylene Ureas and Biosolids.

NOTICE: This product contains the secondary micronutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly by sweeping or blowing. Do not wash off with water.

#### **Application Rates:**

To feed at the rate of 0.9 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 6.0 lbs per 1,000 sq. ft. or 261 lbs. per acre. To feed at the rate of 0.5 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 3.35 lbs per 1,000 sq. ft. or 144lbs. per acre.

SUGGESTED SPREADER SETTINGS				
Spreader 0.9#	N /1,000 sq. ft.	0.5#N /1,000 sq. ft.		
Lebanon Turf	6	4 1/2		
Andersons AccuPro	Q	L		
Earthway Rotary	22	15		
Gandy	34	27		
Lely	7 1/2 II	5		
Lesco (letter/numeric) M/25		i/19		
PennMulch HVO	Q	M		
ProScape SS	Q	M		
Spyker	6	4 1/2		
Vicon	34	25		
Those cottings were collibrated and field tooted				

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

Apply only to actively growing turf. Do not exceed 3.2 lbs. of total nitrogen per 1,000 sq. ft. annually.

In Maryland and Virginia: This fertilizer contains phosphorus and may not be used for lawn maintenance on turf in the states of Maryland or Virginia except when

 Providing nutrients to specific soils and target vegetation as determined to be necessary in accordance with a soil test that was conducted by a laboratory\* performed no more than 3 years before the application;

 Establishing vegetation for the first time, such as after land disturbance, provided the application is conducted in accordance with the recommended application rates established by the State;

or 3) Re-establishing or repairing a turf area.

\*In Maryland, the laboratory must be identified under Section 8-803.7 of the Agriculture Article, Annotated Code of Maryland.

In New Hampshire: This fertilizer contains phosphate. In New Hampshire, phosphate fertilizers may only be used for turf maintenance in golf courses, parks, athletic fields, and sod farms.

#### **Hazard Statements**

May be harmful if inhaled repeatedly over long periods of time.

#### **Precautionary Statements**

Avoid Breathing dust.

Seek medical advice or attention if you feel unwell.

Dispose in accordance with all federal, state and local regulations.

#### KEEP OUT OF REACH OF CHILDREN. CAUTION

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

**Application Rates:** 

To feed at the rate of 0.43 kg Nitrogen (N) Equivalent to 2.7 kg of product per 100 sq. meters.

To feed at the rate of 0.22 kg Nitrogen (N) Equivalent to 1.4 kg of product per 100 sq. meters.

SUGGESTED SPREADER SETTINGS				
Spreader	0.43 kg N/100 m <sup>2</sup>	0.24 kg# N/100 m <sup>2</sup>		
Lebanon Turf	6	4 1/2		
Andersons Accu	Pro Q	L		
<b>Earthway Rotary</b>	22	15		
Gandy	34	27		
Lely	7 1/2 II	5		
Lesco (letter/nu	meric) M/25	i/19		
PennMulch HVO	Q	M		
ProScape SS	Q	M		
Spyker	6	4 1/2		
Vicon	2/	25		

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.



22-53626



Manufactured by:

### Lebanon Seaboard Corporation

1600 E. Cumberland St. • Lebanon, PA 17042

800-233-0628 • (717) 273-1685

Made in the U.S.A.

www.LebanonTurf.com

Information regarding the contents and levels of metals in this product is available on the Internet at: http://www.regulatory-info-lebsea.com

# NET WEIGHT 50 LBS. (22.7 KG)