FERTING	LEBAN Call		0 88685 53844 5 699 22-53844 J/21	
GUARANTEED ANALYSIS		GUARAN	ITEED MINIMUM ANALYSIS	
Total Nitrogen (N) 1.5% Ammoniacal Nitrogen 4.3% Water Insoluble Nitrogen* 5.0% Urea Nitrogen 4.2% Other Water Soluble Nitrogen* Available Phosphate (P205) Soluble Potash (K20) Calcium (Ca) Sulfur (S) Iron (Fe) 1.0% Water Soluble Iron (Fe) Derived From: Ammonium Sulfate,Biosolids, Methylene Ur of Potash, Sulfate of Potash. *8.5% Slowly available Nitrogen from Methylene Ureas a Chlorine (CI) not more than.	2% 8% 1.0% 4.2% 1.0% eas, Urea, Muriate nd Biosolids. 7.0% U.S.A	1.5% Ammoniacal Nitr 4.3% Water Insoluble I 5.0% Urea Nitrogen 4.2% Other Water Solu Available Phosphate (P2' Soluble Potash (K20) Calcium (Ca) Sulfur (S) 4.2% Combined Sulfur Iron (Fe) (actual) 1.0% Water Soluble Iro Chlorine (Cl) (maximum) Derived From: Ammonium S Sulfate of Potash. *8.5% Slowly available Nitro	Vitrogen* Uble Nitrogen* D5) D5) D5) D5) D5) D5) D5) D5	ash,
NOTICE: This product contains the micronutrient iron. I be removed from these areas promptly by sweeping or bApplication Rates: To feed at the rate of 0.9 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 6.0 lbs per 1,000 sq. ft. or 261 lbs. per acre. To feed at the rate of 0.5 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 3.35 lbs per 1,000 sq. ft. or 144lbs. per acre. SUGGESTED SPREADER SETTINGS Spreader 0.9#N /1,000 sq. ft. 0.5#N /1,000 sq. ft. Lebanon Turf	lowing. Do not wash off w Hazard Statements: Causes eye irritation. May cause respiratory irritation. Precautionary Statements fr Wash hands and exposed skin	vith water. WARNING vithoughly after handling. seek medical attention if symptoms	 Application Rates and Frequencies in Canada: Follow your profession landscape management plan for your local course or area. A suggest application rate is 1 to 2.8 Kg for 100 m2, applied every 4 to 8 weeks during the local growing season. Application Rates: To feed at the rate of 0.43 kg Nitrogen (N) Equivalent to 2.7 kg of product per 100 sq. meters. To feed at the rate of 0.22 kg Nitrogen (N) Equivalent to 1.4 km of norduct per 100 sq. meters. 	sted s

6	4 1/2				
Q	L				
22	15				
34	27				
7 1/2 II	5				
c) M/25	i/19				
Q	M				
Q	Μ				
6	4 1/2				
34	25				
These settings were calibrated and field tested.					
However, age and condition of spreader, speed of					
operation and evenness of terrain may require slightly					
different settings for desired coverage.					
	Q 22 34 7 1/2 II c) M/25 Q Q 6 34 re calibrat condition				

Apply only to actively growing turf. Do not exceed 3.2 lbs. of total nitrogen per 1,000 sq. ft. annually.

In Maryland, New Jersey, New York and Virginia: This fertilizer contains phosphorus and may not be used for lawn maintenance on turf in the states of Maryland, New Jersey, New York or Virginia except when

1) Providing nutrients to specific soils and target vegetation as determined to be necessary in accordance with a soil test that was conducted by a laboratory* performed no more than 3 years before the application;

2) Establishing vegetation for the first time, such as after land disturbance, provided the application is conducted in accordance with the recommended application rates established by the State; or 3) Re-establishing or repairing a turf area.

*In Maryland, the laboratory must be identified under Section 8-803.7 of the Agriculture Article, Annotated Code of Maryland.

In New Hampshire: This fertilizer contains phosphate. In New Hampshire, phosphate fertilizers may only be used for turf maintenance in golf courses, parks, athletic fields, and sod farms.

Store locked up. Store in a well-ventilated place. Keep container tightly closed. Dispose of contents/container properly as required by law for waste pesticides. Keep out of reach of children Precautionary Statements for disposal - Dispose in accordance with all federal, state and local regulations.

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

Do not apply to frozen ground.

WARRANTY NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

To feed at the rate of 0.22 kg Nitrogen (N)					
Equivalent to 1.4 kg of product per 100 sq. meters.					
SUGGESTED SPREADER SETTINGS					

Spreader	0.43 kg N/100 m²	0.24 kg# N/100 m²		
Lebanon Turf	6	4 1/2		
Andersons Acc	uPro Q	L		
Earthway Rota	ry 22	15		
Gandy	34	27		
Lely	7 1/2 II	5		
Lesco (letter/n	umeric) M/25	i/19		
PennMulch HV	O Q	M		
ProScape SS	Q	M		
Spyker	6	4 1/2		
Vicon	34	25		
These settings were calibrated and field tested.				
However, age and condition of spreader, speed of				
encyclical and even according to a second a climbely				

operation and evenness of terrain may require slightly different settings for desired coverage.

Manufactured by: Lebanon Seaboard Corporation 1600 E. Cumberland St. • Lebanon, PA 17042 800-233-0628 • (717) 273-1685 www.LebanonTurf.com Information regarding the contents and levels of metals in this product is available on the Internet at: http://www.regulatory-info-lebsea.com

For technical assistance or more information about our products visit www.LebanonTurf.com

NET WEIGHT 50 LBS. (22.7 KG)