
3/end Restoration

Sustainable Turf Starts with Healthy Soil

- Humic acid improves soil and makes nutrients more available to the turf
- Replenishes soil carbon with recycled organic matter



2-20-12

GUARANTEED ANALYSIS		GUARANTEED MINIMUM ANALYSIS	
Total Nitrogen (N)	20% 12% 1.0% e,	Total Nitrogen (N)	20% 12% 1.0%
Chlorine (CI) not more than	14.3%	Chlorine (CI) maximum	14.3%
	85.7% . S.A.	Plant food fertilizer	

	Application Rates: To feed at the rate of 1.0 lb. Phosphate (P_2O_5) per 1,000 sq. ft., apply this product at 5.0 lbs per 1,000 sq. ft. or 217 lbs. per acre.	
١	SUGGESTED SPREADER SETTINGS	
١	Spreader Andersons AccuPro	1 lb. #P ₂ O ₅ /1,000 sq. ft.
- 1	Andersons AccuPro	- [*] M

Earthway Rotary 28 Gandy Lesco (letter/numeric) J/21 4 3/4 Spyker Vicon

These settings were calibrated and field tested. However age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings fo desired coverage.

Application Rates and Frequencies in Canada: Follow your professional landscape management plan for your local course or area. A suggested application rate is 1 to 2.8 Kg for 100 m², applied every 4 to 8 weeks during the local growing season.

Lebanon brand fertilizers are formulated for professional use on turf, including golf courses, sports fields, and landscapes. Specific application rates and frequencies are determined by the professional applicator based on local soils, regulations, and climate.

ı	Application Rates: To feed at the rate of 0.454 kg Phosphate (P ₂ O ₃) Equivalent to 3 kg of product per 100 sq. meters.
ı	Equivalent to 3 kg of product per 100 sq. meters.

0.454 kg P₂O₅/100 m² Spreader Andersons AccuPro Earthway Rotary Gandy 28 Lely Lesco (letter/numeric) J/21 4 3/4 Spyker Vicon These settings were calibrated and field tested. However, age and condition of spreader, speed of operation

SUGGESTED SPREADER SETTINGS

and evenness of terrain may require slightly different setting for desired coverage.

WARNING

Hazard Statements Causes skin irritation. Causes serious eye irritation. Causes eye irritation. May be harmful if inhaled. May cause respiratory irritation.

Precautionary Statements for handling: Wash hands and exposed skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection If in eyes, rinse with water and seek medical attention if symptoms persist.

Take off contaminated clothing and wash before reuse.

IF ON SKIN: Wash with plenty of soap and water.

IF INHALED: Call » POISON CENTER or doctor/physician if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/ attention.

If eye irritation persists: Get medical advice/attention

Store in a well-ventilated place

Keep container tightly closed.
Keep out of reach of children
Precautionary Statements for disposal - Dispose in accordance with all federal, state and local regulations. Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawr

Apply only to actively growing turf. Do not exceed 3.2 lbs. of total nitrogen per 1,000 sq. ft. annually.

Do not exceed 2.0 lbs. total phosphorus annually

In Maryland, New Jersey, New York and Virginia: This fertilizer contains phosphorus and may not be used for lawn maintenance on turf in the states of Maryland, New Jersey, New York or Virginia except when

1) Providing nutrients to specific soils and target vegetation as determined to be necessary in accordance with a soil test that was conducted by a laboratory* performed no more than 3 years before the application 2) Establishing vegetation for the first time, such as after land disturbance, provided the application is conducted in accordance with the

recommended application rates established by the State 3) Re-establishing or repairing a turf area. In Maryland, the soil testing laboratory must be identified under Section 8-803.7 of the Agriculture Article, Annotated Code of Maryland. In New Hampshire: This fertilizer contains phosphate. In New Hampshire, phosphate fertilizers may only be used for turf maintenance in



Lebanon Seaboard Corporation

1600 E. Cumberland St. • Lebanon, PA 17042

This bag covers 8000 square feet



