



woodace[®]

12-3-6

WITH **MESA[®]**



A.C.R.E.

acidifying fertilizer

PROFESSIONAL LANDSCAPE
NUTRITION

Lebanon Seaboard Corporation
1600 East Cumberland Street • Lebanon, PA 17042
www.lebanonturf.com

NET WT. 40 LBS. (18.14 KG)



woodace[®]

12-3-6

A.C.R.E.

acidifying fertilizer

PROFESSIONAL LANDSCAPE NUTRITION

GUARANTEED ANALYSIS	
Total Nitrogen (N)	12%
3.2% Ammoniacal Nitrogen	
2.3% Water Insoluble Nitrogen*	
2.1% Urea Nitrogen	
4.4% Other Water Soluble Nitrogen*	
Available Phosphate (P2O5)	3%
Soluble Potash (K2O)	6%
Sulfur (S)	4.5%
Iron (Fe)	0.5%
Manganese (Mn)	0.5%
Derived from: Methylene Ureas, Ammonium Sulfate, Ammonium Phosphate, Urea, Coffee Meal, Sulfate of Potash, Manganese Sucrate, Ferric Oxide.	
*6.7% Slowly Available Nitrogen from Methylene Ureas.	

general

Woodace A.C.R.E. 12-3-6 is a premium fertilizer for maintaining foundation plantings, shrubs, ground covers, and trees that prefer a slightly acidic soil environment. Woodace A.C.R.E. 12-3-6 is also ideal for fertilizing plants where micronutrient availability is limited by high soil pH. Woodace A.C.R.E. will aid in maintaining a slightly acidic soil pH which is ideal for most evergreens and the majority of foundation plants. Additional Iron is included to help enhance the color and appearance of foliage.

application

Woodace A.C.R.E. is designed for top-dress application to ornamentals growing in planting beds and other non-turf areas. **For individual plants** apply Woodace A.C.R.E. evenly within the dripline or known root area. The feeder roots of large shrubs and trees may extend well beyond the dripline. Adjust the area accordingly. **For densely planted areas or ground covers** broadcast Woodace A.C.R.E. evenly over the entire area at a rate of 0.8 - 2.5 lbs. per 100 sq. ft., 1 - 3 lbs. N/1000 sq. ft. (0.4 kg - 1.1kg per 9.3 m², 0.45 - 1.36 kg.N/92.9m²). Adjust the height and trajectory of the spreader where possible to minimize reflecting granules off of dense foliage. Do not broadcast fertilizer onto wet foliage. Fertilizer should be applied when plants are actively growing. Do not attempt to incorporate fertilizers into the root area of established plants. Never fertilize when plants are suffering from stress related to transplant, moisture, heat, insect, disease or abiotic injury. Generally spring and fall provide the optimum time to apply supplemental nutrition.

fertilization program guidelines

Woodace A.C.R.E. should be a part of an integrated landscape maintenance program. In addition to fertilization, pest monitoring, weed control, pruning, and water management are essential. In most landscape situations nutrients are not naturally replenished at a sufficient rate to guarantee optimum health and appearance. The objective of most landscape fertilization programs is to improve the health and appearance of plantings by providing proper fertility. Other objectives for which Woodace A.C.R.E. may be used include: supplementing nutrients known to be deficient, encouraging foliar or root growth, increasing bloom or fruiting, or to aid in recovery from injury or disease. These label directions are intended to serve as a general guideline for the use of Woodace A.C.R.E. Other resources such as soil testing, local extension recommendations, and specific plant knowledge should be incorporated whenever possible.

WARNING



Hazard Statements:
May cause skin and eye irritation.
May be harmful if inhaled.

Precautionary Statements for handling:
Wash hands and exposed skin thoroughly after handling.
Wear protective gloves and protective clothing.
If eye or skin exposure occurs, rinse with water. Seek medical attention if irritation persists.
Take off contaminated clothing and wash before reuse.
Dispose of in accordance with all federal, state and local regulations.

Use in accordance with recommendations of a qualified individual or institution such as, but not limited to a certified crop advisor, agronomist, university crop extension publication.
DO NOT apply near water, storm drains or drainage ditches.
DO NOT apply if heavy rain is expected.
DO NOT apply to frozen ground.
Apply this product only to your lawn and sweep any product that lands on the driveway, sidewalk, or street back onto your lawn.

rate chart

broadcast (for heavily planted beds)

N rate	lbs./100 sq. ft. (kg/9.3m²)	lbs./1000 sq. ft. (kg/92.9m²)
1 lb./1000 ft² (0.45 kg/92.9m²)	0.8 lb. (0.4 kg)	8.3 lbs. (3.8 kg)
2 lbs./1000 ft² (0.9 kg/92.9m²)	1.6 lbs. (0.8 kg)	17 lbs. (7.7 kg)
3 lbs./1000 ft² (1.4 kg/92.9m²)	2.5 lbs. (1.1 kg)	25 lbs. (11.3 kg)

shrubs (per plant within dripline)

size	rate	measure
8-12" (20-30 cm)	2 oz.	¼ cup
13-18" (30-46 cm)	4 oz.	½ cup
19-24" (48-61 cm)	6 oz.	¾ cup
25-30" (64-76 cm)	8 oz.	1 cup
31-36" (79-91 cm)	12 oz.	1½ cups
37-42" (94-107 cm)	16 oz.	2 cups
> 42" (> 107 cm)	1 cup per foot (0.3 meters)	of branch spread

WARRANTY

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.



Manufactured by:
Lebanon Seaboard Corporation
1600 E. Cumberland St. • Lebanon, PA 17042
800-233-0628 • (717) 273-1685
Made in the U.S.A.
www.LebanonTurf.com
Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.regulatory-info-lebsea.com>

One cup is approximately 8 oz. (227 grams) by weight.

Shrub size refers to branch spread for shrubs where height and spread are approximately the same. For fastigate or decumbent forms reduce the amount by approximately ½.

The user assumes all liability for applications of this product. For uses that are not specifically listed on the product label, it is recommended that the user perform a test on a limited basis before commencing large scale applications.

Woodace[®] and MESA[®] are registered trademarks of Lebanon Seaboard Corporation.



22-54066
F699 K/24