LEADER CONTAINS DACONIL



USED AS DIRECTED, WILL PREVENT TURF PROBLEMS CAUSED BY CURVULARIA, LEAF SPOT, MELTING OUT, COPPER SPOT, DOLLAR SPOT, BROWN PATCH, GRAY LEAF SPOT AND STEM RUST OF BLUEGRASS.

ACTIVE INGREDIENT:

Chlorothalonil*		5.0%
OTHER INGREDIENTS:		95.0%
TOTAL	-	100.0%
*CAS No. 1897-45-6	(L)	(D)

EPA Reg. No. 961-277 Daconil is a registered trademark of a Syngenta Group Company. (L) (D) EPA Est. No. 961-PA-01:961-IL-01 Superscript used is first letter of lot number.

KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel for First Aid and additional Precautionary Statements.

NOTICE: READ THE ENTIRE LABEL. USE ONLY ACCORDING TO LABEL DIRECTIONS. Before buying this product, read the Warranty Section elsewhere on this label. If terms are not acceptable, return the unopened container at once.



For technical assistance or more information about our products visit www.LebanonTurf.com Manufactured by: Lebanon Seaboard Corporation

1600 E. Cumberland St. • Lebanon, PA 17042

Made in the U.S.A. www.LebanonTurf.com

NET WT. 20 LBS. (9.07 KG) TREATS 5,333 SQ. FT. (PREVENTATIVE RATE)

USED AS DIRECTED, WILL PREVENT TURF PROBLEMS CAUSED BY CURVULARIA, LEAF SPOT, MELTING OUT, COPPER SPOT, DOLLAR SPOT, BROWN PATCH, GRAY LEAF SPOT AND STEM RUST OF BLUEGRASS.

ACTIVE INGREDIENT:

Chlorothalonil*	5.0%
OTHER INGREDIENTS:	
TOTAL	100.0%

*CAS No. 1897-45-6 EPA Reg. No. 961-277 Daconil is a registered trademark of a Syngenta Group Company. (L) (D) EPA Est. No. 961-PA-01:961-IL-01 Superscript used is first letter of lot number.

KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel for First Aid and additional Precautionary Statements.

NOTICE: READ THE ENTIRE LABEL. USE ONLY ACCORDING TO LABEL DIRECTIONS. Before buying this product, read the Warranty Section elsewhere on this label. If terms are not acceptable, return the unopened container at once.



For technical assistance or more information about our products visit www.LebanonTurf.com Manufactured by: Lebanon Seaboard Corporation 1600 E. Cumberland St. • Lebanon, PA 17042 Made in the U.S.A. www.LebanonTurf.com

NET WT. 20 LBS. (9.07 KG) TREATS 5,333 SQ. FT. (PREVENTATIVE RATE)



Contains Daconil fungicide, an effective broad-spectrum fungicide for the control of many turf diseases, including the following:

Helminthosporium Leaf Spot, Curvularia (Curvularia spp.), Dollar Spot (Sclerotinia homeocarpa), Gray Leaf Spot (Piricularia grisea), Melting Out, Copper Spot (Gloeocerospora sorghi), Brown Patch (Rhizoctonia solami) and Stem Rust of bluegrass.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Causes moderate eye irritation. Avoid contact with eyes or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. This product may produce temporary allergic side effects characterized by redness of the eyes, mild bronchial irritation and redness or rash on exposed skin areas. Persons having allergic reaction should contact a physician.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Loaders, applicators and other handlers must wear:

- long sleeved shirt and long pants,
- chemical resistant gloves made of any waterproof material, and
- goggles or face shield.

Persons loading or applying this product to turf via tractor drawn spreader, must wear:

• A NIOSH approved dust mist filtering respirator with MSHA/NIOSH approval number prefix TC-21C or a NIOSH approved respirator with any N, R, P, or HE filter.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instruction for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.
- Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

FIRST AID

IF IN EYES: • Hold eye open and rinse slowly and gently with water for 15-20 minutes.

- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

Have product container or label with you when calling a poison control center or doctor or going for treatment. For additional information in case of emergency call toll free (888) 208-1368. **NOTE TO PHYSICIAN:** Persons having an allergic reaction respond to treatment with antihistamines or steroid creams and/or systemic steroids.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to aquatic invertebrates and wildlife. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high-water mark. Drift and runoff may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwater or rinsate.

Chlorothalonil is known to leach through soil into groundwater under certain conditions as a result of label use. Use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

This chemical can contaminate surface water through spray drift. Under some conditions, it may also have a high potential for runoff into surface water for several days to weeks after application. These include poorly draining or wet soils with readily visible slopes toward adjacent surface waters, frequently flooded areas, areas overlaying extremely shallow ground water, areas with in-field canals or ditches that drain to surface water, areas not separated from adjacent surface waters with vegetated filter strips, and areas overlaying tile drainage systems that drain to surface waters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

APPLY THIS PRODUCT ONLY AS SPECIFIED ON THIS LABEL.

PRECAUTIONS AND RESTRICTIONS

NOT FOR USE ON TURF BEING GROWN FOR SALE OR OTHER COMMERCIAL USE AS SOD, OR FOR COMMERCIAL SEED PRODUCTION OR FOR RESEARCH PURPOSES. FOR USE TO CONTROL DISEASES ON TURF ON GOLF COURSES, LAWNS AROUND INSTITUTIONAL, PUBLIC, COMMERCIAL AND INDUSTRIAL BUILDINGS, PARKS, RECREATIONAL AREAS AND ATHLITIC FIELDS. DO NOT USE ON HOME LAWNS AND TURF SITES ASSOCIATED WITH APARTMENT BUILDINGS, DAYCARE CENTERS, PLAYGROUNDS, RECREATIONAL PARK ATHLETIC FIELDS LOCATED ON OR NEXT TO SCHOOLS (ie., ELEMENTARY, MIDDLE AND HIGH SCHOOLS) CAMPGROUNDS, CHURCHES AND THEME PARKS.

Do not apply this product in a way that will contact any workers or other persons, or pets, either directly or through drift. Only protected handlers may be in the area during application.

Do not enter or allow others to enter the treated area until dusts have settled. USE OF THIS PRODUCT ON HOME LAWNS IS PROHIBITED.

ENTRY RESTRICTIONS

APPLICATION INSTRUCTIONS

Apply when grass is damp, as after a rain or in the early morning. Following application, do not water or mow grass for a minimum of 24 hours. Use rate of 3.75 lbs. per 1,000 sq. ft. (8.2 lbs. active ingredient per acre) for normal control. For severely affected areas, a single application of 5.2 lbs. per 1,000 sq. ft. (11.3 lbs. active ingredient per acre) can be made.

For control of Helminthosporium Leaf Spot, Melting Out and Curvularia, apply in early Spring. Continue applications at 7 to 10 day intervals during wet season.

To control Copper Spot, Dollar Spot, Brown Patch, Gray Leaf Spot and Stem Rust, apply in early Spring to early Summer, and continue applications at 7 to 14 day intervals into early Fall.

For turf use, do not apply more than 11.75 lbs. per 1,000 sq. ft. (26 lbs. of active ingredient per acre) per site per year.

For golf course greens, tees and fairways, do not apply more than 33.5, 23.5, 11.75 lbs. per 1,000 sq. ft. respectively (73, 52, 26 lbs. active ingredient respectively per acre) per site per year.

The spreader settings listed below are calculated to apply this product at 3.75 lbs. per 1,000 sq. ft. for normal control. In addition, for severely affected areas, a single application of 5.2 lbs. per 1,000 sq. ft. can be made. These settings are approximate. Check application rate of your spreader before applying. Settings may vary with age and condition of spreader.

SUGGESTED SPREADER SETTINGS								
	Settings			Settings				
Spreader	3.75#/1000 Sq. Ft.	5.2#/1000 Sq. Ft.	Spreader	3.75#/1000 Sq. Ft.	5.2#/1000 Sq. Ft.			
LebanonTurf	4	5	Ortho Rotary	6	7			
ProScape [®] SS/PrizeLAWN [®] BF-1/SS/	CBR III O	Р	Prizelawn CBR II	6	7			
PennMulch® HVO/PrizeLAWN® BF-H\	0 0	Р	Prizelawn LF-1/MPR I	41⁄2	5			
Cyclone	51/4	5 ¹ /2	Republic Rotary	6	7			
Earthway Rotary	20	22	Scotts AccuPro 2000/SR-2000	0	Р			
Ezee Flow (109)	C3	A2	Scotts (Rotary) R8A	L	Μ			
Gandy	35	36	Scotts (Rotary) R7X	J	К			
Lely (HR, W,1250,1500,2010)	7 II	71/2II	Spyker	4	5			
Lesco (letter dial)/(numeric dial)	K / 22	L / 24	Vicon (all models)	30	31			

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation, and evenness of terrain may require slightly different settings for desired coverage.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store product in its original container in a cool, dry, locked place out of the reach of children and animals. **PESTICIDE DISPOSAL:** Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility. **CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Completely empty container into application equipment. Then dispose of empty container in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned stay out of smoke.

WARRANTY

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.



